



# Product Specification Book

MEA 2024



## THE SHAPE OF WATER

KLUDI is a contemporary high-end brand for sophisticated bathrooms and high-quality kitchens. A perfect combination of almost 100 year tradition as a German fittings specialist and water expert with pioneering innovations and perfectly formed design.

KLUDI solutions convince through:  
German engineering and premium quality, high reliability in their function and sustainability in their use, an incomparable and timeless elegance in design and tangible sensuality in water experience.

KLUDI gives shape to your ideas through research and attention to detail, improving people's quality of life.



[top100.de](http://top100.de)

Top-Innovator  
2022



# Content

---

<b>BATHROOM</b>	<b>FITTINGS</b>			
Smart Luxury	KLUDI-NOVA FONTE	09	KLUDI-AMBA	45
	KLUDI-BALANCE	21	KLUDI-1926	52
	KLUDI-AMEO	32	KLUDI-BOZZ	62
	KLUDI-PUSH	41		
Pure Function	KLUDI-PURE&SOLD	72	KLUDI-PURE&EASY	88
	KLUDI-PURE&STYLE	81		
	KLUDI-OBJEKTA	99	KLUDI-AMBA	45
	KLUDI-ZENTA SL	104	KLUDI-1926	52
	KLUDI-LOUVA	119	KLUDI-BOZZ	62
<b>CONCEALED SHOWER SOLUTIONS FOR LIFESTYLE BATHROOMS</b>	KLUDI-TOUCHTRONIC	126	KLUDI-A-QA	138
	KLUDI-PUSHTRONIC	131	KLUDI-COOKPIT	148
	KLUDI-SLIM.BOXX	135	KLUDI-FRESHLINE	153
<b>SHOWERS</b>	<b>FITTINGS</b>			
	KLUDI-DIVE	163		
<b>ACCESSORIES</b>	<b>FITTINGS</b>			
	KLUDI-VELA S	172	KLUDI-VELA R	184
	KLUDI-VELA C	178	KLUDI-AMBA ACCESSORIES	190

---



# BATHROOM SMART LUXURY LIVING IN STYLE

Smart Luxury-Interior styles open up a wide range of design options: Modern Classic, Puristic, Contemporary and Avantgarde. A variety of options for sophisticated bathroom design. A fit for every style. After all, interior design is all about finding a personal touch.

# KLUDI-NOVA FONTE

COMBINES A UNIQUE SOPHISTICATION  
WITH AN APPEALING LIGHTNESS AND  
SUBTLETY


























8



reddot winner 2022



# KLUDI-NOVA FONTE PURA


Product	Product description	Surface	Item No.
<b>Washbasin</b>  	<b>KLUDI-NOVA FONTE Pura</b> <b>Single lever basin mixer 75 DN 15</b> wing handle, metal single hole mounted ceramic cartridge caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 l/min at 3 bar PUSH-OPEN waste G 1 1/4 flexible hoses G 3/8 with shank fastening spout height lower edge 75 mm	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>   	202660515 202663915 202665315 20266N015 20266N115 20266N215 20266N515 20266O115 20266O215 20266O315 20266O415 20266O515
 	<b>KLUDI-NOVA FONTE Pura</b> <b>Single lever basin mixer 75 DN 15</b> Solid lever single hole mounted ceramic cartridge flow rate 4,5 l/min at 3 bar without pop-up waste, flexible hoses G 3/8 spout height lower edge 75 mm.	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>   	200280515 200283915 20028N015 20028N115 20028N215 20028N515 20028O115 20028O215 20028O315 20028O415 20028O515
 	<b>KLUDI-NOVA FONTE Pura</b> <b>Single lever basin mixer 100 DN 15</b> wing handle, metal single hole mounted ceramic cartridge caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 l/min at 3 bar PUSH-OPEN waste G 1 1/4 flexible hoses G 3/8 with shank fastening spout height lower edge 100 mm	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>   	202880515 202883915 202885315 20288N015 20288N115 20288N215 20288N515 20288O115 20288O215 20288O315 20288O415 20288O515
 	<b>KLUDI-NOVA FONTE Pura</b> <b>Single lever basin mixer 100 DN 15</b> wing handle, metal single hole mounted EcoPlus centre position cold water ceramic cartridge caché eco s-pointer-aerator M 18,5 x 1 flow rate 4,3 l/min at 3 bar PUSH-OPEN waste G 1 1/4 flexible hoses G 3/8 with shank fastening spout height lower edge 100 mm	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>   	202890515 202893915 202895315 20289N015 20289N115 20289N215 20289N515 20289O115 20289O215 20289O315 20289O415 20289O515
 	<b>KLUDI-NOVA FONTE Pura</b> <b>Single lever basin mixer 100 DN 15</b> Solid lever single hole mounted ceramic cartridge flow rate 4,5 l/min at 3 bar without pop-up waste, flexible hoses G 3/8 spout height lower edge 100 mm	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>   	200260515 200263915 200265315 20026N015 20026N115 20026N215 20026N515 20026O115 20026O215 20026O315 20026O415 20026O515

**Product**

**Product description**

**Surface**

**Item No.**




**KLUDI-NOVA FONTE Pura**  
**Single lever washbowl mixer DN 15**  
 wing handle, metal  
 single hole mounted  
 ceramic cartridge  
 caché s-pointer-aerator M 18,5 x 1  
 flow rate 4,3 l/min at 3 bar  
 without pop-up waste  
 flexible hoses G 3/8  
 with shank fastening  
 spout height lower edge 240 mm

- Chrome
- Matt Black
- Matt White
- Brushed Gold
- Brushed Bronze
- Brushed Gunmetal
- Stainless Brushed Nickel
- Matt Dove
- Matt Light Dove
- Matt Teal Blue
- Matt Light Blue
- Matt Vermilion



**202980515**  
**202983915**  
**202985315**  
**20298N015**  
**20298N115**  
**20298N215**  
**20298N515**  
**20298O115**  
**20298O215**  
**20298O315**  
**20298O415**  
**20298O515**




**KLUDI-NOVA FONTE Pura**  
**Concealed two hole wall mounted basin mixer**  
 trim set  
 wing handle, metal  
 caché s-pointer-aerator M 18,5 x 1  
 flow rate 4,3 l/min at 3 bar  
 projection wall spout 180 mm

**Required Accessories:**  
 installation set DN 15  
 for concealed two hole wall mounted basin mixer **38242**

- Chrome
- Matt Black
- Matt White
- Brushed Gold
- Brushed Bronze
- Brushed Gunmetal
- Stainless Brushed Nickel
- Matt Dove
- Matt Light Dove
- Matt Teal Blue
- Matt Light Blue
- Matt Vermilion



**202450515**  
**202453915**  
**202455315**  
**20245N015**  
**20245N115**  
**20245N215**  
**20245N515**  
**20245O115**  
**20245O215**  
**20245O315**  
**20245O415**  
**20245O515**



**KLUDI-NOVA FONTE Pura**  
**Concealed two hole wall mounted basin mixer**  
 trim set  
 wing handle, metal  
 caché s-pointer-aerator M 18,5 x 1  
 flow rate 4,3 l/min at 3 bar  
 projection wall spout 220 mm


**Required Accessories:**  
 installation set DN 15  
 for concealed two hole wall mounted basin mixer **38242**

- Chrome
- Matt Black
- Matt White
- Brushed Gold
- Brushed Bronze
- Brushed Gunmetal
- Stainless Brushed Nickel
- Matt Dove
- Matt Light Dove
- Matt Teal Blue
- Matt Light Blue
- Matt Vermilion



**202440515**  
**202443915**  
**202445315**  
**20244N015**  
**20244N115**  
**20244N215**  
**20244N515**  
**20244O115**  
**20244O215**  
**20244O315**  
**20244O415**  
**20244O515**

**Bidet**



**KLUDI-NOVA FONTE Pura**  
**Single lever bidet mixer DN 15**  
 wing handle, metal  
 single hole mounted  
 ceramic cartridge  
 caché s-pointer-aerator M 18,5 x 1  
 flow rate 4,3 l/min at 3 bar  
 metal pop-up waste G 1 1/4  
 flexible hoses G 3/8  
 with shank fastening  
 spout height lower edge 80 mm

- Chrome
- Matt Black
- Matt White
- Brushed Gold
- Brushed Bronze
- Brushed Gunmetal
- Stainless Brushed Nickel
- Matt Dove
- Matt Light Dove
- Matt Teal Blue
- Matt Light Blue
- Matt Vermilion



**202160515**  
**202163915**  
**202165315**  
**20216N015**  
**20216N115**  
**20216N215**  
**20216N515**  
**20216O115**  
**20216O215**  
**20216O315**  
**20216O415**  
**20216O515**

# KLUDI-NOVA FONTE PURISTIC

Product	Product description	Surface	Item No.
<b>Washbasin</b> 	<b>KLUDI-NOVA FONTE Puristic three-hole basin mixer DN 15</b> Wing handles, metal Three hole assembling Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 l / min at 3 bar flexible pressure hoses G 3/8 with shank fastening metal pop-up waste G 1 1/4 spout height lower edge 185 mm	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>	201430515 201433915 20143N015 20143N115 20143N215 20143N515 20143O115 20143O215 20143O315 20143O415 20143O515
	<b>KLUDI-NOVA FONTE Puristic Basin mixer DN 15</b> Wing handles, metal Single hole mounted Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 l / min at 3 bar Swivelling (150°/ 360°) or lockable spout Flexible pressure hoses G 3/8 With shank fastening Metal pop-up waste G 1 1/4 Spout height lower edge 185 mm	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>	201180515 201183915 20118N015 20118N115 20118N215 20118N515 20118O115 20118O215 20118O315 20118O415 20118O515
	<b>KLUDI-NOVA FONTE Puristic wall mounted basin mixer DN 15</b> For concealed installation projection wall spout 240 mm wing handles, metal Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 l / min at 3 bar pre-installation set and trim set	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>	2014460515 2014463915
	<b>KLUDI-NOVA FONTE Puristic wall mounted basin mixer DN 15</b> For concealed installation projection wall spout 180 mm wing handles, metal Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 l / min at 3 bar pre-installation set and trim set	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>	201440515 201443915 20144N015 20144N115 20144N215 20144N515 20144O115 20144O215 20144O315 20144O415 20144O515
<b>Bidet</b> 	<b>KLUDI-NOVA FONTE Puristic bidet mixer DN 15</b> single hole mounted wing handles, metal Soft-Start ceramic headpart 90° Aerator M 18,5 x 1 PCA laminar with ball joint flow rate 6.2 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 with shank fastening spout height lower edge 145 mm	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>	203130515 203133915


**Product**

**Product description**

**Surface**


**Item No.**

**Bath**



**KLUDI-NOVA FONTE Puristic Bath- and shower mixer DN 15**  
 wing handles, metal  
 Soft-Start ceramic headpart 90°  
 wall fastening  
 autom. diverter shower/bathtub  
 protected against back flow  
 flow regulator s-pointer M 24 x 1  
 flow rate 23 l/min at 3 bar  
 shower outlet G 1/2  
 s-connections

- Chrome **205400515**
- Matt Black **205403915**
- Matt White **205405315**
- Brushed Gold **20540N015**
- Brushed Bronze **20540N115**
- Brushed Gunmetal **20540N215**
- Stainless Brushed Nickel **20540N515**
- Matt Dove **20540O115**
- Matt Light Dove **20540O215**
- Matt Teal Blue **20540O315**
- Matt Light Blue **20540O415**
- Matt Vermilion **20540O515**




**KLUDI-NOVA FONTE Puristic Bath- and shower mixer DN 15**  
 installation for free standing bathtub  
 wing handles, metal  
 Soft-Start ceramic headpart 90°  
 flow regulator s-pointer M 24 x 1  
 flow rate 27 l/min at 3 bar  
 autom. diverter shower/bathtub  
 protected against back flow  
 KLUDI SUPARAFLEX SILVER-hose anti  
 twist  
 G 1/2 x G 1/2 x 1250 mm  
 hand shower KLUDI-NOVA FONTE

- Chrome **205900515**
- Matt Black **205903915**



**Required Accessories:**  
 KLUDI FLEXX.BOX  
 concealed unit DN 20

**88088**



**KLUDI-NOVA FONTE Puristic Bath- and shower mixer DN 15**  
 four hole tiles deck mounted instal-  
 lation  
 stand assembly  
 wing handles, metal  
 Soft-Start ceramic headpart 90°  
 flow regulator s-pointer M 24 x 1  
 flow rate 27 l/min at 3 bar  
 autom. diverter shower/bathtub  
 protected against back flow  
 pull-out hand shower  
 shower hose 1500 mm  
 flexible high pressure supply hoses  
 G 1/2 x G 1/2 x 400 mm  
 projection 215 mm

- Chrome **204250515**
- Matt Black **204253915**

**Required Accessories:**  
 mounting plate  
 pre-installation set for four hole  
 mixer  
 7614846-00

KLUDI ROTEXA  
 bath rim assembly kit

# KLUDI-NOVA FONTE PURISTIC

## Product

## Product description

## Surface

## Item No.



**KLUDI-NOVA FONTE Puristic**  
**concealed single lever bath and shower mixer**  
 concealed valve with functional unit  
 solid lever  
 wall fastening  
 ceramic cartridge with hot water limitation  
 flow rate 29 l/min at 3 bar  
 autom. diverter shower/bathtub with PUSH & SWITCH Button


- Chrome
- Matt Black
- Matt White
- Brushed Gold
- Brushed Bronze
- Brushed Gunmetal
- Stainless Brushed Nickel
- Matt Dove
- Matt Light Dove
- Matt Teal Blue
- Matt Light Blue
- Matt Vermilion

**207590515**  
**207593915**  
**207595315**  
**20759N015**  
**20759N115**  
**20759N215**  
**20759N515**  
**20759O115**  
**20759O215**  
**20759O315**  
**20759O415**  
**20759O515**

**NEW**

**Required Accessories:**  
 KLUDI FLEXX.BOXX  
 concealed body DN 20

**88022**



**KLUDI-NOVA FONTE Puristic**  
**concealed single lever bath and shower mixer**  
 concealed valve with functional unit  
 solid lever wall fastening  
 ceramic cartridge with hot water limitation  
 flow rate 25 l/min at 3 bar  
 Shower flow rate 23 l/min at 3 bar  
 diverter shower/bathtub with PUSH & SWITCH Button  
 intrinsically safe against backflow according to DIN EN 1717


- Chrome
- Matt Black
- Matt White
- Brushed Gold
- Brushed Bronze
- Brushed Gunmetal
- Stainless Brushed Nickel
- Matt Dove
- Matt Light Dove
- Matt Teal Blue
- Matt Light Blue
- Matt Vermilion

**207630515**  
**207633915**  
**207635315**  
**20763N015**  
**20763N115**  
**20763N215**  
**20763N515**  
**20763O115**  
**20763O215**  
**20763O315**  
**20763O415**  
**20763O515**

**NEW**

**Required Accessories:**  
 KLUDI SLIM.BOXX  
 concealed body DN 20

**88022**



**KLUDI-NOVA FONTE Puristic**  
**Concealed single lever bath and shower mixer**  
 concealed valve with functional unit  
 solid lever  
 wall fastening  
 ceramic cartridge with hot water limitation  
 flow rate 29 l/min at 3 bar  
 autom. diverter shower/bathtub with PUSH & SWITCH Button

- Chrome
- Matt Black
- Matt White

**206590515**  
**206593915**  
**206595315**

**88011**


**Required Accessories:**  
 KLUDI FLEXX.BOXX  
 concealed body DN 20

**Product**

**Product description**

**Surface**

**Item No.**




**KLUDI-NOVA FONTE**  
**Puristic**  
**Concealed bath filler and shower**  
**Single lever mixer**  
 Fine construction set with functional unit  
 closed lever  
 Wall mounting  
 Ceramic cartridge with hot water limitation  
 Flow rate 25 l/min at 3 bar  
 automatic Conversion: shower/tub with PUSH & SWITCH pressure change  
 intrinsically safe against backflow according to DIN EN 1717

- Chrome
- Matt Black
- Matt White

**206630515**  
**206633915**  
**206635315**

**Required Accessories:**  
 KLUDI FLEXX.BOXX  
 concealed body DN 20  
 concealed body DN 20

**88011**



**KLUDI-NOVA FONTE**  
**Puristic**  
**Concealed bath filler and shower**  
**Thermostat fitting**  
 Fine construction set with functional unit with ceramic shut-off valve  
 Flow rate tub 28 l/min at 3 bar  
 Shower flow rate 24 l/min at 3 bar  
 and changeover as a rotary valve for 2 consumers  
 Hot water lock 40 °C


- Chrome
- Matt Black
- Matt White
- Brushed Gold
- Brushed Bronze
- Brushed Gunmetal
- Stainless Brushed Nickel
- Matt Dove
- Matt Light Dove
- Matt Teal Blue
- Matt Light Blue
- Matt Vermilion

**208100515**  
**208103915**  
**208105315**  
**20810N015**  
**20810N115**  
**20810N215**  
**20810N515**  
**20810O115**  
**20810O215**  
**20810O315**  
**20810O415**  
**20810O515**

**Required Accessories:**  
 KLUDI SLIM.BOXX  
 concealed body DN 20



**NEW**  
**88022**



**KLUDI-NOVA FONTE**  
**Puristic**  
**concealed single lever bath and shower mixer**  
 concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve  
 hot water safety device 40 °C  
 flow class B  
 P-IX 18444/IIICC

- Chrome
- Matt Black
- Matt White










**208300515**  
**208303915**  
**208305315**













**Required Accessories:**  
 KLUDI FLEXX.BOXX  
 concealed body DN 20

**88011**






# KLUDI-NOVA FONTE PURISTIC


Product	Product description	Surface	Item No.
<b>Shower</b> 	<b>KLUDI-NOVA FONTE Puristic Shower mixer DN 15</b> wing handles, metal Soft-Start ceramic headpart 90° wall fastening protected against back flow flow rate 21 l/min at 3 bar shower outlet G 1/2 s-connections	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>	207100515 207103915 207105315 20710N015 20710N115 20710N215 20710N515 20710O115 20710O215 20710O315 20710O415 20710O515
	<b>KLUDI-NOVA FONTE Puristic Concealed single lever shower mixer</b> concealed valve with functional unit solid lever ceramic cartridge with hot water limitation Flow rate 28 l/min at 3 bar	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>	207550515 207553915 207555315 20755N015 20755N115 20755N215 20755N515 20755O115 20755O215 20755O315 20755O415 20755O515 <b>NEW</b> 88022
	<b>KLUDI-NOVA FONTE Puristic Concealed single lever shower mixer</b> concealed valve with functional unit solid lever ceramic cartridge with hot water limitation Flow rate 25 l/min at 3 bar	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	206550515 206553915 206555315 Required Accessories: KLUDI SLIM.BOXX concealed body DN 20 88011
	<b>KLUDI-NOVA FONTE Puristic concealed single lever shower mixer</b> concealed valve with functional unit solid lever ceramic cartridge with hot water limitation	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>	208850515 208853915 208855315 20885N015 20885N115 20885N215 20885N515 20885O115 20885O215 20885O315 20885O415 20885O515 Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20  <b>NEW</b> 88022
	<b>KLUDI-NOVA FONTE Puristic concealed thermostatic shower mixer</b> concealed valve with functional unit with ceramic shut-off valve hot water safety device 40 °C flow rate 20 l/min at 3 bar P-IX 18444/IIIC	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul> 	208350515 208353915 208355315 Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20 88011

# KLUDI-NOVA FONTE CLASSIC

Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p> 	<p><b>KLUDI-NOVA FONTE Classic</b>  <b>three-hole basin mixer DN 15</b>            Cross handles, metal            three hole assembling            Aerator M 18,5 x 1 PCA laminar            Soft-Start ceramic headpart 90°            Flow rate 5.6 l / min at 3 bar            swivelling (150°/ 360°) or lockable spout            flexible pressure hoses G 3/8            with shank fastening            metal pop-up waste G 1 1/4            spout height lower edge 185 mm</p>	<p>● Chrome</p> 	201430520
	<p><b>KLUDI-NOVA FONTE Classic</b>  <b>Basin mixer DN 15</b>            for concealed installation            projection wall spout 240 mm            cross handles, metal            Aerator M 18,5 x 1 PCA laminar            Soft-Start ceramic headpart 90°            Flow rate 5.6 l / min at 3 bar            pre-installation set and trim set</p>	<p>● Chrome</p>  	201180520
	<p><b>KLUDI-NOVA FONTE Classic</b>  <b>wall mounted basin mixer DN 15</b>            for concealed installation            projection wall spout 240 mm            cross handles, metal            Aerator M 18,5 x 1 PCA laminar            Soft-Start ceramic headpart 90°            Flow rate 5.6 l / min at 3 bar            pre-installation set and trim set</p>	<p>● Chrome</p> 	201460520
	<p><b>KLUDI-NOVA FONTE Classic</b>  <b>wall mounted basin mixer DN 15</b>            For concealed installation            projection wall spout 180 mm            cross handles, metal            Aerator M 18,5 x 1 PCA laminar            Soft-Start ceramic headpart 90°            Flow rate 5.6 l / min at 3 bar            pre-installation set and trim set</p>	<p>● Chrome</p> 	201440520
<p><b>Bidet</b></p> 	<p><b>KLUDI-NOVA FONTE Classic</b>  <b>bidet mixer DN 15</b>            single hole mounted            cross handles, metal            Soft-Start ceramic headpart 90°            Aerator M 18,5 x 1 PCA laminar            with ball joint            flow rate 6,2 l/min at 3 bar            metal pop-up waste G 1 1/4            flexible hoses G 3/8            with shank fastening            spout height lower edge 155 mm</p>	<p>● Chrome</p>  	203130520

# KLUDI-NOVA FONTE CLASSIC

Product	Product description	Surface	Item No.
<p><b>Bath</b></p> 	<p><b>KLUDI-NOVA FONTE Classic</b>  <b>Bath- and shower mixer DN 15</b>                      cross handles, metal                      Soft-Start ceramic headpart 90°                      wall fastening                      autom. diverter shower/bathtub                      protected against back flow                      flow regulator s-pointer M 24 x 1                      flow rate 23 l/min at 3 bar                      shower outlet G 1/2                      s-connections</p>	<p>● Chrome</p> 	<p><b>205400520</b></p>
	<p><b>KLUDI-NOVA FONTE Classic</b>  <b>Bath- and shower mixer DN 15</b>                      installation for free standing bathtub                      cross handles, metal                      Soft-Start ceramic headpart 90°                      flow regulator s-pointer M 24 x 1                      flow rate 27 l/min at 3 bar                      autom. diverter shower/bathtub                      protected against back flow                      KLUDI SUPARAFLEX SILVER-hose anti twist                      G 1/2 x G 1/2 x 1250 mm                      hand shower KLUDI-NOVA FONTE</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOX                      concealed unit DN 20</p>	<p>● Chrome</p> 	<p><b>205900520</b></p> <p><b>88088</b></p>
	<p><b>KLUDI-NOVA FONTE Classic</b>  <b>Bath- and shower mixer DN 15</b>                      four hole tiles deck mounted installation                      stand assembly                      cross handles, metal                      Soft-Start ceramic headpart 90°                      flow regulator s-pointer M 24 x 1                      flow rate 27 l/min at 3 bar                      autom. diverter shower/bathtub                      protected against back flow                      pull-out hand shower                      shower hose 1500 mm                      flexible high pressure supply hoses                      G 1/2 x G 1/2 x 400 mm                      projection 215 mm</p> <p><b>Required Accessories:</b>                      mounting plate                      pre-installation set for four hole mixer</p> <p>KLUDI ROTEXA                      bath rim assembly kit</p>	<p>● Chrome</p>	<p><b>204250520</b></p>

Product	Product description	Surface	Item No.
Shower		● Chrome	207100520
	<p><b>KLUDI-NOVA FONTE Classic</b>  <b>Shower mixer DN 15</b>  cross handles, metal  Soft-Start ceramic headpart 90°  wall fastening  protected against back flow  flow rate 21 l/min at 3 bar  shower outlet G 1/2  s-connections</p>		

















KLUDI




# KLUDI-BALANCE

PERFECT HARMONY

# KLUDI-BALANCE

Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p> 	<p><b>KLUDI-BALANCE</b>  <b>single lever basin mixer DN 15</b>            single hole mounted            solid lever            ceramic cartridge with hot water limitation            caché s-pointer-Laminar-flow-regulator M 24 x 1            flow rate 5 l/min. at 3 bar            rapid installation set            flexible hoses G 3/8            noise level I            pop-up waste G 1 1/4            spout height lower edge 100 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>○ White/Chrome</li> <li>● Matt Black/ Chrome</li> </ul>  	<p><b>520230575</b>  <b>520239175</b>  <b>520238775</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>single lever basin mixer DN 15</b>            single hole mounted            solid lever            ceramic cartridge with hot water limitation            caché s-pointer-Laminar-flow-regulator M 24 x 1            flow rate 3,8 l/min at 3 bar            rapid installation set            flexible hoses G 3/8            noise level I            pop-up waste G 1 1/4            spout height lower edge 100 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>○ White/Chrome</li> <li>● Matt Black/Chrome</li> </ul>  	<p><b>520230575WR5</b>  <b>520239175WR5</b>  <b>520238775WR5</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>single lever basin mixer DN 15</b>            solid lever            single hole mounted            ceramic cartridge with hot water limitation            caché s-pointer-Laminar-flow-regulator M 24 x 1            flow rate 5 l/min. at 3 bar            rapid installation set            flexible hoses G 3/8            noise level I            without pop-up waste            spout height lower edge 100 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>○ White/Chrome</li> <li>● Matt Black/Chrome</li> </ul>  	<p><b>520260575</b>  <b>520269175</b>  <b>520268775</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>single hole mounted</b>            flow rate 5 l/min. at 3 bar            PCA cascade aerator M 24 x 1            with anti-theft device            magnet-cartridge unit            with presetable temperature control handle            optical object-detection            with optional hygienic flushing every 12 or 24 hours            electronic unit with control device            electric power supply via 230 V main adapter            backflow preventer            without pop-up waste            rapid installation set            flexible high pressure supply tubes G 3/8            with dirt catcher sieves            noise level I            protected against vandalism            spout height lower edge 105 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>○ White/Chrome</li> </ul>    	<p><b>5220005</b>  <b>5220091</b></p>

**Product**



**Product description**

**KLUDI-BALANCE E  
electronic controlled basin mixer DN 15**

single hole mounted  
 flow rate 1,9 l/min at 3 bar  
 PCA cascade aerator M 24 x 1 with anti-theft device  
 magnet-cartridge unit with presetable temperature control handle  
 optical object-detection with optional hygienic flushing every 12 or 24 hours  
 electronic unit with control device  
 electric power supply via 230 V main adapter  
 backflow preventer without pop-up waste  
 rapid installation set  
 flexible high pressure supply tubes G 3/8  
 with dirt catcher sieves  
 noise level I  
 protected against vandalism  
 spout height lower edge 105 mm


**Surface**

Chrome



**Item No.**

**522005WR**



**KLUDI-BALANCE E  
electronic controlled basin mixer DN 15**

single hole mounted  
 flow rate 5 l/min. at 3 bar  
 PCA cascade aerator M 24 x 1 with anti-theft device  
 magnet-cartridge unit with presetable temperature control handle  
 with optional hygienic flushing every 12 or 24 hours  
 optical object-detection  
 electronic unit with battery control device  
 6 V lithium battery CR-P2, anti theft  
 backflow preventer without pop-up waste  
 rapid installation set  
 flexible high pressure supply tubes G 3/8  
 with dirt catcher sieves  
 noise level I  
 protected against vandalism  
 spout height lower edge 105 mm
















● Chrome  
 ● white/Chrome






**5210005  
5210091**

# KLUDI-BALANCE




Product	Product description	Surface	Item No.
	<p><b>KLUDI-BALANCE E</b>  <b>electronic controlled basin mixer DN 15</b>                      single hole mounted                      flow rate 1,9 l/min at 3 bar                      PCA cascade aerator M 24 x 1 with anti-theft device                      magnet-cartridge unit                      with presetable temperature control handle                      with optional hygienic flushing every 12 or 24 hours                      optical object-detection                      electronic unit with battery control device                      6 V lithium battery CR-P2, anti theft                      backflow preventer                      without pop-up waste                      rapid installation set                      flexible high pressure supply tubes G 3/8                      with dirt catcher sieves                      noise level I                      protected against vandalism                      spout height lower edge 105 mm</p>	<p>Chrome</p>	<p><b>521005WR</b></p>
	<p><b>KLUDI-BALANCE E</b>  <b>electronic controlled basin mixer DN 15</b>                      single hole mounted                      flow rate 5 l/min. at 3 bar                      thief-proof aerator M 24 x 1                      magnet-cartridge unit                      with presetable temperature control handle                      optical object-detection                      with optional hygienic flushing every 12 or 24 hours                      electronic unit with control device                      electric power supply via 230 V main adapter                      without pop-up waste                      rapid installation set                      flexible high pressure supply tubes G 3/8                      with dirt catcher sieves                      noise level I                      protected against vandalism                      for use with displacement heaters                      spout height lower edge 105 mm</p>	<p>Chrome</p>	<p><b>5220205</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>single lever washbowl mixer DN 15</b>                      solid lever                      single hole mounted                      ceramic cartridge with hot water limitation                      caché s-pointer-Laminar-flow-regulator M 24 x 1                      flow rate 5 l/min. at 3 bar                      without pop-up waste                      rapid installation set                      flexible hoses G 3/8                      noise level I                      spout height lower edge 270 mm</p>	<p> <input type="radio"/> Chrome  <input type="radio"/> White/Chrome  <input type="radio"/> Matt Black/Chrome                 </p>	<p><b>522980575</b>  <b>522989175</b>  <b>522988775</b></p>


Product	Product description	Surface	Item No.
	<p><b>KLUDI-BALANCE</b>  <b>single lever washbowl mixer DN 15</b>  solid lever  single hole mounted  flow rate 3,8 l/min at 3 bar  caché s-pointer-Laminar-flow-regulator M 24 x 1  ceramic cartridge with hot water limitation  without pop-up waste  rapid installation set  flexible hoses G 3/8  noise level I  spout height lower edge 270 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black/Chrome</li> </ul>  	<p><b>522980575WR5</b>  <b>522988775WR5</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>single lever washbowl mixer DN 15</b>  solid lever  single hole mounted  ceramic cartridge with hot water limitation  caché s-pointer-Laminar-flow-regulator M 24 x 1  flow rate 5 l/min. at 3 bar  without pop-up waste  rapid installation set  flexible hoses G 3/8  noise level I  spout height lower edge 210 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● White/Chrome</li> <li>● Matt Black/Chrome</li> </ul>  	<p><b>522960575</b>  <b>522969175</b>  <b>522968775</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>concealed two hole wall mounted basin mixer</b>  trim set  solid lever  flow rate 5 l/min. at 3 bar  PCA s-pointer aerator M 24 x 1  projection wall spout 235 mm</p> <p><b>Required Accessories:</b>  installation set DN 15  for concealed two hole wall mounted basin mixer</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black/Chrome</li> </ul>  	<p><b>522470575</b>  <b>522478775</b></p>
	<p><b>KLUDI-BALANCE</b>  concealed two hole wall mounted basin mixer  trim set  solid lever  flow rate 5 l/min. at 3 bar  PCA s-pointer aerator M 24 x 1  projection wall spout 185 mm</p> <p><b>Required Accessories:</b>  installation set DN 15  for concealed two hole wall mounted basin mixer</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● White/Chrome</li> <li>● Matt Black/Chrome</li> </ul>  	<p><b>522460575</b>  <b>522469175</b>  <b>522468775</b></p>
<p><b>Bidet</b></p> 	<p><b>KLUDI-BALANCE</b>  <b>single lever bidet mixer DN 15</b>  single hole mounted  solid lever  flow rate 7,6 l/min at 3 bar  without ball joint  Eco s-pointer aerator M 24 x 1Z  ceramic cartridge with hot water limitation  rapid installation set  flexible hoses G 3/8  noise level I  pop-up waste G 1 1/4  spout height lower edge 100 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● White/Chrome</li> <li>● Matt Black/Chrome</li> </ul>  	<p><b>522160575</b>  <b>522169175</b>  <b>522168775</b></p>



Product	Product description	Surface	Item No.
	<p><b>KLUDI-BALANCE</b>  <b>concealed single lever bath and shower mixer</b>  concealed valve with functional unit  solid lever  ceramic cartridge with hot water limitation  flow rate bath 28 l/min at 3 bar,  flow rate handshower 24 l/min at 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b>  KLUDI FLEXX.BOXX  concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>○ White/Chrome</li> <li>● Matt Black/Chrome</li> </ul>	<p><b>527590575</b>  <b>527599175</b>  <b>527598775</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>concealed single lever bath and shower mixer</b>  concealed valve with functional unit  solid lever  ceramic cartridge with hot water limitation  flow rate bath 25 l/min at 3 bar,  flow rate handshower 23 l/min at 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button  according to DIN EN 1717</p> <p><b>Required Accessories:</b>  KLUDI FLEXX.BOXX Chrome  concealed body DN 20</p>	<p>Chrome</p>	<p><b>527630575</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>concealed single lever bath and shower mixer</b>  concealed valve with functional unit  solid lever  wall fastening  ceramic cartridge with hot water limitation  flow rate 29 l/min at 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b>  KLUDI FLEXX.BOXX  concealed body DN 20</p>	<p>Chrome</p>	<p><b>526590575</b></p> <p><b>88011</b></p>

# KLUDI-BALANCE


Product	Product description	Surface	Item No.
	<p><b>KLUDI-BALANCE concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 25 l/min at 3 bar                      autom. diverter shower/bathtub with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome	<p><b>526630575</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-BALANCE concealed thermostatic bath- and shower mixer</b>                      concealed valve with functional unit with ceramic shut-off valve                      flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar and diverter as rotary valve                      hot water safety device 40 °C                      hot water safety device 40 °C</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome White/Chrome Matt Black/ Chrome	<p><b>528100575</b>  <b>528109175</b>  <b>528108775</b></p> <p><b>NEW</b></p> <p><b>88022</b></p>
	<p><b>KLUDI-BALANCE concealed thermostatic bath- and shower mixer</b>                      concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve                      cylindrical handle, metal                      hot water safety device 38 °C                      flow class B                      P-IX 18444/IICC</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome Matt Black/ Chrome	<p><b>528300575</b>  <b>528308775</b></p> <p><b>88011</b></p>

**Product****Product description****Surface****Item No.**

**KLUDI-BALANCE  
bath filler DN 20**  
wall fastening  
projection 170 mm  
flow class C  
s-pointer aerator M 24 x 1C  
separate connector G 3/4  
for pre-installation

- Chrome
- White/Chrome
- Matt Black/Chrome

**5250305**  
**5250391**  
**5250387**







**Shower**





**KLUDI-BALANCE  
single lever shower mixer DN 15**  
solid lever  
wall fastening  
flow class B  
ceramic cartridge with hot water  
limitation  
shower outlet G 1/2  
protected against back flow  
s-connections G 1/2 x G 3/4  
noise level I

- Chrome
- White/Chrome
- Matt Black/Chrome

**527100575**  
**527109175**  
**527108775**

# KLUDI-BALANCE

Product	Product description	Surface	Item No.
	<p><b>KLUDI-BALANCE</b>  <b>concealed single lever shower mixer</b>                      concealed valve with functional unit                      solid lever                      ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar</p> <p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>	Chrome White/Chrome Matt Black/Chrome	<p><b>527550575</b>  <b>527559175</b>  <b>527558775</b></p> <p><b>NEW</b></p> <p><b>88022</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>concealed thermostatic mixer DN 20</b>                      concealed valve with functional unit without shut-off valve                      cylindrical handle, metal                      hot water safety device 38 °C                      flow rate 40 l/min at 3 bar</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome 	<p><b>527390575</b></p> <p><b>NEW</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>concealed thermostatic mixer DN 20</b>                      concealed valve with functional unit without shut-off valve                      cylindrical handle, metal                      hot water safety device 38 °C                      flow rate 40 l/min at 3 bar</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome 	<p><b>527290575</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-BALANCE</b>  <b>three-way diverter</b>                      trim set                      set 2 – trim set                      consisting of:                      handle, sleeve, rosette                      cylindrical handle</p> <p><b>Required Accessories:</b>                      three-way diverter DN 15                      set 1 – pre-installation</p>	Chrome	<p><b>528460575</b></p> <p><b>29757</b></p>

Product	Product description	Surface	Item No.
		Chrome	<b>528470575</b>
	<p><b>KLUDI-BALANCE two-way diverter</b> trim set set 2 – trim set consisting of: handle, sleeve, rosette cylindrical handle</p> <p><b>Required Accessories:</b> two-way diverter DN 15 set 1 – pre-installation</p>		<b>29747</b>
		Chrome	<b>528150575</b>
	<p><b>KLUDI-BALANCE concealed valve</b> concealed trim-set consisting of: handle, sleeve, rosette adjustable extension</p> <p><b>Required Accessories:</b> concealed valve DN 20 connection G 3/4</p>		














# KLUDI-AMEO

A DASH OF LUXURY














# KLUDI-AMEO

Product	Product description	Surface	Item No.
	<p><b>KLUDI-AMEO</b>  <b>single lever basin mixer XL DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      PCA s-pointer aerator M 24 x 1                      flow rate 5 l/min at 3 bar                      pop-up waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 95 mm</p>	Chrome  	410230575
	<p><b>KLUDI-AMEO</b>  <b>single lever basin mixer XL DN 15</b>                      solid lever                      single hole mounted                      flow rate 5 l/min at 3 bar                      PCA s-pointer aerator M 24 x 1                      ceramic cartridge with hot water limitation                      without pop-up waste                      rapid installation set                      flexible hoses G 3/8                      spout height lower edge 95 mm</p>	Chrome  	410260575
	<p><b>KLUDI-AMEO</b>  <b>single lever basin mixer DN 15</b>                      solid lever                      single hole mounted                      flow rate 5 l/min at 3 bar                      PCA s-pointer aerator M 24 x 1                      ceramic cartridge with hot water limitation                      without pop-up waste                      rapid installation set                      flexible hoses G 3/8                      spout height lower edge 75 mm</p>	Chrome  	410280575
	<p><b>KLUDI-AMEO</b>  <b>single lever basin mixer DN 15</b>                      solid lever                      single hole mounted                      flow rate 5 l/min at 3 bar                      PCA s-pointer aerator M 24 x 1                      ceramic cartridge with hot water limitation                      pop-up waste G 1 1/4                      rapid installation set                      flexible hoses G 3/8                      spout height lower edge 75 mm</p>	Chrome  	410290575
	<p><b>KLUDI-AMEO</b>  <b>single lever basin mixer XL DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      PCA s-pointer aerator M 24 x 1                      flow rate 3,8 l/min at 3 bar                      pop-up waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 95 mm</p>	Chrome	410230575R

Product	Product description	Surface	Item No.
	<p><b>KLUDI-AMEO</b>  <b>single lever basin mixer DN 15</b>  solid lever  single hole mounted  flow rate 5 l/min at 3 bar  PCA s-pointer aerator M 24 x 1  ceramic cartridge with hot water limitation  PUSH-OPEN waste G 1 1/4  flexible hoses G 3/8  rapid installation set  spout height lower edge 195 mm</p>	<p>Chrome</p>   	<b>410250575</b>
	<p><b>KLUDI-AMEO</b>  <b>single lever basin mixer DN 15</b>  geschlossener Hebel  Einlochmontage  Durchflussmenge 5 l/min. bei 3 bar  PCA s-pointer Luftsprudler M 24 x 1  Keramik-Kartusche mit  Heißwasserbegrenzung  ohne Ablaufgarnitur  flexible Anschlüsse G 3/8  Schnell-Montagesystem  Auslaufhöhe Unterkante 195 mm</p>	<p>Chrome</p>   	<b>410240575</b>
	<p><b>KLUDI-AMEO</b>  <b>single lever washbowl mixer DN 15</b>  single hole mounted  solid lever  ceramic cartridge with hot water limitation  PCA s-pointer aerator M 24 x 1  flow rate 5 l/min at 3 bar  without pop-up waste  rapid installation set  flexible hoses G 3/8  spout height lower edge 270 mm</p>	<p>Chrome</p>   	<b>412980575</b>
	<p><b>KLUDI-AMEO</b>  <b>single lever washbowl mixer DN 15</b>  single hole mounted  solid lever  ceramic cartridge with hot water limitation  PCA s-pointer aerator M 24 x 1  flow rate 3,8 l/min at 3 bar  without pop-up waste  rapid installation set  flexible hoses G 3/8  spout height lower edge 270 mm</p>	<p>Chrome</p>   	<b>412980575R</b>
	<p><b>KLUDI-AMEO</b>  <b>single lever washbowl mixer DN 15</b>  solid lever  single hole mounted  flow rate 5 l/min at 3 bar  PCA s-pointer aerator M 24 x 1  ceramic cartridge with hot water limitation  without pop-up waste  rapid installation set  flexible hoses G 3/8  spout height lower edge 205 mm</p>	<p>Chrome</p>   	<b>412960575</b>









Product	Product description	Surface	Item No.
<p><b>Bidet</b></p> 	<p><b>KLUDI-AMEO</b>  <b>single lever bidet mixer DN 15</b>  cylindric handles  three hole assembling  flow rate 5 l/min at 3 bar  PCA s-pointer aerator M 24 x 1  fixed spout  ceramic headpart 90°  rapid installation set  flexible hoses G 3/8  pop-up waste G 1 1/4  spout height lower edge 135 mm</p>	<p>Chrome</p>  	<p><b>412160575</b></p>
<p><b>Bath</b></p> 	<p><b>KLUDI-AMEO</b>  <b>single lever bath- and shower mixer DN 15</b>  solid lever  wall fastening  ceramic cartridge with hot water limitation  flow regulator s-pointer M 24 x 1  flow rate bath 20 l/min at 3 bar,  flow rate handshower 24 l/min at 3 bar  autom. diverter shower/bathtub  protected against back flow  shower outlet G 1/2  s-connections G 1/2 x G 3/4</p>	<p>Chrome</p> 	<p><b>414450575</b></p>
	<p><b>KLUDI-AMEO</b>  <b>single lever bath- and shower mixer DN 15</b>  solid lever  vertically and horizontally adjustable  wall fastening  flow regulator s-pointer M 24 x 1  flow rate bath 20 l/min at 3 bar,  flow rate handshower 24 l/min at 3 bar  ceramic cartridge with hot water limitation  protected against back flow  autom. diverter shower/bathtub  shower outlet G 1/2  s-connections</p>	<p>Chrome</p> 	<p><b>416710575</b></p>
	<p><b>KLUDI-AMEO</b>  <b>single lever bath- and shower mixer DN 15</b>  stand assembly  solid lever  three hole tiles deck mounted installation  flow regulator s-pointer M 24 x 1  flow rate bath 24 l/min at 3 bar,  flow rate handshower 13 l/min at 3 bar  ceramic cartridge with hot water limitation  autom. diverter shower/bathtub  protected against back flow  pull-out hand shower  shower hose 1500 mm  high pressure supply hose 500 mm  projection 220 mm</p>	<p>Chrome</p> 	<p><b>414470575</b></p>

# KLUDI-AMEO




Product	Product description	Surface	Item No.
	<p><b>KLUDI-AMEO concealed single lever bath and shower mixer</b> concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar flow rate 24 l/min at 3 bar autom. diverter shower/bathtub with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX Concealed body DN 20 KLUDI SLIM.BOXX Unterputz-Körper DN 20</p>	Chrome	<p><b>417590575</b></p> <p><b>NEW</b></p> <p><b>88022</b></p>
	<p><b>KLUDI-AMEO concealed single lever bath and shower mixer</b> concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar flow rate 23 l/min at 3 bar autom. diverter shower/bathtub with PUSH &amp; SWITCH Button intrinsically safe against backflow according to DIN EN 1717</p> <p><b>Required Accessories:</b> KLUDI SLIM.BOXX Concealed body DN 20</p>	Chrome	<p><b>417630575</b></p> <p><b>NEW</b></p> <p><b>88022</b></p>
	<p><b>KLUDI-AMEO concealed single lever bath and shower mixer</b> concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 29 l/min at 3 bar autom. diverter shower/bathtub with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	Chrome	<p><b>416590575</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-AMEO concealed single lever bath and shower mixer</b> concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar autom. diverter shower/bathtub with PUSH &amp; SWITCH Button intrinsically safe against backflow according to DIN EN 1717</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	Chrome	<p><b>416630575</b></p> <p><b>88011</b></p>

Product	Product description	Surface	Item No.
	<p><b>KLUDI-AMEO concealed thermostatic bath- and shower mixer</b> concealed valve with functional unit with ceramic shut-off valve flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar hot water safety device 40 °C for 2 consumers hot water safety device 40 °C</p> <p><b>Required Accessories:</b> KLUDI SLIM.BOXX concealed body DN 20</p>	<p>Chrome</p>	<p><b>418100575</b></p> <p><b>NEW</b></p>
	<p><b>KLUDI-AMEO concealed thermostatic bath- and shower mixer</b> concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	<p>Chrome</p>	<p><b>418300575</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-AMEO bath filler DN 20</b> wall fastening projection 170 mm s-pointer aerator M 24 x 1C flow rate 28 l/min at 3 bar separate connector G 3/4 for pre-installation</p>	<p>Chrome</p>	<p><b>4150505</b></p>
<p><b>Shower</b></p>	<p><b>KLUDI-AMEO single lever shower mixer DN 15</b> solid lever flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections</p>	<p>Chrome</p>	<p><b>417100575</b></p>
	<p><b>KLUDI-AMEO single lever shower mixer DN 15</b> solid lever vertically and horizontally adjustable flow class B ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow s-connections</p>	<p>Chrome</p>	<p><b>416750575</b></p>

# KLUDI-AMEO

Product	Product description	Surface	Item No.
	<p><b>KLUDI-AMEO</b>  <b>concealed single lever shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 28 l/min at 3 bar</p> <p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>	Chrome	<b>417550575</b> <div style="background-color: black; color: white; padding: 2px; text-align: center;">NEW</div>
	<p><b>KLUDI-AMEO</b>  <b>concealed single lever shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow class D/C</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome	<b>416550575</b>           <b>88011</b>
	<p><b>KLUDI-AMEO</b>  <b>concealed thermostatic shower mixer</b>                      concealed valve with functional unit with ceramic shut-off valve                      flow rate 28 l/min at 3 bar                      hot water safety device 40 °C</p> <p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>	Chrome 	<b>418850575</b> <div style="background-color: black; color: white; padding: 2px; text-align: center;">NEW</div>           <b>88022</b>
	<p><b>KLUDI-AMEO</b>  <b>concealed thermostatic shower mixer</b>                      concealed valve with functional unit with ceramic shut-off valve                      hot water safety device 38 °C</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome 	<b>418350575</b>           <b>88011</b>

# KLUDI-PUSH

Product	Product description	Surface	Item No.
	<p><b>KLUDI-PUSH concealed mixer</b>            with push-button on/off control for two outlets            ceramic cartridge with hot water limitation            metal rotating handle            round escutcheon</p> <p><b>Required Accessories:</b>            KLUDI FLEXX.BOXX            concealed body DN 20</p>	Chrome	<b>387120538</b>
	<p><b>KLUDI-PUSH concealed thermostatic mixer</b>            concealed valve with functional unit            with push-button on/off control for one outlet            hot water safety device 38 °C            round escutcheon</p> <p><b>Required Accessories:</b>            KLUDI FLEXX.BOXX            concealed body DN 20</p>	Chrome	<b>389020538</b>
	<p><b>KLUDI-PUSH concealed thermostatic mixer</b>            concealed valve with functional unit            with push-button on/off control for two outlets            hot water safety device 38 °C            round escutcheon</p> <p><b>Required Accessories:</b>            KLUDI FLEXX.BOXX            concealed body DN 20</p>	Chrome	<b>389120538</b>

# KLUDI-PUSH

Product	Product description	Surface	Item No.
	<p><b>KLUDI-PUSH concealed thermostatic mixer</b> concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	<p>Chrome</p>	<p><b>389010538</b></p>
	<p><b>KLUDI-PUSH concealed thermostatic mixer</b> concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C soft-edge escutcheon</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	<p>Chrome</p>	<p><b>389110538</b></p>
	<p><b>KLUDI-PUSH Concealed mixer</b> with push-button on/off control for two outlets ceramic cartridge with hot water limita- tion metal rotating handle soft-edge escutcheon</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	<p>Chrome</p>	<p><b>387110538</b></p>































# KLUDI-AMBA








EMOTIONAL AESTHETIC

# KLUDI-AMBA

Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p>  	<p><b>KLUDI-AMBA</b>  <b>single lever basin mixer 75 DN 15</b>            solid lever            single hole mounted            flow rate 5 l/min. at 3 bar            caché s-pointer-aerator M 24 x 1            ceramic cartridge Ø 28 mm            pop-up waste G 1 1/4            rapid installation set            flexible hoses G 3/8            spout height lower edge 75 mm</p>	<p>Chrome</p>  	<p><b>530290575</b></p>
 	<p><b>KLUDI-AMBA</b>  <b>single lever basin mixer 75 DN 15</b>            solid lever            single hole mounted            flow rate 5 l/min. at 3 bar            caché s-pointer-aerator M 24 x 1            ceramic cartridge Ø 28 mm            without pop-up waste            rapid installation set            flexible hoses G 3/8            spout height lower edge 75 mm</p>	<p>Chrome</p>  	<p><b>530280575</b></p>
 	<p><b>KLUDI-AMBA</b>  <b>single lever basin mixer 100 DN 15</b>            single hole mounted            solid lever            ceramic cartridge Ø 28 mm            caché s-pointer-aerator M 24 x 1            flow rate 5 l/min. at 3 bar            pop-up waste G 1 1/4            rapid installation set            flexible hoses G 3/8            spout height lower edge 100 mm</p>	<p>Chrome</p>  	<p><b>530230575</b></p>
 	<p><b>KLUDI-AMBA</b>  <b>single lever basin mixer 100 DN 15</b>            solid lever            single hole mounted            flow rate 5 l/min. at 3 bar            caché s-pointer-aerator M 24 x 1            ceramic cartridge Ø 28 mm            without pop-up waste            rapid installation set            flexible hoses G 3/8            spout height lower edge 100 mm</p>	<p>Chrome</p>  	<p><b>530260575</b></p>
 	<p><b>KLUDI-AMBA</b>  <b>single lever basin mixer 100 DN 15</b>            single hole mounted            solid lever            ceramic cartridge Ø 28 mm            caché s-pointer-aerator M 24 x 1            flow rate 3,8 l/min at 3 bar            pop-up waste G 1 1/4            rapid installation set            flexible hoses G 3/8            spout height lower edge 100 mm</p>	<p>Chrome</p>  	<p><b>530230575R</b></p>

Product	Product description	Surface	Item No.
	<p><b>KLUDI-AMBA</b>  <b>single lever washbowl mixer DN 15</b>  single hole mounted  solid lever  ceramic cartridge Ø 28 mm  caché s-pointer-aerator M 24 x 1  flow rate 3,8 l/min at 3 bar  without pop-up waste  rapid installation set  flexible hoses G 3/8  spout height 275 mm</p>	Chrome	<b>532980575</b>
	<p><b>KLUDI-AMBA</b>  <b>single lever washbowl mixer DN 15</b>  single hole mounted  solid lever  ceramic cartridge Ø 28 mm  caché s-pointer-aerator M 24 x 1  flow rate 3,8 l/min at 3 bar  without pop-up waste  rapid installation set  flexible hoses G 3/8  spout height 275 mm</p>	Chrome	<b>532980575R</b>
	<p><b>KLUDI-AMBA</b>  <b>single lever washbowl mixer DN 15</b>  single hole mounted  solid lever  ceramic cartridge Ø 28 mm  caché s-pointer-aerator M 24 x 1  flow rate 4,3 l/min at 3 bar  without pop-up waste  rapid installation set  flexible hoses G 3/8  spout height lower edge 215 mm</p>	Chrome	<b>532960575</b>
	<p><b>KLUDI-AMBA</b>  <b>concealed two hole wall mounted basin mixer trim set</b>  solid lever  flow rate 4,3 l/min at 3 bar  caché s-pointer-aerator M 24 x 1  projection wall spout 230 mm</p>	Chrome	<b>532450575</b>
	<p><b>Required Accessories:</b>  installation set DN 15  for concealed two hole wall mounted basin mixer</p>		<b>38243</b>
	<p>installation set DN 15  for concealed two hole wall mounted basin mixer</p>		<b>38242</b>

# KLUDI-AMBA


Product	Product description	Surface	Item No.
	<p><b>KLUDI-AMBA</b>  <b>concealed two hole wall mounted basin mixer</b>            trim set            solid lever            flow rate 4,3 l/min at 3 bar            caché s-pointer-aerator M 24 x 1            projection wall spout 190 mm</p> <p><b>Required Accessories:</b>            installation set DN 15            for concealed two hole wall mounted basin mixer</p> <p>installation set DN 15            for concealed two hole wall mounted basin mixer</p>	Chrome  	<p><b>532440575</b></p> <p><b>38243</b></p> <p><b>38242</b></p>
<p><b>Bidet</b></p> 	<p><b>KLUDI-AMBA</b>  <b>single lever bidet mixer DN 15</b>            single hole mounted            solid lever            ceramic cartridge Ø 28 mm            ball joint-cascade-aerator M 24 x 1            flow rate 7,3 l/min at 3 bar            pop-up waste G 1 1/4            rapid installation set            flexible hoses G 3/8            spout height lower edge 100 mm</p>	Chrome 	<p><b>532160575</b></p>
<p><b>Bath</b></p> 	<p><b>KLUDI-AMBA</b>  <b>single lever bath- and shower mixer DN 15</b>            solid lever            wall fastening            flow class D/B            caché s-pointer-Laminar-flow-regulator            M 24 x 1            ceramic cartridge with hot water limitation            autom. diverter shower/bathtub            shower outlet G 1/2            protected against back flow            covered eccentric-wall connections</p>	Chrome 	<p><b>534450575</b></p>

**Product**

**Product description**

**Surface**

**Item No.**



**KLUDI-AMBA  
single lever bath- and shower mixer  
DN 15**  
installation for free standing bathtub  
solid lever  
ceramic cartridge with hot water limitation  
flow class B/B  
caché s-pointer-Laminar-flow-regulator M 24 x 1  
autom. diverter shower/bathtub  
protected against back flow  
KLUDI SUPARAFLEX SILVER-hose anti twist  
G 1/2 x G 1/2 x 1250 mm  
with KLUDI FIZZ handshower 1S  
6760005-00


Chrome



**535900575**

**Required Accessories:**  
KLUDI FLEXX.BOX  
concealed unit DN 20

**88088**



**KLUDI-AMBA  
single lever bath- and shower mixer  
DN 15**  
stand assembly  
solid lever  
three hole tiles deck mounted installation  
flow rate bath 28 l/min at 3 bar,  
flow rate handshower 13,5 l/min bei 3 bar  
caché s-pointer-Laminar-flow-regulator M 24 x 1  
ceramic cartridge with hot water limitation  
autom. diverter shower/bathtub  
protected against back flow  
projection 223 mm  
pull-out hand shower  
flexible high pressure supply hoses 500 mm

Chrome



**534470575**


**Required Accessories:**  
mounting plate  
pre-installation set for three hole mixer

**7614946-00**

KLUDI ROTEXA  
bath rim assembly kit

Chrome

**7881205-00**



**KLUDI-AMBA  
concealed single lever bath and shower  
mixer**  
concealed valve with functional unit  
solid lever  
ceramic cartridge with hot water limitation  
flow rate bath 28 l/min at 3 bar,  
flow rate handshower 24 l/min at 3 bar  
autom. diverter shower/bathtub  
with PUSH & SWITCH Button

Chrome

**537590575**








**NEW**

**Required Accessories:**  
KLUDI SLIM.BOX  
concealed body DN 20

**88022**

# KLUDI-AMBA

Product	Product description	Surface	Item No.
	<p><b>KLUDI-AMBA concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      ceramic cartridge with hot water limitation                      flow rate bath 25 l/min at 3 bar,                      flow rate handshower 23 l/min at 3 bar                      autom. diverter shower/bathtub                      with PUSH &amp; SWITCH Button                      protected against back flow                      according to DIN EN 1717</p>	Chrome	<b>537630575</b> <div style="background-color: #333; color: white; padding: 2px; text-align: center; font-weight: bold;">NEW</div>
	<p><b>KLUDI-AMBA concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 29 l/min at 3 bar                      autom. diverter shower/bathtub                      with PUSH &amp; SWITCH Button</p>	Chrome	<b>536590575</b> 
	<p><b>KLUDI-AMBA concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever, wall fastening                      ceramic cartridge with hot water limitation                      flow rate 25 l/min at 3 bar                      autom. diverter shower/bathtub                      with PUSH &amp; SWITCH Button                      protected against back flow                      according to DIN EN 1717</p>	Chrome	<b>536630575</b> 
	<p><b>KLUDI-AMBA concealed thermostatic mixer DN 20</b>                      concealed valve with functional unit                      without shut-off valve                      cylindrical handle, metal                      hot water safety device 38 °C                      flow rate 40 l/min at 3 bar</p>	Chrome	<b>537390575</b>
	<p><b>KLUDI-AMBA concealed thermostatic shower mixer</b>                      concealed valve with functional unit                      for 1 consumer                      with ceramic shut-off valve                      flow rate 28 l/min at 3 bar                      hot water safety device 40 °C</p>	Chrome 	<b>538850575</b> <div style="background-color: #333; color: white; padding: 2px; text-align: center; font-weight: bold;">NEW</div>
	<p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>		<b>88022</b>

Product	Product description	Surface	Item No.
	<p><b>KLUDI-AMBA concealed thermostatic bath- and shower mixer</b>  concealed valve with functional unit with ceramic shut-off valve  flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar and diverter as rotary valve for 2 consumers  hot water safety device 40 °C</p> <p><b>Required Accessories:</b>  KLUDI SLIM.BOXX  concealed body DN 20</p>	<p>Chrome</p> 	<p><b>538100575</b></p> <p><b>NEW</b></p>
	<p><b>KLUDI-AMBA concealed thermostatic bath- and shower mixer</b>  concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve  cylindrical handle, metal  hot water safety device 38 °C  flow class B</p> <p><b>Required Accessories:</b>  KLUDI FLEXX.BOXX  concealed body DN 20</p>	<p>Chrome</p> 	<p><b>538300575</b></p> <p><b>88011</b></p>
<p><b>Shower</b></p> 	<p><b>KLUDI-AMBA concealed single lever shower mixer</b>  concealed valve with functional unit  solid lever  ceramic cartridge with hot water limitation  flow rate 28 l/min at 3 bar</p>	<p>Chrome</p>	<p><b>537100575</b></p>
	<p><b>KLUDI-AMBA concealed single lever shower mixer</b>  concealed valve with functional unit  solid lever  ceramic cartridge with hot water limitation  flow rate 28 l/min at 3 bar</p> <p><b>Required Accessories:</b>  KLUDI SLIM.BOXX  concealed body DN 20</p>	<p>Chrome</p>	<p><b>537550575</b></p> <p><b>NEW</b></p> <p><b>88022</b></p>
	<p><b>KLUDI-AMBA concealed single lever shower mixer</b>  concealed valve with functional unit  solid lever  wall fastening  ceramic cartridge with hot water limitation  flow class D/C  PA-IX 18967/IDC</p> <p><b>Required Accessories:</b>  KLUDI FLEXX.BOXX  concealed body DN 20</p>	<p>Chrome</p>	<p><b>536550575</b></p> <p><b>88011</b></p>





# KLUDI-1926





FASCINATING LUXURY









# KLUDI-1926

Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p> 	<p><b>KLUDI-1926 basin mixer DN 15</b>                      cross handles                      single hole mounted                      flow rate 5 l/min at 3 bar                      cascade aerator M 24 x 1                      ceramic headpart 180°                      pop-up waste G 1 1/4                      copper tubes 10 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>510120520</b>  <b>510124520</b></p>
	<p><b>KLUDI-1926 basin mixer DN 15</b>                      Kreuzgriffe                      Einlochmontage                      Durchflussmenge 5 l/min. bei 3 bar                      Cascade-Luftsprudler M 24 x 1                      Keramik-Oberteil 180°                      Ablaufgarnitur G 1 1/4                      Kupferrohre 10 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>510100520</b>  <b>510104520</b></p>
<p>54</p> 	<p><b>KLUDI-1926 basin mixer DN 15</b>                      cross handles                      three hole assembling                      flow rate 5 l/min at 3 bar                      cascade aerator M 24 x 1                      ceramic headpart 180°                      flexible high pressure supply hoses                      G 1/2 x G 1/2 x 400 mm                      pop-up waste G 1 1/4                      projection 140 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>510460520</b>  <b>510464520</b></p>
	<p><b>KLUDI-1926 basin mixer DN 15</b>                      cross handles                      three hole assembling                      flow rate 12,2 l/min at 3 bar                      cascade aerator M 24 x 1                      ceramic headpart 180°                      flexible high pressure supply hoses                      G 1/2 x G 1/2 x 400 mm                      pop-up waste G 1 1/4                      projection 145 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>510430520</b>  <b>510434520</b></p>




Product	Product description	Surface	Item No.
<p data-bbox="177 360 284 383"><b>Washbasin</b></p> 	<p data-bbox="730 360 847 412"><b>KLUDI-1926 pillar valve DN 15</b></p> <p data-bbox="730 412 957 517">cross handle single hole mounted ceramic headpart 180° flow rate 15 l/min at 3 bar marking: COLD</p>	Chrome	<b>510140520</b>
<p data-bbox="177 728 240 750"><b>Bidet</b></p> 	<p data-bbox="730 719 895 761"><b>KLUDI-1926 bidet mixer DN 15</b></p> <p data-bbox="730 761 1043 909">cross handles single hole mounted flow rate 15 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic headpart 180° pop-up waste G 1 1/4 copper tubes 10 mm</p>	<ul style="list-style-type: none"> <li data-bbox="1110 719 1214 741">● Chrome</li> <li data-bbox="1110 741 1270 763">● Gold Plated 23</li> </ul>	<b>512110520</b> <b>512114520</b>
<p data-bbox="177 1064 236 1086"><b>Bath</b></p> 	<p data-bbox="730 1070 1015 1113"><b>KLUDI-1926 bath- and shower mixer DN 15</b></p> <p data-bbox="730 1113 1015 1283">cross handles wall fastening flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° manual diverter shower/bathtub s-connections G 1/2 x G 3/4 with shower set</p>	<ul style="list-style-type: none"> <li data-bbox="1110 1070 1214 1093">● Chrome</li> <li data-bbox="1110 1093 1270 1115">● Gold Plated 23</li> </ul>	<b>514410520</b> <b>514414520</b>
	<p data-bbox="730 1444 1005 1487"><b>KLUDI-1926 bath- and shower mixer DN 15</b></p> <p data-bbox="730 1487 1085 1724">stand assembly four hole tiles deck mounted installation cross handles flow class B/B cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 400 mm protected against back flow</p>	<ul style="list-style-type: none"> <li data-bbox="1110 1444 1214 1467">● Chrome</li> <li data-bbox="1110 1467 1246 1512">● Gold Plated 23 Carat</li> </ul>	<b>515250520</b> <b>515254520</b>

# KLUDI-1926

Product	Product description	Surface	Item No.
	<p><b>KLUDI-1926 bath- and shower mixer DN 15</b>            stand assembly            four hole tiles deck mounted installation            cross handles            flow class B/B            cascade aerator M 28 x 1            ceramic headpart 180°            autom. diverter shower/bathtub            retractable hand shower            shower hose G 1/2 x G 1/2 x 1500 mm            flexible high pressure supply hoses            G 1/2 x G 1/2 x 400 mm            protected against back flow</p>	<ul style="list-style-type: none"> <li><span style="color: grey;">●</span> Chrome</li> <li><span style="color: gold;">●</span> Gold Plated 23 Carat</li> </ul>	<p><b>515240520</b>  <b>515244520</b></p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">56</p> 	<p><b>KLUDI-1926 angle valve DN 15</b>            cross handle            stand assembly            ceramic headpart 180°            flow class B            marking: COLD</p>	<ul style="list-style-type: none"> <li><span style="color: grey;">●</span> Chrome</li> <li><span style="color: gold;">●</span> Gold Plated 23 Carat</li> </ul>	<p><b>518170520</b>  <b>518174520</b></p>
	<p><b>KLUDI-1926 angle valve DN 15</b>            cross handle            stand assembly            ceramic headpart 180°            flow class B            marking: HOT</p>	<ul style="list-style-type: none"> <li><span style="color: grey;">●</span> Chrome</li> <li><span style="color: gold;">●</span> Gold Plated 23 Carat</li> </ul>	<p><b>518180520</b>  <b>518184520</b></p>
	<p><b>KLUDI-1926 two-way diverter DN 15</b>            cross handle            stand assembly            head part 360°            flow class C/B            marking: neutral            tub spout G 3/4            shower outlet G 1/2            2 connections G 1/2</p>	<ul style="list-style-type: none"> <li><span style="color: grey;">●</span> Chrome</li> <li><span style="color: gold;">●</span> Gold Plated 23 Carat</li> </ul>	<p><b>518480520</b>  <b>518484520</b></p>



Product	Product description	Surface	Item No.
	<p><b>KLUDI-1926 bath filler DN 20</b>  wall fastening  flow class B  cascade aerator M 28 x 1  seperate DN 20 connector  for pre-installation</p>	<p>Chrome</p>	<p><b>5140705</b></p>
<p><b>Shower</b></p> 	<p><b>KLUDI-1926 shower mixer DN 15</b>  cross handles  wall fastening  flow class B  ceramic headpart 180°  s-connections G 1/2 x G 3/4  shower outlet G 1/2</p>	<p> <span style="color: grey;">●</span> Chrome  <span style="color: gold;">●</span> Gold Plated  23 Carat </p>	<p><b>516100520</b>  <b>516104520</b></p>
	<p><b>KLUDI-1926 concealed thermostatic mixer</b>  concealed trim-set  hot water safety device 40 °C  without shut-off valve</p> <p><b>Required Accessories:</b>  Thermostat  concealed thermostatic mixer DN 15</p>	<p> <span style="color: grey;">●</span> Chrome  <span style="color: gold;">●</span> Gold Plated  23 Carat </p> 	<p><b>517190520</b>  <b>517194520</b></p> <p><b>35158</b></p>
	<p><b>KLUDI-1926 concealed thermostatic mixer</b>  concealed trim-set  hot water safety device 40 °C  with shut-off valve</p> <p><b>required accessories</b>  Thermostat  concealed thermostatic mixer DN 15</p>	<p> <span style="color: grey;">●</span> Chrome  <span style="color: gold;">●</span> Gold Plated  23 Carat </p> 	<p><b>517200520</b>  <b>517204520</b></p> <p><b>35156</b></p>



# KLUDI-1926

Product	Product description	Surface	Item No.
	<p><b>KLUDI-1926 concealed valve, trim set</b> set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: COL</p> <p><b>Required Accessories</b> concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 20 soldered connection 22 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>518150520</b> <b>518154520</b></p> <p><b>29809</b></p> <p><b>29811</b></p> <p><b>29911</b></p>
	<p><b>KLUDI-1926 concealed valve, trim set</b> set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: HOT</p> <p><b>Required Accessories</b> concealed valve DN 15 connection G 1/2</p> <p>concealed valve DN 20 connection G 3/4</p> <p>concealed valve DN 20 soldered connection 22 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>518160520</b> <b>518164520</b></p> <p><b>29809</b></p> <p><b>29811</b></p> <p><b>29911</b></p>
	<p><b>KLUDI-1926 connection angle DN 15</b> Cover rosette Ø 56 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>1210105</b> <b>1210145</b></p>

Product	Product description	Surface	Item No.
		<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>518030520</b> <b>518034520</b></p>
	<p><b>KLUDI-1926 concealed valve, trim set</b> set 2 – trim set cross handle consisting of: handle, sleeve, rosette adjustable extension marking: neutral</p>		
	<p><b>Required Accessories</b> concealed valve DN 15 connection G 1/2</p>		<b>29809</b>
	<p>concealed valve DN 20 connection G 3/4</p>		<b>29811</b>
	<p>concealed valve DN 20 soldered connection 22 mm</p>		<b>29911</b>
		<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>518490520</b> <b>518494520</b></p>
	<p><b>KLUDI-1926 two-way diverter</b> as a rotary valve 180 ° set 2 – trim set cross handle consisting of: handle, sleeve, rosette</p>		
	<p><b>Required Accessories</b> two-way diverter DN 15 set 1 – pre-installation</p>	neutral	<b>2975900</b>
		<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Gold Plated 23 Carat</li> </ul>	<p><b>518430520</b> <b>518434520</b></p>
	<p><b>KLUDI-1926 angle valve DN 15</b> cross handle without marking flow rate 27 l/min at 3 bar with compression joint with push-on rosette</p>		

# KLUDI-1926

Product	Product description	Surface	Item No.
	<p><b>KLUDI 1926 shower set</b>            consisting of:            wall rail 600 mm            hand shower KLUDI 1926            sliding joint            with KLUDI LOGOFLEX-hose            G 1/2 x G 1/2 x 1600 mm            flow rate 22,5 l/min at 3 bar</p>	<ul style="list-style-type: none"> <li><span style="color: grey;">●</span> Chrome</li> <li><span style="color: gold;">●</span> Gold Plated 23 Carat</li> </ul>	<p><b>2710305</b>  <b>2710345</b></p>
	<p><b>KLUDI 1926 shower set DN 15</b>            wall fastening            flow class B            consisting of:            hand shower KLUDI 1926            cradle wall holder            with KLUDI LOGOFLEX-hose G 1/2            x G 1/2 x 1600 mm            connection angle DN 15</p>	<ul style="list-style-type: none"> <li><span style="color: grey;">●</span> Chrome</li> <li><span style="color: gold;">●</span> Gold Plated 23 Carat</li> </ul>	<p><b>2710505</b>  <b>2710545</b></p>

Product	Product description	Surface	Item No.
<p data-bbox="193 360 352 383"><b>HEAD SHOWERS</b></p> 	<p data-bbox="727 360 895 405"><b>G 1/2 KLUDI 1926 shower arm DN 15</b></p> <p data-bbox="727 405 1062 472">for head shower DN 15 projection 415 mm with push-on rosette diameter 55 mm</p>	<ul style="list-style-type: none"> <li data-bbox="1110 360 1214 383">● Chrome</li> <li data-bbox="1110 383 1246 427">● Gold Plated 23 Carat</li> </ul>	<p data-bbox="1366 360 1453 383"><b>2751405</b></p> <p data-bbox="1366 383 1453 405"><b>2751445</b></p>
	<p data-bbox="727 931 911 976"><b>KLUDI 1926 head shower DN 15</b></p> <p data-bbox="727 976 1023 1088">Ø 200 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	<ul style="list-style-type: none"> <li data-bbox="1110 931 1214 954">● Chrome</li> <li data-bbox="1110 954 1246 999">● Gold Plated 23 Carat</li> </ul>	<p data-bbox="1366 931 1453 954"><b>2751005</b></p> <p data-bbox="1366 954 1453 976"><b>2751045</b></p>























# KLUDI-BOZZ























PURISM IN ITS PUREST FORM



















# KLUDI-BOZZ

Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p>  	<p><b>KLUDI-BOZZ</b>  <b>single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      caché s-pointer-aerator M 18,5 x 1                      flow rate 5 l/min. at 3 bar                      flexible hoses G 3/8                      rapid installation set                      metal pop-up waste G 1 1/4                      spout height lower edge 75 mm</p>	<p>Chrome</p>  	<b>382700576</b>
 	<p><b>KLUDI-BOZZ</b>  <b>single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      caché s-pointer-aerator M 18,5 x 1                      flow rate 5 l/min. at 3 bar                      flexible hoses G 3/8                      rapid installation set                      PUSH-OPEN waste G 1 1/4                      spout height lower edge 75 mm</p>	<p>● Chrome                      ● Matt Black                      ○ Matt White                      ● Brushed Gold                      ● Stainless Brushed Nickel*</p>  	<p><b>382660576</b>  <b>382663976</b>  <b>382665376</b>  <b>38266N076</b>  <b>38266N576</b></p>
 	<p><b>KLUDI-BOZZ</b>  <b>single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      caché s-pointer-aerator M 18,5 x 1                      flow rate 5 l/min. at 3 bar                      flexible hoses G 3/8                      rapid installation set                      without pop-up waste                      spout height lower edge 75 mm</p>	<p>● Chrome                      ● Matt Black                      ● Brushed Gold                      ● Stainless Brushed Nickel*</p>  	<p><b>382720576</b>  <b>382723976</b>  <b>38272N076</b>  <b>38272N576</b></p>
 	<p><b>KLUDI-BOZZ</b>  <b>single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      caché s-pointer-aerator M 18,5 x 1                      flow rate 5 l/min. at 3 bar                      flexible hoses G 3/8                      rapid installation set                      metal pop-up waste G 1 1/4                      spout height lower edge 75 mm</p>	<p>Chrome</p>   	<b>382770576</b>
 	<p><b>KLUDI-BOZZ</b>  <b>single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      EcoPlus centre position cold water                      ceramic cartridge with hot water limitation                      caché s-pointer-aerator M 18,5 x 1                      flow rate 5 l/min. at 3 bar                      flexible hoses G 3/8                      rapid installation set                      metal pop-up waste G 1 1/4                      spout height lower edge 75 mm</p>	<p>● Chrome                      ● Matt Black</p>   	<p><b>382630576</b>  <b>382633976</b></p>

Product	Product description	Surface	Item No.
		<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>   	<b>383890576WR4</b> <b>383893976</b>
		<ul style="list-style-type: none"> <li>● Chrome</li> </ul>  	<b>382800576</b>
		<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Stainless Brushed Nickel*</li> </ul>  	<b>382880576</b> <b>382883976</b> <b>382885376</b> <b>38288N076</b> <b>38288N576</b>
		<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>● Brushed Gold</li> <li>● Stainless Brushed Nickel*</li> </ul>  	<b>382820576</b> <b>382823976</b> <b>38282N076</b> <b>38282N576</b>
		<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>   	<b>381980576WR4</b> <b>381983976</b>

# KLUDI-BOZZ

Product	Product description	Surface	Item No.
	<p><b>KLUDI-BOZZ</b>  <b>single lever basin mixer 100 DN 15</b>                      single hole mounted                      solid lever                      EcoPlus centre position cold water                      ceramic cartridge with hot water                      limitation                      caché s-pointer-aerator M 18,5 x 1                      flow rate 3,8 l/min at 3 bar                      flexible hoses G 3/8                      rapid installation set                      metal pop-up waste G 1 1/4                      spout height lower edge 100 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>   	<p><b>382930576WR4</b>  <b>382933976</b></p>
	<p><b>KLUDI-BOZZ</b>  <b>single lever basin mixer DN 15</b>                      solid lever                      single hole mounted                      flow rate 5 l/min. at 3 bar                      ceramic cartridge with hot water                      limitation                      swivelling spout                      rapid installation set                      with shank fastening                      flexible hoses G 3/8                      metal pop-up waste G 1 1/4                      spout height lower edge 185 mm</p>	<p>Chrome</p> 	<p><b>380270576</b></p>
	<p><b>KLUDI-BOZZ</b>  <b>single lever basin mixer DN 15</b>                      solid lever                      single hole mounted                      flow rate 5 l/min. at 3 bar                      ceramic cartridge with hot water                      limitation                      swivelling spout                      rapid installation set                      with shank fastening                      flexible hoses G 3/8                      without pop-up waste                      spout height lower edge 185 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul> 	<p><b>380280576</b>  <b>380283976</b>  <b>380285376</b></p>
	<p><b>KLUDI-BOZZ</b>  <b>single lever basin mixer DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water                      limitation                      PCA caché-aerator M 16,5 x 1                      flow rate 7 l/min at 3 bar                      swivelling spout                      rapid installation set                      flexible hoses G 3/8                      noise level I                      pop-up waste G 1 1/4                      spout height lower edge 235 mm</p>	<p>Chrome</p> 	<p><b>382940576</b></p>
	<p><b>KLUDI-BOZZ</b>  <b>single lever washbowl mixer DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water                      limitation                      caché s-pointer-aerator M 18,5 x 1                      flow rate 5 l/min. at 3 bar                      flexible hoses G 3/8                      rapid installation set                      without pop-up waste                      spout height lower edge 240 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Stainless Brushed Nickel*</li> </ul>   	<p><b>382860576</b>  <b>382863976</b>  <b>382865376</b>  <b>38286N076</b>  <b>38286N576</b></p>


\*Please refer to KLUDI INDIVIDUAL conditions on page 194

**Product**

**Product description**

**Surface**

**Item No.**




**KLUDI-BOZZ**  
**concealed two hole wall mounted basin mixer**  
 trim set  
 solid lever  
 flow rate 5 l/min. at 3 bar  
 caché s-pointer-aerator M 24 x 1  
 rosette diameter 70 mm  
 projection wall spout 230 mm

- Chrome **382450576**
- Matt Black **382453976**
- Matt White **382455376**
- Brushed Gold **38245N076**
- Stainless Brushed Nickel\* **38245N576**

**Required Accessories::**  
 installation set DN 15  
 for concealed two hole wall mounted basin mixer



**38243**




**KLUDI-BOZZ**  
**concealed two hole wall mounted basin mixer**  
 trim set  
 solid lever  
 flow rate 5 l/min. at 3 bar  
 caché s-pointer-aerator M 24 x 1  
 rosette diameter 70 mm  
 projection wall spout 180 mm

- Chrome **382440576**
- Matt Black **382443976**
- Matt White **382445376**
- Brushed Gold **38244N076**
- Stainless Brushed Nickel\* **38244N576**

**Required Accessories::**  
 installation set DN 15  
 for concealed two hole wall mounted basin mixer



**38243**




**KLUDI-BOZZ**  
**pillar valve**  
 single hole mounted  
 shank fastening G 1/2  
 spout height lower edge 75 mm

- Chrome **381180576**
- Matt Black **381183976**







**KLUDI-BOZZ**  
**pillar tap with head part control unit DN 15**  
 single hole mounted  
 actuation by stick  
 special headpart with spindle outlet  
 aerator M 21,5 x 1  
 flow rate 4,3 l/min at 3 bar  
 shank fastening G 1/2

Chrome

**380160530**






# KLUDI-BOZZ

Product	Product description	Surface	Item No.
<p><b>Bidet</b></p> 	<p><b>KLUDI-BOZZ single lever bidet mixer DN 15</b> solid lever single hole mounted flow rate 6 l/min at 3 bar ball joint-aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Stainless Brushed Nickel*</li> </ul> 	<p><b>385330576</b> <b>385333976</b> <b>385335376</b> <b>38533N076</b> <b>38533N576</b></p>
<p><b>Bath</b></p> 	<p><b>KLUDI-BOZZ single lever bath- and shower mixer DN 15</b> solid lever wall fastening aerator M 24 x 1 flow rate 22 l/min at 3 bar ceramic cartridge with hot water limitation autom. diverter shower/bathtub protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Stainless Brushed Nickel*</li> </ul> 	<p><b>386910576</b> <b>386913976</b> <b>386915376</b> <b>38691N076</b> <b>38691N576</b></p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">68</p> 	<p><b>KLUDI-BOZZ bath- and shower mixer DN 15</b> installation for free standing bathtub solid lever ceramic cartridge with hot water li- mitation flow regulator s-pointer M 24 x 1 flow rate 22 l/min at 3 bar autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm with hand shower</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed unit DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>● Brushed Gold</li> <li>● Stainless Brushed Nickel*</li> </ul> 	<p><b>385900576</b> <b>385903976</b> <b>38590N076</b> <b>38590N576</b></p> <p><b>88088</b></p>

\*Please refer to KLUDI INDIVIDUAL conditions on page 194

Product	Product description	Surface	Item No.
	<p><b>KLUDI-BOZZ</b>  <b>single lever bath- and shower mixer</b>  <b>DN 15</b>  stand assembly  three hole tiles deck mounted instal-  lation  solid lever  flow rate 24 l/min at 3 bar  s-pointer aerator M 24 x 1  ceramic cartridge with hot water limi-  tation  autom. diverter shower/bathtub  retractable hand shower  high pressure supply hose  G 1/2 x G 1/2 x 600 mm  protected against back flow  projection 220 mm</p>	<p>Chrome</p>	<p><b>384480576</b></p>
	<p><b>KLUDI-BOZZ</b>  <b>concealed single lever bath and shower</b>  <b>mixer</b>  concealed valve with functional unit  solid lever  ceramic cartridge with hot water li-  mitation  flow rate bath 28 l/min at 3 bar,  flow rate handshower 24 l/min at 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Stainless Brushed Nickel*</li> </ul>	<p><b>387590576</b>  <b>387593976</b>  <b>387595376</b>  <b>38759N076</b>  <b>38759N576</b></p> <p style="background-color: black; color: white; text-align: center; padding: 2px;"><b>NEW</b></p>
<p><b>Required Accessories:</b>  KLUDI SLIM.BOXX  concealed unit DN 20</p>			<p><b>88022</b></p>
	<p><b>KLUDI-BOZZ</b>  <b>concealed single lever bath and shower</b>  <b>mixer</b>  concealed valve with functional unit  solid lever  ceramic cartridge with hot water li-  mitation  flow rate bath 25 l/min at 3 bar,  flow rate handshower 23 l/min bei 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button  protected against back flow  according to DIN EN 1717</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	<p><b>387630576</b>  <b>387633976</b>  <b>387635376</b></p> <p style="background-color: black; color: white; text-align: center; padding: 2px;"><b>NEW</b></p>
<p><b>Required Accessories:</b>  KLUDI SLIM.BOXX  concealed unit DN 20</p>			<p><b>88022</b></p>

# KLUDI-BOZZ


Product	Product description	Surface	Item No.
	<p><b>KLUDI-BOZZ</b>  <b>concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 29 l/min at 3 bar                      autom. diverter shower/bathtub with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	<p><b>386590576</b>  <b>386593976</b>  <b>386595376</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-BOZZ</b>  <b>concealed single lever shower mixer</b>                      concealed valve with functional unit                      solid lever                      ceramic cartridge with hot water limitation                      flow rate 25 l/min at 3 bar</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	<p><b>386550576</b>  <b>386553976</b>  <b>386555376</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-BOZZ</b>  <b>concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 25 l/min at 3 bar                      autom. diverter shower/bathtub with PUSH &amp; SWITCH Button                      protected against back flow according to DIN EN 1717</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>	<p><b>386630576</b>  <b>386633976</b>  <b>386635376</b></p> <p style="text-align: center;"><b>NEW</b></p> <p><b>88011</b></p>

**Product**

**Product description**

**Surface**

**Item No.**




**KLUDI-BOZZ  
bath filler DN 20**  
wall fastening  
projection 160 mm  
s-pointer aerator M 24 x 1  
flow rate 25 l/min at 3 bar  
with push-on rosette

- Chrome **3850505**
- Matt Black **3850539**
- Matt White **3850553**
- Brushed Gold **38505N0**
- Stainless Brushed Nickel\* **38505N5**




**Shower**




**KLUDI-BOZZ  
single lever shower mixer DN 15**  
solid lever  
wall fastening  
flow rate 28 l/min at 3 bar  
ceramic cartridge with hot water  
limitation  
protected against back flow  
shower outlet G 1/2  
s-connections G 1/2 x G 3/4

- Chrome **388310576**
- Matt Black **388313976**
- Matt White **388315376**
- Brushed Gold **38831N076**
- Stainless Brushed Nickel\* **38831N576**



**KLUDI-BOZZ  
thermostatic shower mixer DN 15**  
wall fastening  
temperature control handle with hot water  
safety  
device 38° C  
With optional temperature limit stop at  
43° C  
with shut-off valve  
flow rate 22 l/min at 3 bar  
protected against back flow  
shower outlet G 1/2  
s-connections G 1/2 x G 3/4  
dirt catcher sieves  
P-IX 8049/IB

- Chrome **352030538**
- Matt Black **352033938**
- Matt White **352035338**
- Brushed Gold **35203N038**
- Stainless Brushed Nickel\* **35203N538**



**KLUDI-BOZZ  
concealed single lever shower mixer**  
concealed valve with functional unit  
solid lever  
ceramic cartridge with hot water  
limitation  
flow rate 28 l/min at 3 bar

- Chrome **387550576**
- Matt Black **387553976**
- Matt White **387555376**
- Brushed Gold **38755N076**
- Stainless Brushed Nickel\* **38755N576**

**NEW**

**Required Accessories:**  
KLUDI SLIM.BOXX  
concealed body DN 20












**88022**



KLUDI-PURE&SOLID  
ROBUST, CONSTANT AND CONSISTENT
























# KLUDI-PURE&SOLID

Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p> 	<p><b>KLUDI-PURE&amp;SOLID single lever basin mixer 60 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm</p>	<p>Chrome</p> 	<p><b>343850575</b></p>
	<p><b>KLUDI-PURE&amp;SOLID single lever basin mixer 75 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm</p>	<p>Chrome</p> 	<p><b>343820575</b></p>
<p>7/4</p> 	<p><b>KLUDI-PURE&amp;SOLID single lever basin mixer 75 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set for use with displacement heaters spout height lower edge 75 mm</p>	<p>Chrome</p>  	<p><b>342760575</b></p>
	<p><b>KLUDI-PURE&amp;SOLID single lever basin mixer 75 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm</p>	<p>Chrome</p> 	<p><b>340280575</b></p>
	<p><b>KLUDI-PURE&amp;SOLID single lever basin mixer 75 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm</p>	<p>Chrome</p> 	<p><b>343820575WR5</b></p>





Product	Product description	Surface	Item No.
		<p>Chrome</p>	<b>343880575WR4</b>
		<p>Chrome</p>	<b>343890575WR4</b>
		<p>Chrome</p>	<b>342900575</b>
		<p>Chrome</p>	<b>342920575</b>
		<p>Chrome</p>	<b>342930575WR4</b>

# KLUDI-PURE&SOLID

Product	Product description	Surface	Item No.
 	<b>KLUDI-PURE&amp;SOLID single lever basin mixer 75 DN 15</b> single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 75 mm	Chrome  	<b>341980575WR4</b>
 	<b>KLUDI-PURE&amp;SOLID single lever basin mixer 100 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm	Chrome 	<b>342900575WR5</b>
 	<b>KLUDI-PURE&amp;SOLID single lever basin mixer DN 15</b> single hole mounted solid lever ceramic cartridge PCA aerator M 18 x 1 flow rate 5 l/min. at 3 bar swivelling spout without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm	Chrome 	<b>340240575</b>
 	<b>KLUDI-PURE&amp;SOLID single lever basin mixer DN 15</b> single hole mounted solid lever ceramic cartridge PCA aerator M 18 x 1 flow rate 5 l/min. at 3 bar swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm	Chrome 	<b>340250575</b>
<b>Bidet</b>  	<b>KLUDI-PURE&amp;SOLID single lever bidet mixer DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 65 mm	Chrome  	<b>342160575</b>

Product	Product description	Surface	Item No.
<p><b>Bath</b></p> 	<p><b>KLUDI-PURE&amp;SOLID single lever bath- and shower mixer DN 15</b>  wall fastening  solid lever  flow class C/B  flow regulator M 24 x 1  ceramic cartridge with hot water limitation  autom. diverter shower/bathtub  shower outlet G 1/2  protected against back flow  s-connections</p>	Chrome	<b>346810575</b>
	<p><b>KLUDI-PURE&amp;SOLID concealed single lever bath and shower mixer</b>  concealed valve with functional unit  solid lever  wall fastening  ceramic cartridge with hot water limitation  flow rate bath 28 l/min at 3 bar,  flow rate handshower 24 l/min at 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b>  KLUDI SLIM.BOXX  concealed body DN 20</p>	Chrome	<b>347590575</b> <b>NEW</b>
	<p><b>KLUDI-PURE&amp;EASY concealed single lever bath and shower mixer</b>  concealed valve with functional unit  solid lever  ceramic cartridge with hot water limitation  flow rate bath 25 l/min at 3 bar,  flow rate handshower 23 l/min bei 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button  protected against back flow  according to DIN EN 1717</p> <p><b>Required Accessories:</b>  KLUDI SLIM.BOXX  concealed body DN 20</p>	Chrome	<b>347630575</b> <b>NEW</b>
	<p><b>KLUDI-PURE&amp;SOLID concealed single lever bath and shower mixer</b>  concealed valve with functional unit  solid lever  wall fastening  ceramic cartridge with hot water limitation  flow rate 29 l/min at 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b>  KLUDI FLEXX.BOXX  concealed body DN 20</p>	Chrome	<b>346590575</b> <b>88011</b>

# KLUDI-PURE&SOLID

Product	Product description	Surface	Item No.
	<p><b>KLUDI-PURE&amp;SOLID concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 25 l/min at 3 bar                      autom. diverter shower/bathtub with PUSH &amp; SWITCH Button                      protected against back flow according to DIN EN 1717</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome	<p><b>346630575</b></p> <p><b>88011</b></p>
<p><b>Shower</b></p> 	<p><b>KLUDI-PURE&amp;SOLID single lever shower mixer DN 15</b>                      wall fastening                      solid lever                      ceramic cartridge with hot water limitation                      flow class B                      shower outlet G 1/2                      protected against back flow s-connections</p>	Chrome	<b>348410575</b>
	<p><b>KLUDI-PURE&amp;SOLID concealed single lever shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 28 l/min at 3 bar</p> <p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>	Chrome	<p><b>347550575</b></p> <p><b>NEW</b></p> <p><b>88022</b></p>
	<p><b>KLUDI-PURE&amp;SOLID concealed single lever shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow class D/C</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome	<b>346550575</b>
























KLUDI-PURE&STYLE  
ELEGANT, LINEAR AND  
CONVENIENT

# KLUDI-PURE&STYLE


Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p>  	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever basin mixer 60 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 5 l/min. at 3 bar                      metal pop-up waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 60 mm</p>	<p>Chrome</p> 	<b>403850575</b>
 	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 5 l/min. at 3 bar                      metal pop-up waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 75 mm</p>	<p>● Chrome                      ● Matt Black</p> 	<p><b>403820575</b>  <b>403823975</b></p>
 	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 5 l/min at 3 bar                      without pop-up waste                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 75 mm</p>	<p>● Chrome                      ● Matt Black</p> 	<p><b>400280575</b>  <b>400283975</b></p>
 	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      EcoPlus centre position cold water                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 3,8 l/min at 3 bar                      metal pop-up waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 75 mm</p>	<p>● Chrome                      ● Matt Black</p>  	<p><b>403880575WR4</b>  <b>403883975</b></p>
 	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      EcoPlus centre position cold water                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 3,8 l/min at 3 bar                      without pop-up waste                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 75 mm</p>	<p>● Chrome                      ● Matt Black</p>  	<p><b>403890575WR4</b>  <b>403893975</b></p>

**Product**

**Product description**

**Surface**

**Item No.**




**KLUDI-PURE&STYLE  
single lever basin mixer 100 DN 15**  
single hole mounted  
solid lever  
ceramic cartridge with hot water limitation  
flow regulator M 24 x 1  
flow rate 5 l/min at 3 bar  
metal pop-up waste G 1 1/4  
flexible hoses G 3/8  
rapid installation set  
spout height lower edge 100 mm

- Chrome
- Matt Black



**402900575  
402903975**




**KLUDI-PURE&STYLE  
single lever basin mixer 100 DN 15**  
single hole mounted  
solid lever  
ceramic cartridge with hot water limitation  
flow regulator M 24 x 1  
flow rate 5 l/min at 3 bar  
without pop-up waste  
flexible hoses G 3/8  
rapid installation set  
spout height lower edge 100 mm

- Chrome
- Matt Black



**402920575  
402923975**




**KLUDI-PURE&STYLE  
single lever basin mixer 100 DN 15**  
single hole mounted  
solid lever  
EcoPlus centre position cold water  
ceramic cartridge with hot water limitation  
flow regulator M 24 x 1  
flow rate 3,8 l/min at 3 bar  
metal pop-up waste G 1 1/4  
flexible hoses G 3/8  
rapid installation set  
spout height lower edge 100 mm

- Chrome
- Matt Black



**402930575WR4  
402933975**




**KLUDI-PURE&STYLE  
single lever basin mixer 100 DN 15**  
single hole mounted  
solid lever  
EcoPlus centre position cold water  
ceramic cartridge with hot water limitation  
flow regulator M 24 x 1  
flow rate 3,8 l/min at 3 bar  
without pop-up waste  
flexible hoses G 3/8  
rapid installation set  
spout height lower edge 100 mm

- Chrome
- Matt Black



**401980575WR4  
401983975**















**KLUDI-PURE&STYLE  
Single lever basin mixer 75 DN 15**  
single hole mounted  
solid lever  
ceramic cartridge with hot water limitation  
flow regulator M 24 x 1  
flow rate 3,8 l/min at 3 bar  
metal pop-up waste G 1 1/4  
flexible hoses G 3/8  
rapid installation set  
spout height lower edge 75 mm











- Chrome







**403820575WR5**

# KLUDI-PURE&STYLE


Product	Product description	Surface	Item No.
	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever basin mixer 100 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 3,8 l/min at 3 bar                      metal pop-up waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 100 mm</p>	Chrome 	<b>402900575WR5</b>
	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever washbowl mixer DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 5 l/min. at 3 bar                      without pop-up waste                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 215 mm</p>	● Chrome ● Matt Black  	<b>402960575</b> <b>402963975</b>
	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever washbowl mixer DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 3,8 l/min at 3 bar                      without pop-up waste                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 215 mm</p>	Chrome  	<b>402960575WR5</b>
	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever basin mixer DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge                      PCA aerator M 16,5 x 1                      flow rate 5 l/min. at 3 bar                      swivelling spout                      without pop-up waste                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 220 mm</p>	● Chrome ● Matt Black 	<b>400240575</b> <b>400243975</b>
	<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever basin mixer DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge                      PCA aerator M 16,5 x 1                      flow rate 5 l/min. at 3 bar                      swivelling spout                      metal pop-up waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 220 mm</p>	Chrome 	<b>400250575</b>

Product	Product description	Surface	Item No.
<p><b>Bidet</b></p> 		<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever bidet mixer DN 15</b>  single hole mounted  solid lever  ceramic cartridge with hot water limitation  PCA s-pointer aerator M 24 x 1  flow rate 6 l/min at 3 bar  metal pop-up waste G 1 1/4  flexible hoses G 3/8  rapid installation set  spout height lower edge 65 mm</p>	<p>Chrome</p>   <p><b>402160575</b></p>
<p><b>Bath</b></p> 		<p><b>KLUDI-PURE&amp;STYLE</b>  <b>single lever bath- and shower mixer DN 15</b>  wall fastening  solid lever  flow class C/B  flow regulator M 24 x 1  ceramic cartridge with hot water limitation  autom. diverter shower/bathtub  shower outlet G 1/2  protected against back flow  s-connections</p>	<p>● Chrome  ● Matt Black</p> <p><b>406810575</b>  <b>406813975</b></p>
		<p><b>KLUDI-PURE&amp;STYLE</b>  <b>concealed single lever bath and shower mixer</b>  concealed valve with functional unit  solid lever  wall fastening  ceramic cartridge with hot water limitation  flow rate bath 28 l/min at 3 bar,  flow rate handshower 24 l/min at 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b>  KLUDI SLIM.BOXX  concealed body DN 20</p>	<p>● Chrome  ● Matt Black</p> <p><b>407590575</b>  <b>407593975</b></p> <p><b>NEW</b></p> <p><b>88022</b></p>
		<p><b>KLUDI-PURE&amp;EASY</b>  <b>concealed single lever bath and shower mixer</b>  concealed valve with functional unit  solid lever  ceramic cartridge with hot water limitation  flow rate bath 25 l/min at 3 bar,  flow rate handshower 23 l/min bei 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button  protected against back flow  according to DIN EN 1717</p> <p><b>Required Accessories:</b>  KLUDI SLIM.BOXX  concealed body DN 20</p>	<p>● Chrome  ● Matt Black</p> <p><b>407630575</b>  <b>407633975</b></p> <p><b>NEW</b></p> <p><b>88022</b></p>

# KLUDI-PURE&STYLE

Product	Product description	Surface	Item No.
	<p><b>KLUDI-PURE&amp;STYLE concealed single lever bath and shower mixer</b></p> <p>concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 29 l/min at 3 bar autom. diverter shower/bathtub with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>	<p><b>406590575</b> <b>406593975</b></p>
	<p><b>KLUDI-PURE&amp;STYLE concealed single lever bath and shower mixer</b></p> <p>concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar autom. diverter shower/bathtub with PUSH &amp; SWITCH Button protected against back flow according to DIN EN 1717</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>	<p><b>406630575</b> <b>406633975</b></p>
<p>86 Shower</p> 	<p><b>KLUDI-PURE&amp;STYLE single lever shower mixer DN 15</b></p> <p>wall fastening solid lever ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar shower outlet G 1/2 protected against back flow s-connections</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>	<p><b>408410575</b> <b>408413975</b></p>
	<p><b>KLUDI-PURE&amp;STYLE concealed single lever shower mixer</b></p> <p>concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar</p> <p><b>Required Accessories:</b> KLUDI SLIM.BOXX concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>	<p><b>407550575</b> <b>407553975</b></p> <p style="background-color: #333; color: white; padding: 2px; text-align: center; font-weight: bold;">NEW</p>

**Product**



**Product description**

**KLUDI-PURE&STYLE**  
**concealed single lever shower mixer**  
concealed valve with functional unit  
solid lever  
wall fastening  
ceramic cartridge with hot water  
limitation  
flow class D/C

**Required Accessories:**  
KLUDI FLEXX.BOXX  
concealed body DN 20

**Surface**

- Chrome
- Matt Black

**Item No.**

**406550575**  
**406553975**

**88011**













# KLUDI-PURE&EASY

SMART, CLEAR AND DYNAMIC















# KLUDI-PURE&EASY

Product	Product description	Surface	Item No.
<p>Washbasin</p> 		<p><b>KLUDI-PURE&amp;EASY single lever basin mixer 60 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar plastic pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm</p>	<p>Chrome</p>  <p><b>372850565</b></p>
		<p><b>KLUDI-PURE&amp;EASY single lever basin mixer 60 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm</p>	<p>Chrome</p>  <p><b>373850565</b></p>
		<p><b>KLUDI-PURE&amp;EASY single lever basin mixer 60 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 60 mm</p>	<p>Chrome</p>  <p><b>373870565</b></p>
		<p><b>KLUDI-PURE&amp;EASY single lever basin mixer 70 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 70 mm</p>	<p>Chrome</p>  <p><b>373820565</b></p>



















Product	Product description	Surface	Item No.
		Chrome	370280565
		Chrome	373820565WR5
		Chrome	372820565R
		Chrome	372890565
		Chrome	373880565WR4







# KLUDI-PURE&EASY

Product	Product description	Surface	Item No.
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever basin mixer 70 DN 15</b>                      single hole mounted                      solid lever                      EcoPlus centre position cold water                      ceramic cartridge with hot water limitation                      PCA aerator M 24 x 1                      flow rate 3,8 l/min at 3 bar                      without pop-up waste                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 70 mm</p>	Chrome  	373890565WR4
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever basin mixer 70 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow rate 5 l/min. at 3 bar                      flow regulator M 24 x 1                      metal pop-up waste G 1 1/4                      rapid installation set                      flexible hoses G 3/8                      for use with displacement heaters                      spout height lower edge 70 mm</p>	Chrome  	372760565
	<p><b>KLUDI-PURE&amp;EASY CARE</b>  <b>single lever basin mixer 70 DN 15</b>                      single hole mounted                      public lever arm 120 mm                      ceramic cartridge with hot water limitation                      flow rate 5 l/min. at 3 bar                      flow regulator M 24 x 1                      metal pop-up waste G 1 1/4                      rapid installation set                      flexible hoses G 3/8                      spout height lower edge 70 mm</p>	Chrome 	372840565
	<p><b>KLUDI-PURE&amp;EASY CARE</b>  <b>single lever basin mixer 70 DN 15</b>                      single hole mounted                      clinic lever 180 mm                      ceramic cartridge with hot water limitation                      flow rate 5 l/min. at 3 bar                      flow regulator M 24 x 1                      metal pop-up waste G 1 1/4                      rapid installation set                      flexible hoses G 3/8                      spout height lower edge 70 mm</p>	Chrome 	372870565 372870565WR5
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever basin mixer 70 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow rate 5 l/min. at 3 bar                      flow regulator M 24 x 1                      without pop-up waste                      rapid installation set                      flexible hoses G 3/8                      for use with displacement heaters                      spout height lower edge 70 mm</p>	Chrome  	372750565




Product	Product description	Surface	Item No.
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever basin mixer 100 DN 15</b>  single hole mounted  solid lever  ceramic cartridge with hot water limitation  flow regulator M 24 x 1  flow rate 5 l/min. at 3 bar  plastic pop-up waste G 1 1/4  flexible hoses G 3/8  rapid installation set  spout height lower edge 100 mm</p>	<p>Chrome</p> 	<p><b>371900565</b></p>
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever basin mixer 100 DN 15</b>  single hole mounted  solid lever  ceramic cartridge with hot water limitation  flow regulator M 24 x 1  flow rate 5 l/min. at 3 bar  metal pop-up waste G 1 1/4  flexible hoses G 3/8  rapid installation set  spout height lower edge 100 mm</p>	<p>Chrome</p> 	<p><b>372900565</b></p>
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever basin mixer 100 DN 15</b>  single hole mounted  solid lever  ceramic cartridge with hot water limitation  flow regulator M 24 x 1  flow rate 5 l/min. at 3 bar  without pop-up waste  flexible hoses G 3/8  rapid installation set  spout height lower edge 100 mm</p>	<p>Chrome</p> 	<p><b>372920565</b></p>
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever basin mixer 100 DN 15</b>  single hole mounted  solid lever  ceramic cartridge with hot water limitation  flow regulator M 24 x 1  flow rate 3,8 l/min at 3 bar  plastic pop-up waste G 1 1/4  flexible hoses G 3/8  rapid installation set  spout height lower edge 100 mm</p>	<p>Chrome</p> 	<p><b>371900565WR5</b></p>
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever basin mixer 100 DN 15</b>  single hole mounted  solid lever  ceramic cartridge with hot water limitation  flow regulator M 24 x 1  flow rate 3,8 l/min at 3 bar  metal pop-up waste G 1 1/4  flexible hoses G 3/8  rapid installation set  spout height lower edge 100 mm</p>	<p>Chrome</p> 	<p><b>372900565WR5</b></p>




# KLUDI-PURE&EASY

Product	Product description	Surface	Item No.
		<p><b>KLUDI-PURE&amp;EASY single lever basin mixer 100 DN 15</b> single hole mounted solid lever EcoPlus centre position cold water flow rate 3,8 l/min at 3 bar flow regulator M 24 x 1 metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 100 mm</p>	<p>Chrome</p> <p>372930565WR4</p>  
		<p><b>KLUDI-PURE&amp;EASY single lever basin mixer 100 DN 15</b> single hole mounted solid lever EcoPlus centre position cold water flow rate 3,8 l/min at 3 bar flow regulator M 24 x 1 without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 100 mm</p>	<p>Chrome</p> <p>371980565WR4</p>  
		<p><b>KLUDI-PURE&amp;EASY single lever basin mixer DN 15</b> single hole mounted solid lever ceramic cartridge PCA aerator M 18 x 1 flow rate 5 l/min. at 3 bar swivelling spout metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm</p>	<p>Chrome</p> <p>370230565</p> 
		<p><b>KLUDI-PURE&amp;EASY single lever basin mixer DN 15</b> single hole mounted solid lever ceramic cartridge PCA aerator M 18 x 1 flow rate 5 l/min. at 3 bar swivelling spout without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 205 mm</p>	<p>Chrome</p> <p>370240565</p> 
		<p><b>KLUDI-PURE&amp;EASY single lever bidet mixer DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 65 mm</p>	<p>Chrome</p> <p>375330565</p>  

Product	Product description	Surface	Item No.
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever bidet mixer DN 15</b>  single hole mounted  solid lever  ceramic cartridge with hot water limitation  PCA s-pointer aerator M 24 x 1  flow rate 3,8 l/min at 3 bar  metal pop-up waste G 1 1/4  flexible hoses G 3/8  rapid installation set  spout height lower edge 65 mm</p>	<p>Chrome</p>  	<p><b>375330565R</b></p>
<p><b>Bath</b></p> 	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever bath- and shower mixer DN 15</b>  wall fastening  solid lever  ceramic cartridge with hot water limitation  flow regulator M 24 x 1  flow class C/B  autom. diverter shower/bathtub  shower outlet G 1/2  protected against back flow  s-connections</p>	<p>Chrome</p>	<p><b>376810565</b></p>
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>single lever bath- and shower mixer DN 15</b>  wall fastening  solid lever  distance from center to center 45 mm  ceramic cartridge with hot water limitation  swivelling spout 250 mm  aerator M 24 x 1/B  flow class B/A  autom. diverter shower/bathtub  shower outlet G 1/2  protected against back flow  s-connections</p>	<p>Chrome</p>	<p><b>375910565</b></p>
	<p><b>KLUDI-PURE&amp;EASY</b>  <b>concealed single lever bath and shower mixer</b>  concealed valve with functional unit  solid lever  wall fastening  ceramic cartridge with hot water limitation  flow rate bath 28 l/min at 3 bar,  flow rate handshower 24 l/min at 3 bar  autom. diverter shower/bathtub  with PUSH &amp; SWITCH Button</p>	<p>Chrome</p>	<p><b>377590565</b></p> <p><b>NEW</b></p>
<p><b>Required Accessories:</b>  KLUDI SLIM.BOX  concealed body DN 20</p>	<p><b>88022</b></p>		

# KLUDI-PURE&EASY

Product	Product description	Surface	Item No.
	<p><b>KLUDI-PURE&amp;EASY concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      ceramic cartridge with hot water limitation                      flow rate bath 25 l/min at 3 bar,                      flow rate handshower 23 l/min bei 3 bar                      autom. diverter shower/bathtub                      with PUSH &amp; SWITCH Button                      protected against back flow                      according to DIN EN 1717</p> <p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>	Chrome	<p><b>377630565</b></p> <p style="text-align: center;"><b>NEW</b></p>
	<p><b>KLUDI-PURE&amp;EASY concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 25 l/min at 3 bar                      autom. diverter shower/bathtub</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome	<p><b>376590565</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-PURE&amp;EASY concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 25 l/min at 3 bar                      autom. diverter shower/bathtub                      with PUSH &amp; SWITCH Button                      protected against back flow                      according to DIN EN 1717</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	Chrome	<p><b>376630565</b></p> <p><b>88011</b></p>

Product	Product description	Surface	Item No.
<p data-bbox="177 360 264 383"><b>Shower</b></p> 	<p data-bbox="727 360 1018 383"><b>KLUDI-PURE&amp;EASY</b> <b>single lever shower mixer DN 15</b></p> <p data-bbox="727 405 1018 577">wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections</p>	Chrome	<b>378410565</b>
	<p data-bbox="727 712 1050 734"><b>KLUDI-PURE&amp;EASY</b> <b>concealed single lever shower mixer</b></p> <p data-bbox="727 757 1050 898">concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar</p> <p data-bbox="727 913 1050 981"><b>Required Accessories:</b> KLUDI SLIM.BOXX concealed body DN 20</p>	Chrome	<b>377550565</b> <b>NEW</b>
	<p data-bbox="727 1070 1066 1093"><b>KLUDI-PURE&amp;EASY</b> <b>concealed single lever shower mixer</b></p> <p data-bbox="727 1115 1066 1249">concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C</p> <p data-bbox="727 1265 1066 1339"><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	Chrome	<b>376550565</b> <b>88011</b>




















# KLUDI-OBJEKTA


# KLUDI-OBJEKTA

Product	Product description	Surface	Item No.
<b>Washbasin</b> 	<b>KLUDI-OBJEKTA</b> <b>single lever basin mixer DN 15</b> solid lever single hole mounted ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 5 l/min at 3 bar pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 80 mm	Chrome 	<b>322330575</b>
	<b>KLUDI-OBJEKTA</b> <b>single lever basin mixer DN 15</b> solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 for use with displacement heaters spout height lower edge 80 mm	Chrome 	<b>322340575</b>
	<b>KLUDI-OBJEKTA</b> <b>single lever basin mixer DN 15</b> geschlossener Hebel Einlochmontage Keramik-Kartusche mit Heißwasserbegrenzung PCA s-pointer Luftsprudler M 24 x 1 Durchflussmenge 5 l/min. bei 3 bar ohne Ablaufgarnitur Schnell-Montagesystem flexible Anschlüsse G 3/8 Auslaufhöhe Unterkante 80 mm	Chrome 	<b>321260575</b>
	<b>KLUDI-OBJEKTA</b> <b>single lever basin mixer XL DN 15</b> solid lever single hole mounted ceramic cartridge with hot water limitation PCA s-pointer aerator M 24 x 1 flow rate 5 l/min at 3 bar flexible hoses G 3/8 rapid installation set pop-up waste G 1 1/4 spout height lower edge 100 mm	Chrome 	<b>322600575</b>
	<b>KLUDI-OBJEKTA</b> <b>single lever basin mixer DN 15</b> solid lever single hole mounted flow rate 4,5 l/min at 3 bar flow regulator M 18 x 1 ceramic cartridge swivelling spout pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 noise level I spout height lower edge 205 mm	Chrome 	<b>320230575</b>

Product	Product description	Surface	Item No.
 	<p><b>KLUDI-OBJEKTA</b>  <b>single lever basin mixer DN 15</b>  solid lever  single hole mounted  flow rate 4,3 l/min at 3 bar  flow regulator M 18 x 1  ceramic cartridge  swivelling spout  rapid installation set  flexible hoses G 3/8  noise level I  spout height lower edge 205 mm</p>	<p>Chrome</p> 	<p><b>320240575</b></p>
<p><b>Bidet</b></p>  	<p><b>KLUDI-OBJEKTA</b>  <b>single lever bidet mixer DN 15</b>  solid lever  single hole mounted  ceramic cartridge with hot water limitation  ball joint caché aerator M 18,5 x 1  flow rate 7,4 l/min at 3 bar  rapid installation set  flexible hoses G 3/8  pop-up waste G 1 1/4</p>	<p>Chrome</p> 	<p><b>324160575</b></p>
<p><b>Bath</b></p>  	<p><b>KLUDI-OBJEKTA</b>  <b>single lever bath- and shower mixer DN 15</b>  solid lever  wall fastening  ceramic cartridge with hot water limitation  s-pointer aerator M 24 x 1  flow class C/B  autom. diverter shower/bathtub  shower outlet G 1/2  protected against back flow  s-connections G 1/2 x G 3/4</p>	<p>Chrome</p> 	<p><b>326530575</b></p>
 	<p><b>KLUDI-OBJEKTA</b>  <b>thermostatic bath- and shower mixer DN 15</b>  thermostatic bath- and shower mixer DN 15  wall fastening  temperature control handle  with hot water safety device 38° C  with ceramic shut-off valve as rotary valve 90°/90°  shower outlet G 1/2  bath rotary valve to the rear  Shower: Rotary valve forward  flow regulator M 28 x 1  flow rate bath 23,8 l/min at 3 bar  flow rate handshower 18,7 l/min bei 3 bar  protected against back flow  dirt catcher sieves  s-connections</p>	<p>Chrome</p> 	<p><b>352010538</b></p>


# KLUDI-OBJEKTA

Product	Product description	Surface	Item No.
	<p><b>KLUDI-OBJEKTA single lever bath- and shower mixer DN 15</b></p> <p>vertical bath/ shower mixer solid lever wall fastening ceramic cartridge with hot water limitation aerator M 28 x 1 flow class B/B autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 distance from center to center 75 mm</p>	Chrome	<b>364890575</b>
	<p><b>KLUDI-OBJEKTA concealed single lever bath and shower mixer</b></p> <p>concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C autom. diverter shower/bathtub PA-IX 18967/IDC</p> <p><b>required accessories:</b> KLUDI FLEXX.BOX concealed body DN 20</p>	Chrome	<b>326500575</b>  <b>88011</b>
<p data-bbox="47 1131 71 1176" style="writing-mode: vertical-rl; transform: rotate(180deg);">102</p> 	<p><b>KLUDI-OBJEKTA single lever shower mixer DN 15</b></p> <p>solid lever wall fastening ceramic cartridge with hot water limitation flow class C shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4</p>	Chrome	<b>327640575</b>

**Product****Product description****Surface****Item No.**


**KLUDI-OBJEKTA**  
**thermostatic shower mixer DN 15**  
 wall fastening  
 flow class B  
 temperature control handle  
 with hot water safety device 38° C  
 With optional temperature limit stop at  
 43 ° C  
 with shut-off valve  
 50 % water consumption regulation  
 flow rate 22 l/min at 3 bar  
 protected against back flow  
 shower outlet G 1/2  
 s-connections G 1/2 x G 3/4  
 dirt catcher sieves  
 P-IX 8049/IB  
 DIN-DVGW-BM-0037

Chrome

**352000538**

**KLUDI-OBJEKTA**  
**single lever shower mixer DN 15**  
 vertical bath/ shower mixer  
 solid lever  
 wall fastening  
 ceramic cartridge with hot water limitation  
 flow class B  
 shower outlet G 1/2  
 protected against back flow  
 s-connections G 1/2 x G 3/4  
 distance from center to center 75 mm

Chrome

**366510575**

**KLUDI-OBJEKTA**  
**concealed single lever shower mixer**  
 concealed valve with functional unit  
 solid lever  
 wall fastening  
 ceramic cartridge with hot water limitation  
 flow class C  
 PA-IX 18967/IDC

Chrome

**326550575**

**Required Accessories:**  
 KLUDI FLEXX.BOXX  
 concealed body DN 20













**88011**

# KLUDI-ZENTA SL





# KLUDI-ZENTA SL


Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p> 	<p><b>KLUDI-ZENTA SL single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 5 l/min at 3 bar                      metal pop-up waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 75 mm</p>	<p>Chrome</p> 	<p><b>482600565</b></p>
	<p><b>KLUDI-ZENTA SL single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 5 l/min at 3 bar                      without pop-up waste                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 75 mm</p>	<p>Chrome</p> 	<p><b>482620565</b></p>
	<p><b>KLUDI-ZENTA SL single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 5 l/min at 3 bar                      PUSH-OPEN waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 75 mm</p>	<p>Chrome</p>  	<p><b>482770565</b></p>
	<p><b>KLUDI-ZENTA SL single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 5 l/min. at 3 bar                      PUSH-OPEN waste G 1 1/4                      flexible hoses G 3/8                      rapid installation set                      spout height lower edge 75 mm</p>	<p>Chrome</p> 	<p><b>482660565</b></p>
	<p><b>KLUDI-ZENTA SL single lever basin mixer 75 DN 15</b>                      single hole mounted                      solid lever                      EcoPlus centre position cold water                      ceramic cartridge with hot water limitation                      flow regulator M 24 x 1                      flow rate 5 l/min. at 3 bar                      metal pop-up waste G 1 1/4                      rapid installation set                      flexible hoses G 3/8                      spout height lower edge 75 mm</p>	<p>● Chrome                      ● Matt Black</p>  	<p><b>482630565</b>  <b>482633965</b></p>

**Product**

**Product description**

**Surface**


**Item No.**



**KLUDI-ZENTA SL**  
**single lever basin mixer 100 DN 15**  
 single hole mounted  
 solid lever  
 ceramic cartridge with hot water limitation  
 flow regulator M 24 x 1  
 flow rate 5 l/min at 3 bar  
 metal pop-up waste G 1 1/4  
 flexible hoses G 3/8  
 rapid installation set  
 spout height lower edge 100 mm

- Chrome
  - Matt Black
- 


**482900565**  
**482903965**





**KLUDI-ZENTA SL**  
**single lever basin mixer 100 DN 15**  
 single hole mounted  
 solid lever  
 ceramic cartridge with hot water limitation  
 flow regulator M 24 x 1  
 flow rate 5 l/min at 3 bar  
 without pop-up waste  
 flexible hoses G 3/8  
 rapid installation set  
 spout height lower edge 100 mm

- Chrome
- 


**482920565**



**KLUDI-ZENTA SL**  
**single lever basin mixer 100 DN 15**  
 single hole mounted  
 solid lever  
 EcoPlus centre position cold water  
 ceramic cartridge with hot water limitation  
 flow regulator M 24 x 1  
 flow rate 3,8 l/min at 3 bar  
 metal pop-up waste G 1 1/4  
 rapid installation set  
 flexible hoses G 3/8  
 spout height lower edge 100 mm

- Chrome
  - Matt Black
- 
- 


**482930565WR4**  
**482933965**





**KLUDI-ZENTA SL**  
**single lever basin mixer 100 DN 15**  
 single hole mounted  
 solid lever  
 ceramic cartridge with hot water limitation  
 flow regulator M 24 x 1  
 flow rate 5 l/min at 3 bar  
 PUSH-OPEN waste G 1 1/4  
 flexible hoses G 3/8  
 rapid installation set  
 spout height lower edge 100 mm

- Chrome
  - Matt Black
- 

**482980565**  
**482983965**




























**KLUDI-ZENTA SL**  
**single lever basin mixer 75 DN 15**  
 single hole mounted  
 solid lever  
 EcoPlus centre position cold water  
 ceramic cartridge with hot water limitation  
 flow regulator M 24 x 1  
 flow rate 3,8 l/min at 3 bar  
 without pop-up waste  
 rapid installation set  
 flexible hoses G 3/8  
 spout height lower edge 75 mm

- Chrome
  - Matt Black
- 
- 

**483890565WR4**  
**483893965**


# KLUDI-ZENTA SL

Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p> 	<p><b>KLUDI-ZENTA SL single lever basin mixer DN 15</b> solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar swivelling spout (360°) metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 220 mm</p>	<p>● Chrome ● Matt Black</p> 	<p><b>480270565</b> <b>480273965</b></p>
	<p><b>KLUDI-ZENTA SL single lever basin mixer DN 15</b> solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar swivelling spout (360°) without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 220 mm</p>	<p>Chrome</p> 	<p><b>480280565</b></p>
	<p><b>KLUDI-ZENTA SL single lever washbowl mixer DN 15</b> solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 240 mm</p>	<p>● Chrome ● Matt Black</p>  	<p><b>482560565</b> <b>482563965</b></p>
	<p><b>KLUDI-ZENTA SL single lever basin mixer 100 DN 15</b> single hole mounted solid lever EcoPlus centre position cold water ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar without pop-up waste rapid installation set flexible hoses G 3/8 spout height lower edge 100 mm</p>	<p>● Chrome ● Matt Black</p>  	<p><b>481980565WR4</b> <b>481983965</b></p>
	<p><b>KLUDI-ZENTA SL single lever basin mixer 100 DN 15</b> single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm</p>	<p>Chrome</p> 	<p><b>482900565WR5</b></p>

Product	Product description	Surface	Item No.
		Chrome 	<b>482450565</b>
	<b>KLUDI-ZENTA SL concealed two hole wall mounted basin mixer</b> trim set Two-part rosette solid lever flow regulator M 24 x 1 flow rate 5 l/min at 3 bar projection wall spout 230 mm		
	<b>Required Accessories:</b> installation set DN 15 for concealed two hole wall mounted basin mixer		<b>38243</b>
	installation set DN 15 for concealed two hole wall mounted basin mixer		<b>38242</b>
		● Chrome ● Matt Black 	<b>482470565</b> <b>482473965</b>
	<b>KLUDI-ZENTA SL concealed two hole wall mounted basin mixer</b> trim set One-piece rosette solid lever flow regulator M 24 x 1 flow rate 5 l/min at 3 bar projection wall spout 180 mm		
	<b>Required Accessories:</b> installation set DN 15 for concealed two hole wall mounted basin mixer		<b>38243</b>
	installation set DN 15 for concealed two hole wall mounted basin mixer		<b>38242</b>
		Chrome 	<b>482480565</b>
	<b>KLUDI-ZENTA SL concealed two hole wall mounted basin mixer</b> trim set One-piece rosette solid lever flow regulator M 24 x 1 flow rate 5 l/min at 3 bar projection wall spout 230 mm		
	<b>Required Accessories:</b> installation set DN 15 for concealed two hole wall mounted basin mixer		<b>38243</b>
	installation set DN 15 for concealed two hole wall mounted basin mixer		<b>38242</b>
		Chrome  	<b>482560565WR5</b>
	<b>KLUDI-ZENTA SL single lever washbowl mixer DN 15</b> solid lever single hole mounted ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 3,8 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 240 mm		



**Product**



**Product description**

**KLUDI-ZENTA SL  
bath- and shower mixer DN 15**  
installation for free standing bathtub  
solid lever  
ceramic cartridge with hot water limitation  
flow regulator s-pointer M 24 x 1  
flow rate 22 l/min at 3 bar  
autom. diverter shower/bathtub  
protected against back flow  
KLUDI SUPARAFLEX SILVER-hose anti twist  
G 1/2 x G 1/2 x 1250 mm  
hand shower KLUDI-A-QA 3910005-00

**Surface**

Chrome



**Item No.**


**485900565**

**Required Accessories:**

KLUDI FLEXX.BOX  
concealed unit DN 20

**88088**

**Bidet**



**KLUDI-ZENTA SL  
single lever bidet mixer DN 15**


solid lever  
single hole mounted  
ceramic cartridge with hot water limitation  
s-pointer eco-aerator M 24 x 1  
flow rate 6 l/min at 3 bar  
metal pop-up waste G 1 1/4  
rapid installation set  
flexible hoses G 3/8  
spout height lower edge 70 mm

● Chrome  
● Matt Black



**485300565**

**485303965**



**KLUDI-ZENTA SL  
basin mixer DN 15**


solid lever  
three hole assembling  
flow rate 5 l/min at 3 bar  
PCA s-pointer aerator M 24 x 1  
fixed spout  
ceramic headpart 90°  
rapid installation set  
flexible hoses G 3/8  
spout height lower edge 155 mm

Chrome



**483930565**

**Shower**



**KLUDI-ZENTA SL  
single lever shower mixer DN 15**








solid lever  
wall fastening  
flow rate 28 l/min at 3 bar  
ceramic cartridge with hot water limitation  
protected against back flow  
shower outlet G 1/2  
s-connections G 1/2 x G 3/4





● Chrome  
● Matt Black

**488700565**





**488703965**

# KLUDI-ZENTA SL
















Product	Product description	Surface	Item No.
	<p><b>KLUDI-ZENTA SL concealed single lever shower mixer</b>                      concealed valve with functional unit                      solid lever                      ceramic cartridge with hot water limitation                      flow rate 28 l/min at 3 bar</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	<p>● Chrome                      ● Matt Black</p>	<p><b>487550565</b>  <b>487553965</b></p> <p><b>NEW</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-ZENTA SL concealed single lever shower mixer</b>                      concealed valve with functional unit                      solid lever                      ceramic cartridge with hot water limitation                      flow rate 25 l/min at 3 bar</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	<p>Chrome</p>	<p><b>486550565</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-ZENTA SL concealed thermostatic shower mixer</b>                      concealed valve with functional unit for 1 consumer                      with ceramic shut-off valve                      hot water safety device 38 °C                      flow rate 20 l/min at 3 bar</p> <p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>	<p>● Chrome                      ● Matt Black</p> <p></p>	<p><b>388850545</b>  <b>388853945</b></p> <p><b>NEW</b></p> <p><b>88022</b></p>
	<p><b>KLUDI-ZENTA SL concealed thermostatic shower mixer</b>                      concealed valve with functional unit with ceramic shut-off valve                      hot water safety device 38 °C                      With optional temperature limit stop at 43 °C                      P-IX 18444/IICC</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	<p>Chrome</p> <p></p>	<p><b>388350545</b></p> <p><b>88011</b></p>
	<p><b>KLUDI-ZENTA SL concealed single lever bath and shower mixer</b>                      concealed valve with functional unit                      solid lever                      wall fastening                      ceramic cartridge with hot water limitation                      flow rate 29 l/min at 3 bar                      autom. diverter shower/bathtub                      with PUSH &amp; SWITCH Button</p> <p><b>Required Accessories:</b>                      KLUDI FLEXX.BOXX                      concealed body DN 20</p>	<p>Chrome</p>	<p><b>486590565</b></p> <p><b>88011</b></p>

Product	Product description	Surface	Item No.
	 <p><b>KLUDI-ZENTA SL concealed thermostatic bath- and shower mixer</b> concealed valve with functional unit with ceramic shut-off valve flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar and diverter as rotary valve for 2 consumers hot water safety device 40 °C</p> <p><b>Required Accessories:</b> KLUDI SLIM.BOX concealed body DN 20</p>	<p>● Chrome ● Matt Black</p> 	<p><b>388100545</b> <b>388103945</b></p> <p><b>NEW</b></p>
	 <p><b>KLUDI-ZENTA SL concealed thermostatic bath- and shower mixer</b> concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C With optional temperature limit stop at 43 °C flow class B P-IX 18444/IIIC</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOX concealed body DN 20</p>	<p>Chrome</p> 	<p><b>388300545</b></p> <p><b>88011</b></p>
	 <p><b>KLUDI-ZENTA SL concealed single lever bath and shower mixer</b> concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 25 l/min at 3 bar autom. diverter shower/bathtub with PUSH &amp; SWITCH Button protected against back flow according to DIN EN 1717</p> <p><b>Required Accessories:</b> KLUDI FLEXX.BOX concealed body DN 20</p>	<p>Chrome</p>	<p><b>486630565</b></p> <p><b>88011</b></p>
	 <p><b>KLUDI-ZENTA SL concealed single lever bath and shower mixer</b> concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate bath 25 l/min at 3 bar, flow rate handshower 23 l/min bei 3 bar autom. diverter shower/bathtub with PUSH &amp; SWITCH Button protected against back flow according to DIN EN 1717</p>	<p>● Chrome ● Matt Black</p>	<p><b>487630565</b> <b>487633965</b></p> <p><b>NEW</b></p>
	 <p><b>KLUDI-ZENTA SL concealed single lever bath and shower mixer</b> concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub with PUSH &amp; SWITCH Button</p>	<p>● Chrome ● Matt Black</p>	<p><b>487590565</b> <b>487593965</b></p> <p><b>NEW</b></p>












# KLUDI-ZENTA SL





Product	Product description	Surface	Item No.
<p><b>Thermostat surface-mounted</b></p> 	<p><b>KLUDI-ZENTA SL thermostatic shower mixer DN 15</b>            wall fastening            temperature control handle            with hot water safety device 38° C            with shut-off valve            flow rate 25 l/min at 3 bar            protected against back flow            shower outlet G 1/2            s-connections G 1/2 x G 3/4            dirt catcher sieves            PA-IX 18064/1B</p>	<p>● Chrome            ● Matt Black</p> 	<p><b>351000538</b>  <b>351003938</b></p>
	<p><b>KLUDI-ZENTA SL thermostatic bath- and shower mixer DN 15</b>            wall fastening            aerator M 24 x 1/B            temperature control handle            with hot water safety device 38° C            ceramic headpart 90°            flow rate bath 25,2 l/min at 3 bar,            flow rate 17 l/min at 3 bar            autom. diverter shower/bathtub            protected against back flow            shower outlet G 1/2            s-connections G 1/2 x G 3/4            dirt catcher sieves</p>	<p>● Chrome            ● Matt Black</p> 	<p><b>351010538</b>  <b>351013938</b></p>

# KLUDI-ZENTA

Product	Product description	Surface	Item No.
<p><b>Washbasin</b></p> 	<p><b>KLUDI-ZENTA concealed two hole wall mounted basin mixer</b>            trim set            solid lever            flow rate 6 l/min at 3 bar            PCA s-pointer aerator M 24 x 1            rosette diameter 70 mm            projection wall spout 230 mm</p> <p><b>Required Accessories:</b>            installation set DN 15            for concealed two hole wall mounted basin mixer</p>	Chrome  	<b>382450575</b>
	<p><b>KLUDI-ZENTA concealed two hole wall mounted basin mixer</b>            trim set            solid lever            flow rate 6 l/min at 3 bar            PCA s-pointer aerator M 24 x 1            rosette diameter 70 mm            projection wall spout 180 mm</p> <p><b>Required Accessories:</b>            installation set DN 15            for concealed two hole wall mounted basin mixer</p>	Chrome  	<b>382440575</b>
	<p><b>KLUDI-ZENTA single lever washbowl mixer DN 15</b>            solid lever            single hole mounted            flow rate 6 l/min at 3 bar            PCA s-pointer aerator M 24 x 1            ceramic cartridge with hot water limitation            without pop-up waste            rapid installation set            flexible hoses G 3/8            spout height lower edge 260 mm</p>	Chrome   	<b>382570575</b>
	<p><b>KLUDI-ZENTA single lever basin mixer DN 15</b>            solid lever            single hole mounted            flow rate 6 l/min at 3 bar            PCA s-pointer aerator M 24 x 1            ceramic cartridge with hot water limitation            swivelling spout            metal pop-up waste G 1 1/4            rapid installation set            flexible hoses G 3/8            spout height lower edge 220 mm</p>	Chrome  	<b>420250575</b>
	<p><b>KLUDI-ZENTA single lever basin mixer DN 15</b>            solid lever            single hole mounted            flow rate 6 l/min at 3 bar            PCA s-pointer aerator M 24 x 1            ceramic cartridge with hot water limitation            swivelling spout            rapid installation set            flexible hoses G 3/8            spout height lower edge 220 mm</p>	Chrome  	<b>420260575</b>

# KLUDI-ZENTA

Product	Product description	Surface	Item No.
<b>Washbasin</b> 	<b>KLUDI-ZENTA single lever basin mixer DN 15</b> solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA spout height lower edge 65 mm	Chrome  	<b>382500575</b>
	<b>KLUDI-ZENTA single lever basin mixer DN 15</b> solid lever single hole mounted flow rate 6 l/min at 3 bar PCA s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste rapid installation set flexible hoses G 3/8 P-IX 18634/IA spout height lower edge 65 mm	Chrome  	<b>382510575</b>
<b>116</b> 	<b>KLUDI-ZENTA single lever basin mixer DN 15</b> solid lever single hole mounted flow rate 7 l/min at 3 bar PCA caché-aerator M 16,5 x 1 ceramic cartridge with hot water limitation swivelling spout metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18635/IA spout height lower edge 190 mm	Chrome 	<b>382550575</b>
<b>Bidet</b> 	<b>KLUDI-ZENTA single lever bidet mixer DN 15</b> solid lever single hole mounted flow rate 7,4 l/min at 3 bar ball joint-cascade-aerator M 24 x 1 ceramic cartridge with hot water limitation metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 P-IX 18634/IA spout height lower edge 70 mm	Chrome 	<b>385300575</b>
<b>Bath</b> 	<b>KLUDI-ZENTA single lever bath- and shower mixer DN 15</b> solid lever wall fastening flow class C/B aerator M 24 x 1 ceramic cartridge with hot water limitation protected against back flow autom. diverter shower/bathtub s-connections PA-IX 18636/ICB	Chrome	<b>386700575</b>

Product	Product description	Surface	Item No.
<p data-bbox="177 360 261 383"><b>Shower</b></p> 	<p data-bbox="730 360 1013 427"><b>KLUDI-ZENTA concealed single lever bath and shower mixer</b> concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC</p> <p data-bbox="730 618 932 685"><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20</p>	Chrome	<b>386500575</b>
	<p data-bbox="730 719 1013 763"><b>KLUDI-ZENTA single lever shower mixer DN 15</b> solid lever wall fastening flow rate 9 l/min at 3 bar s-connections ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2 PA-IX 18637/IA</p>	Chrome	<b>388700575</b>
	<p data-bbox="730 1077 1013 1144"><b>KLUDI-ZENTA concealed single lever shower mixer</b> concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class B PA-IX 18967/IDC</p> <p data-bbox="730 1267 932 1335"><b>Required Accessories:</b> KLUDI FLEXX.BOXX concealed body DN 20 88011</p>	Chrome	<b>386550575</b>
	<p data-bbox="730 1435 1013 1480"><b>KLUDI-ZENTA spacer escutcheon for base for KLUDI ZENTA</b> for 38250, 38251, 38253, 38256, 38260, 38262, 38530, 38100, 38102, 38105, 38200, 38202, 38205</p>	Chrome	<b>7607105-00</b>



# KLUDI-LOUVA




# KLUDI-LOUVA

Product	Product description	Surface	Item No.
	<p><b>KLUDI-LOUVA</b>  <b>single lever basin mixer 75 DN 15</b>  basin mixer  single lever mixer  1-hole mounted  solid lever, metal  aerator, S-Pointer M18,5 PCA  ceramic cartridge with hot water safety device  flow rate at 3 bar 5 l/min.  flexible hoses G¾ DVGW approved  rapid installation set</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○</li> </ul>  	<p><b>242660575</b>  <b>242723975</b></p>
	<p><b>KLUDI-LOUVA</b>  <b>single lever basin mixer 100 DN 15</b>  basin mixer  single lever mixer  1-hole mounted  solid lever, metal  aerator, S-Pointer M18,5 PCA  ceramic cartridge with hot water safety device  middle position cold water  flow rate at 3 bar 5 l/min.  flexible hoses G¾ DVGW approved  rapid installation set  push open waste G1¼  for washbasin with overflow</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>  	<p><b>242630575</b>  <b>242633975</b>  <b>242635375</b></p>
	<p><b>KLUDI-LOUVA</b>  <b>single lever basin mixer 100 DN 15</b>  basin mixer  single lever mixer  1-hole mounted  solid lever, metal  aerator, S-Pointer M18,5 PCA  ceramic cartridge with hot water safety device  flow rate at 3 bar 5 l/min.  flexible hoses G¾ DVGW approved  rapid installation set</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>  	<p><b>242820575</b>  <b>242823975</b>  <b>242825375</b></p>
	<p><b>KLUDI-LOUVA</b>  <b>single lever basin mixer 100 DN 15</b>  basin mixer  single lever mixer  1-hole mounted  solid lever, metal  aerator, S-Pointer M18,5 PCA  ceramic cartridge with hot water safety device  flow rate at 3 bar 5 l/min.  flexible hoses G¾ DVGW approved  rapid installation set  push open waste G1¼  for washbasin with overflow</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>  	<p><b>242880575</b>  <b>242883975</b>  <b>242885375</b></p>

**Product**

**Washbasin**



**Product description**


**KLUDI-LOUVA**  
**concealed single lever basin mixer DN 15**  
wall mounted basin mixer  
concealed 2-hole basin mixer  
single lever mixer  
trim set without pre-installation set  
pre installation set KLUDI Ref: 38242  
in-wall-installation  
vertical wall mounted  
solid lever, metal  
aerator, S-Pointer M18,5 PCA  
flow rate at 3 bar 5 l/min.  
fixed spout

**Surface**

- Chrome
- Matt Black
- Matt White

**Item No.**

**242450575**  
**242453975**  
**242455375**












**KLUDI-LOUVA**  
**single lever basin mixer, 240 mm for washbowls DN 15**  
single lever mixer  
stand assembly  
1-hole mounted  
solid lever, metal  
aerator, S-Pointer M18,5 PCA  
ceramic cartridge  
flow rate at 3 bar 5 l/min.  
fixed spout  
flexible hoses G3/8 DVGW approved  
shank-fixing  
without pop up waste










- Chrome
- Matt Black
- Matt White

**242860575**  
**242863975**  
**242865375**



# KLUDI-LOUVA

Product	Product description	Surface	Item No.
	<p><b>KLUDI-LOUVA</b>  <b>concealed single lever bath and shower mixer</b>                      single lever mixer                      trim set without pre-installation set                      trim set with functional unit                      wall mounted                      solid lever, metal                      ceramic cartridge with hot water safety device                      flow rate at 3 bar 28 l/min.</p> <p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>  	<p><b>247550575</b>  <b>247553975</b>  <b>247555375</b></p> <p><b>88022</b></p>
	<p><b>KLUDI-LOUVA</b>  <b>concealed single lever bath and shower mixer</b>                      single lever mixer                      trim set without pre-installation set                      trim set with functional unit                      wall mounted                      PUSH&amp;SWITCH diverter                      automatic diverter: shower/bath                      solid lever, metal                      ceramic cartridge with hot water safety device                      flow rate bath at 3 bar 28 l/min.                      flow rate shower at 3 bar 24 l/min.</p> <p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Matt Black</li> <li>● Matt White</li> </ul>  	<p><b>247593975</b>  <b>247595375</b></p> <p><b>88022</b></p>
	<p><b>KLUDI-LOUVA</b>  <b>concealed single lever bath and shower mixer</b>                      single lever mixer                      trim set without pre-installation set                      trim set with functional unit                      wall mounted                      PUSH&amp;SWITCH diverter                      automatic diverter: shower/bath                      solid lever, metal                      protected against back flow                      ceramic cartridge with hot water safety device                      flow rate bath at 3 bar 25 l/min.                      flow rate shower at 3 bar 23 l/min.                      according to DIN EN 1717</p> <p><b>Required Accessories:</b>                      KLUDI SLIM.BOXX                      concealed body DN 20</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> </ul>  	<p><b>247630575</b>  <b>247633975</b>  <b>247635375</b></p> <p><b>88022</b></p>

Product	Product description	Surface	Item No.
<p><b>Bidet</b></p> 	<p><b>KLUDI-LOUVA</b> <b>single lever bidet mixer</b> <b>DN 15</b></p> <p>bidet mixer single lever mixer 1-hole mounted solid lever, metal ball joint with aerator aerator, S-Pointer M16 PCA ceramic cartridge with hot water safety device flow rate at 3 bar 4,5 l/min. flexible hoses G<math>\frac{3}{8}</math> DVGW approved rapid installation set pop up waste set G1<math>\frac{1}{4}</math> metal</p>	<p>● Chrome ● Matt Black ○ Matt White</p>  	<p><b>242160575</b> <b>242163975</b> <b>242165375</b></p>
<p><b>Shower</b></p> 	<p><b>KLUDI-LOUVA</b> <b>single lever shower mixer</b> <b>DN 15</b></p> <p>shower mixer single lever mixer wall mounted solid lever, metal protected against back flow shower outlet G<math>\frac{1}{2}</math> ceramic cartridge with hot water safety device flow rate at 3 bar 25 l/min. S-unions G<math>\frac{1}{2}</math> x G<math>\frac{3}{4}</math></p>	<p>● Chrome ● Matt Black ○ Matt White</p>  	<p><b>248310575</b> <b>248313975</b> <b>248315375</b></p>
	<p><b>KLUDI-LOUVA</b> <b>single lever bath-and shower mixer</b> <b>DN 15</b></p> <p>bath-and shower mixer single lever mixer wall mounted automatic diverter: shower/bath solid lever, metal aerator M24 protected against back flow shower outlet G<math>\frac{1}{2}</math> ceramic cartridge with hot water safety device flow rate at 3 bar 21 l/min. S-unions G<math>\frac{1}{2}</math> x G<math>\frac{3}{4}</math></p>	<p>● Chrome ● Matt Black ○ Matt White</p>  	<p><b>246910575</b> <b>246913975</b> <b>246915375</b></p>



# CONCEALED SHOWER SOLUTIONS FOR LIFESTYLE BATHROOMS

Concealed solutions are becoming increasingly popular in the bathroom, especially in the shower. They allow more variability and flexibility in room design.

They leave more free space because the fittings installed in the wall take up less room - a major advantage not only in small bathrooms.

Architects and interior designers are not the only ones to appreciate the fact that concealed ready-to-use sets blend discreetly and unobtrusively into the room and its overall design. In addition, smart developments such as digital shower controls have significantly increased ease of use and user-friendliness.

Our new, innovative concealed solutions for the shower are in line with the trend towards digitalization in the bathroom.

On the other hand, with our once again significantly improved KLUDI-SLIM.BOXX, we ensure ultra-flat designs of the concealed rosettes with optimum ease of installation.






# KLUDI-TOUCHTRONIC

YOUR BATHROOM IS DIGITAL,  
YOUR BATHROOM IS SMART



# KLUDI-TOUCHTRO

Product	Product description	Surface	Item No.
 	<p><b>KLUDI-TOUCHTRONIC</b> <b>electronic concealed thermostatic fitting</b> pre-installation set with Touchdisplay Touchdisplay IP65 to control temperature and flow rate wall fastening concealed plastic housing with additional tight gasket sealing according to DIN18534 Power supply 12 volts (cable from water connection box) Water connection box IP54 powered by 230 V mains supply CE marking with WIFI module control via touch display with option for APP control Connection cold water/ hot water G 1/2 Connection of 1 to 3 consumers (G 1/2) possible Safety function at 38°C Temperature limitation 44°C Thermal disinfection max. 70°C possible Start temperature individually adjustable Start- flow rate individually adjustable warm up" function"</p>	Polycarbonat 	<b>38310G1-00</b> <b>NEW</b>










KLUDI-PUSHTRONIC  
THE ULTIMATE SMART LIVING

# KLUDI-PUSHTRONIC


Product	Product description	Surface	Item No.
 	<p><b>KLUDI-PUSHTRONIC</b>  <b>electronic concealed thermostatic fitting</b>                      pre-installation set with Trim-set                      trim set IP65                      to control temperature and flow rate                      1 x rotating and push button for temperature adjustment                      2 x rotating and push buttons for quantity adjustment and on/off                      wall fastening                      concealed plastic housing                      with additional tight gasket                      sealing according to DIN18534                      Power supply 12 volts (cable from water connection box)                      Water connection box IP54                      electric power supply via 230 V main adapter                      CE marking                      with WIFI module                      Operation via trim set                      with option for APP control                      Connection cold water/ hot water G 1/2                      Connection of 1 to 2 consumers (G 1/2) possible                      simultaneous use of 2 consumers possible                      dirt cleaner sieve                      protected against back flow                      Safety function at 38°C                      Temperature limitation 44°C                      Thermal disinfection max. 70°C possible                      Start temperature individually adjustable                      Start- flow rate individually adjustable                      warm up" function"</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul> 	<p><b>3830005-00</b>  <b>3830039-00</b>  <b>3830053-00</b>  <b>38300N0-00</b>  <b>38300N1-00</b>  <b>38300N2-00</b>  <b>38300N5-00</b></p> <div style="background-color: #333; color: white; padding: 2px; text-align: center; width: fit-content; margin: 0 auto;">NEW</div>









KLUDI-SLIM.BOXX  
NEW CONCEALED UNIT

**Product****SLIM.BOXX****Product description**

**KLUDI SLIM.BOXX  
concealed body DN 20**  
pre-installation set  
without trim set  
without functional unit  
in-wall installation  
with one-piece elastomere-  
coating  
with protection cap for skeleton  
with additional tight gasket  
with flushing set  
dezincification resistant brass  
P-IX 19310/ICB

**Surface****Item No.****88022\*****NEW**

\* Compatible with the trim-sets of the series:  
KLUDI-NOVA FONTE PURA, KLUDI-BALANCE, KLUDI-AMEO, KLUDI-BOZZ, KLUDI-LOUVA, ZENTA SL, KLUDI-PURE&STYLE, KLUDI-PURE&SOLID,  
KLUDI-PURE&EASY


Product	Product description	Surface	Item No.
<p data-bbox="188 365 311 387"><b>FLEXX.BOX</b></p> 		<p data-bbox="730 365 935 409"><b>KLUDI FLEXX.BOX concealed body DN 20</b></p> <p data-bbox="730 409 1053 622">pre-installation set without trim set without functional unit in-wall installation with one-piece elastomere-coating with protection cap for skeleton with additional tight gasket with flushing set dezincification resistant brass P-IX 19310/IC</p>	<b>88011</b>

# KLUDI-A-QA
















# KLUDI-A-QA

Product	Product description	Surface	Item No.
	<p><b>KLUDI-A-QA head shower DN 15</b> 250 x 250 mm with spray mode: volume flow rate 42 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level I</p>	<p>Chrome</p> 	<p><b>6653105-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b> 250 x 250 mm with spray mode: volume flow rate 9 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level I</p>	<p>Chrome</p> 	<p><b>6654105-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b> 200 x 200 mm with spray mode: volume flow rate 25,8 l/min at 3 bar quick and easy cleaning system connection G 1/2 without shower arm noise level I</p>	<p>Chrome</p> 	<p><b>6653005-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b> quick and easy cleaning system with one spray mode: rainshower flow rate 18 l/min at 3 bar suitable for water heater with a flow capacity for a minimum of 13 l/min without shower arm with ball joint</p>	<p>Chrome</p> 	<p><b>6219105-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b> quick and easy cleaning system with one spray mode: rainshower flow rate 18 l/min at 3 bar suitable for water heater with a flow capacity for a minimum of 13 l/min without shower arm with ball joint</p>	<p>Chrome</p> 	<p><b>6219105-00</b></p>










Product	Product description	Surface	Item No.
<b>HEAD SHOWERS</b> 	<b>KLUDI-A-QA shower arm DN 15</b> for head shower DN 15 projection 400 mm with push-on rosette 58 x 58 mm	Chrome	<b>6654405-00</b>
	<b>KLUDI-A-QA shower arm DN 15</b> for head shower DN 15 projection 250 mm with push-on rosette 58 x 58 mm	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>6654305-00</b> <b>66543N0-00</b> <b>66543N1-00</b> <b>66543N2-00</b> <b>66543N5-00</b>
	<b>KLUDI-A-QA shower arm DN 15</b> for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>● Matt White</li> <li>● Matt Black/Chrome</li> <li>● White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> <li>● Matt Dove</li> <li>● Matt Light Dove</li> <li>● Matt Teal Blue</li> <li>● Matt Light Blue</li> <li>● Matt Vermilion</li> </ul>	<b>6651405-00</b> <b>6651439-00</b> <b>6651453-00</b> <b>6651487-00</b> <b>6651491-00</b> <b>66514N0-00</b> <b>66514N1-00</b> <b>66514N2-00</b> <b>66514N5-00</b> <b>6651401-00</b> <b>6651402-00</b> <b>6651403-00</b> <b>6651404-00</b> <b>6651405-00</b>
	<b>KLUDI-A-QA shower arm DN 15</b> for head shower DN 15 projection 250 mm with push-on rosette diameter 55 mm	Chrome	<b>6651305-00</b>
	<b>KLUDI-A-QA shower arm DN 15</b> for head shower DN 15 projection 250 mm with push-on rosette 61 x 61 mm	Chrome	<b>6653305-00</b>
	<b>KLUDI-A-QA shower arm DN 15</b> for head shower 1S and 3S without ball joint projection 130 mm	Chrome	<b>6235305-00</b>











# KLUDI-A-QA

Product	Product description	Surface	Item No.
	<p><b>KLUDI-A-QA head shower DN 15</b>            Ø 400 mm            metal head shower            with spray mode: volume flow rate 23 l/min at 3 bar            quick and easy cleaning system            with ball joint            connection G 1/2            without shower arm            pressure stabilizer at 1 Bar</p>	<ul style="list-style-type: none"> <li> Chrome</li> <li> Matt Black/Chrome</li> <li> Brushed Gold</li> <li> Brushed Bronze</li> <li> Brushed Gunmetal</li> <li> Stainless Brushed Nickel</li> </ul>	<p><b>6434005-00</b>  <b>6434087-00</b>  <b>64340N0-00</b>  <b>64340N1-00</b>  <b>64340N2-00</b>  <b>64340N5-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b>            Ø 400 mm            metal head shower            with spray mode: volume flow rate 8 l/min at 3 bar            quick and easy cleaning system            with ball joint            connection G 1/2            without shower arm            pressure stabilizer at 1 Bar</p>	<p>Chrome</p>	<p><b>6434005-00WR9</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b>            250 x 250 mm            metal head shower            with spray mode: volume flow rate 23 l/min at 3 bar            quick and easy cleaning system            with ball joint            connection G 1/2            without shower arm</p>	<p>Chrome</p>	<p><b>6442505-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b>            250 x 250 mm            metal head shower            with spray mode: volume flow rate 8 l/min at 3 bar            quick and easy cleaning system            with ball joint            connection G 1/2            without shower arm</p>	<p>Chrome</p>	<p><b>6442505-00WR9</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b>            300 x 300 mm            metal head shower            with spray mode: volume flow rate 23 l/min at 3 bar            quick and easy cleaning system            with ball joint            connection G 1/2            without shower arm</p>	<p>Chrome</p>	<p><b>6443005-00</b></p>




















Product	Product description	Surface	Item No.
	<p><b>KLUDI-A-QA head shower DN 15</b> Ø 200 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	<p>Chrome</p>	<b>6432005-00</b>
	<p><b>KLUDI-A-QA head shower DN 15</b> Ø 250 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	<p>  Chrome   white/Chrome   matt black/Chrome   Brushed Gold   Brushed Bronze   Brushed Gunmetal   Stainless Brushed Nickel </p>	<b>6432505-00</b> <b>6432591-00</b> <b>6432587-00</b> <b>64325N0-00</b> <b>64325N1-00</b> <b>64325N2-00</b> <b>64325N5-00</b>
	<p><b>KLUDI-A-QA head shower DN 15</b> Ø 250 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	<p>Chrome</p>	<b>6432505-00WR9</b>
	<p><b>KLUDI-A-QA head shower DN 15</b> Ø 300 mm metal head shower with spray mode: volume flow rate 23 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	<p>  Chrome   white/Chrome   matt white   matt black/Chrome   Brushed Gold   Brushed Bronze   Brushed Gunmetal   Stainless Brushed Nickel   Matt Dove   Matt Light Dove   Matt Teal Blue   Matt Light Blue   Matt Vermilion </p>	<b>6433005-00</b> <b>6433091-00</b> <b>6433053-00</b> <b>6433087-00</b> <b>64330N0-00</b> <b>64330N1-00</b> <b>64330N2-00</b> <b>64330N5-00</b> <b>6433001-00</b> <b>6433002-00</b> <b>6433003-00</b> <b>6433004-00</b> <b>6433005-00</b>
	<p><b>KLUDI-A-QA Tellerkopfbrause DN 15</b> Ø 300 mm metal head shower with spray mode: volume flow rate 8 l/min at 3 bar quick and easy cleaning system with ball joint connection G 1/2 without shower arm</p>	<p>Chrome</p>	<b>6433005-00WR9</b>



# KLUDI-A-QA



Product	Product description	Surface	Item No.
	<p><b>KLUDI-A-QA head shower DN 15</b>            400 x 400 mm            metal head shower            with spray mode: volume flow rate 23 l/min at 3 bar            quick and easy cleaning system            with ball joint            connection G 1/2            without shower arm</p>	<p>Chrome</p> 	<p><b>6444005-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b>            Ø 200 mm            with spray mode: volume flow rate 37 l/min at 3 bar            quick and easy cleaning system            with ball joint            connection G 1/2            without shower arm            noise level I</p>	<p>Chrome</p> 	<p><b>6651005-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b>            300 x 300 mm            Soft-edge            metal head shower            with spray mode: volume flow rate 14 l/min at 3 bar            quick and easy cleaning system            with ball joint            connection G 1/2            without shower arm</p>	<p>Chrome</p> 	<p><b>6453005-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b>            Ø 245 mm            with spray mode: volume connection G 1/2            quick and easy cleaning system            without shower arm            noise level I</p>	<p> <input type="radio"/> Chrome  <input checked="" type="radio"/> Matt Black           </p> 	<p><b>6651105-00</b>  <b>6651139-00</b></p>
	<p><b>KLUDI-A-QA eco-head shower DN 15</b>            Ø 245 mm            with spray mode: volume flow rate 9 l/min at 3 bar            quick and easy cleaning system            connection G 1/2            without shower arm            noise level I</p>	<p>Chrome</p>  	<p><b>6652105-00</b></p>

Product	Product description	Surface	Item No.
	<p><b>KLUDI-A-QA head shower DN 15</b>  metal head shower  wall fastening  headshower Ø 250 mm  with spray mode: volume  quick and easy cleaning system  flow rate 24,5 l/min at 3 bar</p>	<p>Chrome</p> 	<p><b>6487005-00</b></p>
	<p><b>KLUDI-A-QA head shower DN 15</b>  metal head shower  wall fastening  headshower Ø 250 mm  with spray mode: volume  with flood spray  quick and easy cleaning system  flow rate volume spray: 24,5 l/min at 3 bar  flow rate flood spray: 27 l/min at 3 bar  Control of 2 spray types  via 2 valves or one changeover valve with 2 outlets</p>	<p> <input type="radio"/> Chrome  <input type="radio"/> White/Chrome  <input checked="" type="radio"/> Matt black/Chrome </p> 	<p><b>6488005-00</b>  <b>6488091-00</b>  <b>6488087-00</b></p>
	<p><b>KLUDI-A-QA wall supply DN 15</b>  with wall-compensation ring</p>	<p>Chrome</p> 	<p><b>6554005-00</b></p>
	<p><b>KLUDI-A-QA wall supply DN 15</b>  protected against back flow according to DIN EN 1717  with wall-compensation ring</p>	<p>Chrome</p> 	<p><b>6554305-00</b></p>
	<p><b>KLUDI-A-QA fixed wall shower hook</b>  for hoses with conical nut  with screws and dowels</p>	<p>Chrome</p> 	<p><b>6555105-00</b></p>

# KLUDI-A-QA

Product	Product description	Surface	Item No.
	<p><b>KLUDI-A-QA wall supply with shower holder DN 15</b> for hoses with conical nut shower outlet G 1/2 protected against back flow according to DIN EN 1717 with wall-compensation ring with mounting material</p>	<p>Chrome</p> 	<p><b>6556005-00</b></p>
	<p><b>KLUDI-A-QA wall supply with shower holder DN 15</b> with ceramic shut-off valve wall fastening for hoses with conical nut shower outlet G 1/2 protected against back flow in compliance with DIN EN 1717 with wall-compensation ring with mounting material</p>	<p>Chrome</p> 	<p><b>6556205-00</b></p>
<p><b>Ceiling arms</b></p> 	<p><b>KLUDI-A-QA ceiling arm DN 15</b> for head shower DN 15 projection 150 mm with push-on rosette 58 x 58 mm</p>	<ul style="list-style-type: none"> <li> Chrome</li> <li> Brushed Gold</li> <li> Brushed Bronze</li> <li> Brushed Gunmetal</li> <li> Stainless Brushed Nickel</li> </ul>	<ul style="list-style-type: none"> <li><b>6654505-00</b></li> <li><b>66545N0-00</b></li> <li><b>66545N1-00</b></li> <li><b>66545N2-00</b></li> <li><b>66545N5-00</b></li> </ul>
	<p><b>KLUDI-A-QA ceiling arm DN 15</b> for head shower DN 15 projection 150 mm with push-on rosette diameter 55 mm</p>	<ul style="list-style-type: none"> <li> Chrome</li> <li> Matt Black</li> <li> Matt Black/Chrome</li> <li> Brushed Gold</li> <li> Brushed Bronze</li> <li> Brushed Gunmetal</li> <li> Stainless Brushed Nickel</li> <li> Matt Dove</li> <li> Matt Light Dove</li> <li> Matt Teal Blue</li> <li> Matt Light Blue</li> <li> Matt Vermilion</li> </ul>	<ul style="list-style-type: none"> <li><b>6651505-00</b></li> <li><b>6651539-00</b></li> <li><b>6651587-00</b></li> <li><b>66515N0-00</b></li> <li><b>66515N1-00</b></li> <li><b>66515N2-00</b></li> <li><b>66515N5-00</b></li> <li><b>6651501-00</b></li> <li><b>6651502-00</b></li> <li><b>6651503-00</b></li> <li><b>6651504-00</b></li> <li><b>6651505-00</b></li> </ul>
	<p><b>KLUDI-A-QA ceiling arm DN 15</b> for head shower DN 15 projection 150 mm with push-on rosette 61 x 61 mm</p>	<ul style="list-style-type: none"> <li> Chrome</li> <li> Brushed Gold</li> <li> Brushed Bronze</li> <li> Brushed Gunmetal</li> <li> Stainless Brushed Nickel</li> </ul>	<ul style="list-style-type: none"> <li><b>6653505-00</b></li> <li><b>66535N0-00</b></li> <li><b>66535N1-00</b></li> <li><b>66535N2-00</b></li> <li><b>66535N5-00</b></li> </ul>

Product	Product description	Surface	Item No.
<p data-bbox="189 371 325 394"><b>Wandstangen</b></p> 		Chrome	<b>6209505-00</b>
<p data-bbox="727 371 874 416"><b>KLUDI-A-QA flexible wall rail</b></p> <p data-bbox="727 416 1094 584">L = 1100 mm  bracket adjustment to existing drill holes up to 1020 mm  horizontal and vertical adjustable slider with KLUDI SUPARAFLEX SILVER-hose G 1/2 x G 1/2 x 1600 mm anti twist with conical nuts</p>			














		Chrome	<b>6564105-00</b>
<p data-bbox="727 1070 852 1115"><b>KLUDI-A-QA wall rail</b></p> <p data-bbox="727 1115 1082 1205">L = 955 mm  metal wall rail horizontal and vertical adjustable slider with screws and dowels</p>			

# KLUDI-COCKPIT





# KLUDI-COCKPIT







Product	Product description	Surface	Item No.
<p><b>Shower Systeme</b></p>  	<p><b>KLUDI COCKPIT Discovery</b>            Thermostat Dual Shower System DN 15            shelf 550 mm            wall fastening            KLUDI FRESHLINE shower hook 6455205-00            adjustable in the angle of inclination (75 °)            temperature control handle with hot water safety device 40 °C with ceramic shut-off valve            shower outlet G 1/2            hand shower rotary valve left            shower outlet            head shower rotary valve right            protected against back flow            KLUDI SUPARAFLEX SILVER hose 6107205-00            with KLUDI FRESHLINE head shower 6440005-00            flow rate 17 l/min at 3 bar            with KLUDI FRESHLINE handshower CL 1S 6450005-00            flow rate 14 l/min at 3 bar            with mounting material</p>	<p>○ White/Chrome</p>   	<p><b>8020091-00</b></p>
<p>150</p>  	<p><b>KLUDI COCKPIT Explorer</b>            Thermostat Dual Shower System DN 15            wall fastening            with horizontally and vertically adjustable tube            horizontal and vertical adjustable slider            temperature control handle with hot water safety device 40 °C with ceramic shut-off valve as rotary valve 90°/90°            shower outlet G 1/2            hand shower rotary valve left            shower outlet            head shower rotary valve right            protected against back flow            dirt catcher sieves            KLUDI SUPARAFLEX SILVER hose 6107205-00            with KLUDI FRESHLINE head shower 6445005-00            flow rate handshower 20 l/min bei 3 bar            with KLUDI FRESHLINE handshower CL 1S 6450005-00            with mounting material</p>	<p>Chrome</p>    	<p><b>8005005-00</b></p>
 	<p><b>KLUDI COCKPIT shelf</b>            100 x 200 mm            for COCKPIT Explorer 8005005-00</p>		<p><b>6410110-00</b></p>






# KLUDI-FRESHLINE

# KLUDI-FRESHLINE

Product	Product description	Surface	Item No.
	<p><b>KLUDI-FRESHLINE shower set 3S</b>            L = 900 mm            horizontal and vertical adjustable slider            KLUDI-FRESHLINE handshower RL 3S            adjustable to three spray patterns:            booster, smooth, volume            flow rate 15 l/min (booster) / 10 l/min (smooth) / 18,8 l/min (volumen) at 3 bar            quick and easy cleaning system            with draining function            KLUDI SUPARAFLEX hose            plastic-coated            with conical nuts            with dirt catcher sieves            with mounting material            G 1/2 x G 1/2 x 1600 mm</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>○ White/Chrome</li> </ul> 	<p><b>6794005-00</b>  <b>6794091-00</b></p>
	<p><b>KLUDI-FRESHLINE shower set 3S</b>            L = 600 mm            horizontal and vertical adjustable slider            KLUDI-FRESHLINE handshower RL 3S            adjustable to three spray patterns:            booster, smooth, volume            flow rate 15 l/min (booster) / 10 l/min (smooth) / 18,8 l/min (volumen) at 3 bar            quick and easy cleaning system            with draining function            KLUDI SUPARAFLEX SILVER            G 1/2 x G 1/2 x 1600 mm            plastic-coated            with conical nuts            with dirt catcher sieves            with mounting material</p>	<p>Chrome</p> 	<p><b>6793005-00</b></p>
	<p><b>KLUDI-FRESHLINE shower set 1S</b>            L = 900 mm            horizontal and vertical adjustable slider            KLUDI-FRESHLINE handshower RS 1S            with spray mode: volume            flow rate 23 l/min at 3 bar            quick and easy cleaning system            KLUDI SUPARAFLEX hose            G 1/2 x G 1/2 x 1600 mm            plastic-coated            with conical nuts            with dirt catcher sieves            with mounting material</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>○ White/Chrome</li> </ul> 	<p><b>6784005-00</b>  <b>6784091-00</b></p>

Product	Product description	Surface	Item No.
---------	---------------------	---------	----------




**KLUDI-FRESHLINE shower set 1S**  
 L = 900 mm  
 horizontal and vertical adjustable slider  
 KLUDI FRESHLINE handshower RS 1S  
 with spray mode: volume flow rate 23 l/min at 3 bar  
 quick and easy cleaning system  
 KLUDI SUPARAFLEX hose  
 G 1/2 x G 1/2 x 1600 mm  
 plastic-coated  
 with conical nuts  
 with dirt catcher sieves  
 with mounting material

Chrome



6783005-00




**KLUDI-FRESHLINE Thermostat Dual Shower System DN 15**  
 wall fastening  
 with horizontally and vertically adjustable tube  
 horizontal and vertical adjustable slider  
 temperature control handle  
 with hot water safety device 38° C  
 With optional temperature limit stop at 43 ° C  
 with ceramic shut-off valve as rotary valve 90°/90°  
 shower outlet G 1/2  
 hand shower rotary valve  
 shower outlet  
 head shower rotary valve  
 protected against back flow  
 KLUDI SUPARAFLEX SILVER hose 6107205-00  
 with KLUDI FRESHLINE head shower 6751105-00  
 flow rate 16,4 l/min at 3 bar  
 with KLUDI FRESHLINE handshower RL 3S 6790005-00  
 flow rate 13,6 l/min (booster) / 10,9 l/min (smooth) / 17,1 l/min (volumen) at 3 bar  
 with draining function  
 with mounting material

Chrome



6709205-00









**KLUDI-FRESHLINE Thermostat Dual Shower System DN 15**  
 wall fastening  
 with horizontally and vertically adjustable tube  
 horizontal and vertical adjustable slider  
 temperature control handle  
 with hot water safety device 38° C  
 With optional temperature limit stop at 43 ° C  
 with ceramic shut-off valve as rotary valve 90°/90°  
 shower outlet G 1/2  
 hand shower rotary valve  
 shower outlet  
 head shower rotary valve  
 protected against back flow  
 KLUDI SUPARAFLEX SILVER hose 6107205-00  
 with KLUDI FRESHLINE head shower 6751105-00  
 flow rate 8 l/min at 3 bar  
 with KLUDI FRESHLINE handshower RL 3S 6790005-00  
 flow rate 8 l/min at 3 bar  
 with draining function  
 with mounting material


Chrome



6709205-00WR9

# KLUDI-FRESHLINE

Product	Product description	Surface	Item No.
	<p><b>KLUDI-FRESHLINE Dual Shower System DN 15</b>            wall fastening            with horizontally and vertically adjustable tube            two-way ceramic diverter            horizontal and vertical adjustable slider            water supply with connecting hose G 1/2 x G 1/2 x 800 mm            KLUDI SUPARAFLEX SILVER hose 6107205-00            with KLUDI FRESHLINE head shower 6751105-00            flow rate 14 l/min at 3 bar            with KLUDI FRESHLINE handshower RL 3S 6790005-00            adjustable to three spray patterns:            booster, smooth, volume            flow rate 10 l/min (booster) / 9 l/min (smooth) / 12 l/min (volumen) at 3 bar            with draining function            with mounting material            without shower mixer</p>	Chrome  	<b>6709005-00</b>
	<p><b>KLUDI-FRESHLINE Dual Shower System DN 15</b>            wall fastening            with horizontally and vertically adjustable tube            two-way ceramic diverter            horizontal and vertical adjustable slider            water supply with connecting hose G 1/2 x G 1/2 x 800 mm            KLUDI SUPARAFLEX SILVER hose 6107205-00            with KLUDI FRESHLINE head shower 6751105-00            flow rate 14 l/min at 3 bar            with KLUDI FRESHLINE handshower RL 3S 6790005-00            adjustable to three spray patterns:            booster, smooth, volume            flow rate 8 l/min at 3 bar            with draining function            with mounting material            without shower mixerwithout shower mixer</p>	Chrome  	<b>6709005-00WR9</b>


**Product****Product description****Surface****Item No.****KLUDI-FRESHLINE  
bath-shower set 3S**

wall fastening  
 KLUDI-FRESHLINE handshower RL 3S  
 adjustable to three spray patterns:  
 booster, smooth, volume  
 flow rate 15 l/min (booster) / 10 l/min  
 (smooth) / 18,8 l/min (volumen) at 3 bar  
 quick and easy cleaning system  
 with draining function  
 KLUDI SUPARAFLEX hose  
 G 1/2 x G 1/2 x 1250 mm  
 plastic-coated  
 with metal-effect  
 with conical nuts  
 with screws and dowels

Chrome  
 White/Chrome



**6795005-00**  
**6795091-00**


**KLUDI-FRESHLINE  
bath shower set 1S**

wall fastening  
 KLUDI-FRESHLINE handshower RS 1S  
 with spray mode: volume  
 flow rate 23 l/min at 3 bar  
 quick and easy cleaning system  
 KLUDI SUPARAFLEX hose  
 G 1/2 x G 1/2 x 1250 mm  
 plastic-coated  
 with conical nuts  
 with screws and dowels

Chrome



**6785005-00**

**KLUDI-FRESHLINE  
bath shower set 1S**
















KLUDI-FRESHLINE handshower RS 1S  
 with spray mode: volume  
 flow rate 19 l/min at 3 bar  
 KLUDI SUPARAFLEX hose  
 G 1/2 x G 1/2 x 1250 mm  
 with conical nuts  
 wall supply with shower holder DN 15  
 protected against back flow  
 in compliance with DIN EN 1717  
 with screws and dowels  
 shower outlet G 1/2  
 with conical nuts  
 noise level I
















Chrome



**6787005-00**

# KLUDI-FRESHLINE

Product	Product description	Surface	Item No.
		<p><b>KLUDI-FRESHLINE hand shower CL 1S</b> with spray mode: volume flow rate 22 l/min at 3 bar quick and easy cleaning system connection G 1/2</p>	<p>Chrome </p> <p><b>6450005-00</b></p>
		<p><b>KLUDI-FRESHLINE hand shower CL 1S</b> with spray mode: volume flow rate 9 l/min at 3 bar quick and easy cleaning system connection G 1/2</p>	<p>Chrome </p> <p><b>6450005-00WR9</b></p>
		<p><b>KLUDI-FRESHLINE hand shower RL 3S</b> adjustable to three spray patterns: booster, smooth, volume flow rate 19 l/min (booster) / 11 l/min (smooth) / 26 l/min (volumen) at 3 bar quick and easy cleaning system with draining function connection G 1/2</p>	<p>Chrome White </p> <p><b>6790005-00</b> <b>6790043-00</b></p>
		<p><b>KLUDI-FRESHLINE hand shower RL 3S</b> adjustable to three spray patterns: booster, smooth, volume flow rate 9 l/min at 3 bar quick and easy cleaning system with draining function connection G 1/2</p>	<p>Chrome </p> <p><b>6790005-00WR9</b></p>
		<p><b>KLUDI-FRESHLINE hand shower RS 1S</b> with spray mode: volume flow rate 29 l/min at 3 bar quick and easy cleaning system connection G 1/2</p>	<p>Chrome white </p> <p><b>6780005-00</b> <b>6780043-00</b></p>

Product	Product description	Surface	Item No.
 	<p><b>KLUDI-FRESHLINE hand shower RS 1S</b>  with spray mode: volume flow rate 9 l/min at 3 bar  quick and easy cleaning system  connection G 1/2</p>	<p>Chrome</p> 	<p><b>6780005-00WR9</b></p>
 	<p><b>KLUDI FRESHLINE head shower DN 15</b>  Ø 250 mm  flow rate 23 l/min at 3 bar  quick and easy cleaning system  with ball joint  without shower arm  connection G 1/2</p>	<p>Chrome</p> 	<p><b>6751105-00</b></p>
 	<p><b>KLUDI FRESHLINE head shower DN 15</b>  300 x 220 mm  with spray mode: volume flow rate 20 l/min at 3 bar  quick and easy cleaning system  pre-installed dirt cleaner sieve  without shower arm  connection G 1/2</p>	<p>Chrome</p> 	<p><b>6445005-00</b></p>
<p><b>Kopfbrausen</b></p>  	<p><b>KLUDI FRESHLINE head shower DN 15</b>  400 x 260 mm  with spray mode: volume flow rate 34 l/min at 3 bar  quick and easy cleaning system  pre-installed dirt cleaner sieve  without shower arm  connection G 1/2</p>	<p>Chrome</p> 	<p><b>6440005-00</b></p>
 	<p><b>KLUDI-FRESHLINE shower hook</b>  for hoses with conical nut  with screws and dowels</p>	<p>Chrome</p> 	<p><b>6455205-00</b></p>



# SHOWER DREAMS YOUR PERSONAL EXPERIENCE

Head showers, hand showers and shower systems are small technical masterpieces with the intention of making shower dreams come true.

An experience that refreshes all senses and at the same time allows a moment of “release”.














# KLUDI-DIVE

DIVE INTO INSPIRING  
SHOWER WORLDS

# KLUDI-DIVE

Product	Product description	Surface	Item No.	
		<p><b>KLUDI-DIVE Thermostat Dual Shower System DN 15</b>            wall fastening            with horizontally and vertically adjustable tube            horizontal and vertical adjustable slider            temperature control handle with hot water safety device 38° C            with ceramic shut-off valve as rotary valve 90°/90°            shower outlet G 1/2            hand shower rotary valve            shower outlet            head shower rotary valve            protected against back flow            shower hose G 1/2 x G 1/2 x 1600 mm            plastic-coated            with conical nuts            hand shower DIVE S 3S            with three spray patterns: Body/Hair/Skin            with push-button switch            quick and easy cleaning system            head shower DN 15            Ø 250 mm            with one spray mode            quick and easy cleaning system            connection G 1/2            with ball joint            dirt cleaner sieve</p>	<p>● Chrome            ● Matt Black</p> 	<p><b>6807905-00</b>  <b>6807939-00</b></p>
		<p><b>KLUDI-DIVE Dual Shower System DN 15</b>            wall fastening            with horizontally and vertically adjustable tube            horizontal and vertical adjustable slider            with ceramic shut-off valve as rotary valve 90°/90°            shower outlet G 1/2            hand shower rotary valve            shower outlet            head shower rotary valve            shower hose G 1/2 x G 1/2 x 1600 mm            plastic-coated            with conical nuts            hand shower DIVE S 3S            with three spray patterns: Body/Hair/Skin            with push-button switch            quick and easy cleaning system            head shower DN 15            Ø 250 mm            with one spray mode            quick and easy cleaning system            connection G 1/2            with ball joint            dirt cleaner sieve</p>	<p>Chrome</p> 	<p><b>6808005-00</b></p>
		<p><b>KLUDI-DIVE shower set DIVE S</b>            L = 600 mm            hand shower DIVE S 1S            with one spray mode            flow rate 15 l/min at 3 bar            quick and easy cleaning system            shower hose G 1/2 x G 1/2 x 1600 mm            anti twist            with conical nuts            with mounting material            for rigid wall mounting</p>	<p>● Chrome            ● Matt Black</p> 	<p><b>6861005-00</b>  <b>6861039-00</b></p>


**NEW**

**Product**

**Product description**

**Surface**

**Item No.**




**KLUDI-DIVE  
Thermostat Dual Shower System DN 15**  
 wall fastening  
 with horizontally and vertically adjustable tube  
 horizontal and vertical adjustable slider  
 temperature control handle with hot water safety device 38° C  
 with ceramic shut-off valve as rotary valve 90°/90°  
 shower outlet G 1/2  
 hand shower rotary valve  
 shower outlet  
 head shower rotary valve protected against back flow  
 shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts  
 hand shower DIVE X 3S with three spray patterns: Body/Hair/Skin with push-button switch  
 quick and easy cleaning system  
 head shower DN 15  
 Ø 250 mm  
 with one spray mode  
 quick and easy cleaning system  
 connection G 1/2 with ball joint  
 dirt cleaner sieve

- Chrome
- Matt Black



**6907905-00**  
**6907939-00**




**KLUDI-DIVE  
Dual Shower System DN 15**  
 wall fastening  
 with horizontally and vertically adjustable tube  
 horizontal and vertical adjustable slider  
 with ceramic shut-off valve as rotary valve 90°/90°  
 shower outlet G 1/2  
 hand shower rotary valve  
 shower outlet  
 head shower rotary valve  
 shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts  
 hand shower DIVE X 3S with three spray patterns: Body/Hair/Skin with push-button switch  
 quick and easy cleaning system  
 head shower DN 15  
 Ø 250 mm  
 with one spray mode  
 quick and easy cleaning system  
 connection G 1/2 with ball joint  
 dirt cleaner sieve

- Chrome



**6908005-00**



**KLUDI-DIVE  
shower set DIVE X**  
 L = 900 mm  
 hand shower DIVE X 3S with three spray patterns: Body/Hair/Skin  
 flow rate 15 l/min at 3 bar  
 quick and easy cleaning system  
 shower hose G 1/2 x G 1/2 x 1600 mm anti twist  
 with conical nuts  
 with mounting material for rigid wall mounting










- Chrome
- Matt Black



**6993005-00**  
**6993039-00**

**NEW**

# KLUDI-DIVE


Product	Product description	Surface	Item No.
	<p><b>KLUDI-DIVE shower set DIVE X</b>            L = 600 mm            hand shower DIVE X 1S            with three spray patterns: Body/Hair/Skin            flow rate 15 l/min at 3 bar            quick and easy cleaning system            shower hose G 1/2 x G 1/2 x 1600 mm            anti twist            with conical nuts            with mounting material            for rigid wall mounting</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>  	<p><b>6963005-00</b>  <b>6963039-00</b></p> <p style="background-color: #333; color: white; padding: 2px; text-align: center; font-weight: bold;">NEW</p>
	<p><b>KLUDI-DIVE shower set DIVE S</b>            L = 900 mm            hand shower DIVE S 1S            with three spray patterns: Body/Hair/Skin            flow rate 15 l/min at 3 bar            quick and easy cleaning system            shower hose G 1/2 x G 1/2 x 1600 mm            anti twist            with conical nuts            with mounting material            for rigid wall mounting</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>  	<p><b>6893005-00</b>  <b>6893039-00</b></p> <p style="background-color: #333; color: white; padding: 2px; text-align: center; font-weight: bold;">NEW</p>
	<p><b>KLUDI-DIVE shower set DIVE S</b>            L = 600 mm            hand shower DIVE S 1S            with three spray patterns: Body/Hair/Skin            flow rate 15 l/min at 3 bar            quick and easy cleaning system            shower hose G 1/2 x G 1/2 x 1600 mm            anti twist            with conical nuts            with mounting material            for rigid wall mounting</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> </ul>  	<p><b>6863005-00</b>  <b>6863039-00</b></p> <p style="background-color: #333; color: white; padding: 2px; text-align: center; font-weight: bold;">NEW</p>

**Product**

**Product description**

**Surface**

**Item No.**




**KLUDI-DIVE  
shower set DIVE X**  
L = 900 mm  
hand shower DIVE X 1S  
with one spray mode  
flow rate 15 l/min at 3 bar  
quick and easy cleaning system  
shower hose G 1/2 x G 1/2 x 1600 mm  
anti twist  
with conical nuts  
with mounting material  
for rigid wall mounting

- Chrome
- Matt Black



**6991005-00**  
**6991039-00**

**NEW**



**KLUDI-DIVE  
shower set DIVE X**  
L = 600 mm  
hand shower DIVE X 1S  
with one spray mode  
flow rate 15 l/min at 3 bar  
quick and easy cleaning system  
shower hose G 1/2 x G 1/2 x 1600 mm  
anti twist  
with conical nuts  
with mounting material  
for rigid wall mounting

- Chrome
- Matt Black



**6961005-00**  
**6961039-00**

**NEW**



**KLUDI-DIVE  
shower set DIVE S**  
L = 900 mm  
hand shower DIVE S 1S  
with one spray mode  
flow rate 15 l/min at 3 bar  
quick and easy cleaning system  
shower hose G 1/2 x G 1/2 x 1600 mm  
anti twist  
with conical nuts  
with mounting material  
for rigid wall mounting













- Chrome
- Matt Black












**6891005-00**  
**6891039-00**

**NEW**

# KLUDI-DIVE

Product	Product description	Surface	Item No.
	<p><b>KLUDI-DIVE hand shower DIVE S 1S</b>            with one spray mode            quick and easy cleaning system            flow rate 15 l/min at 3 bar            connection G 1/2            dirt cleaner sieve</p>	<p>● Chrome            ● Matt Black</p>  	<p><b>6881005-00</b>  <b>6881039-00</b></p>
	<p><b>KLUDI-DIVE hand shower DIVE S 1S</b>            with three spray patterns: Body/Hair/Skin            quick and easy cleaning system            flow rate 15 l/min at 3 bar            connection G 1/2            dirt cleaner sieve</p>	<p>● Chrome            ● Matt Black</p>  	<p><b>6883005-00</b>  <b>6883039-00</b></p>
	<p><b>KLUDI-DIVE hand shower DIVE X 1S</b>            with one spray mode            quick and easy cleaning system            flow rate 15 l/min at 3 bar            connection G 1/2            dirt cleaner sieve</p>	<p>● Chrome            ● Matt Black</p>  	<p><b>6981005-00</b>  <b>6981039-00</b></p>
	<p><b>KLUDI-DIVE hand shower DIVE X 3S</b>            with three spray patterns: Body/Hair/Skin            quick and easy cleaning system            flow rate 15 l/min at 3 bar            connection G 1/2            dirt cleaner sieve</p>	<p>● Chrome            ● Matt Black</p>  	<p><b>6983005-00</b>  <b>6983039-00</b></p>

Product	Product description	Surface	Item No.
	<p><b>KLUDI-DIVE bath shower set DIVE X</b>  hand shower DIVE X 3S  with three spray patterns: Body/Hair/Skin  flow rate 15 l/min at 3 bar  quick and easy cleaning system  connection G 1/2  dirt cleaner sieve  shower hose G 1/2 x G 1/2 x 1250 mm  plastic-coated  with conical nuts  shower hook  for rigid wall mounting</p>	<p>● Chrome  ● Matt Black</p>  	<p><b>6995005-00</b>  <b>6995039-00</b></p> <p><b>NEW</b></p>
	<p><b>KLUDI-DIVE bath shower set DIVE X</b>  hand shower DIVE X 1S  with one spray mode  flow rate 15 l/min at 3 bar  quick and easy cleaning system  connection G 1/2  dirt cleaner sieve  shower hose G 1/2 x G 1/2 x 1250 mm  plastic-coated  with conical nuts  shower hook  for rigid wall mounting</p>	<p>● Chrome  ● Matt Black</p>  	<p><b>6985005-00</b>  <b>6985039-00</b></p> <p><b>NEW</b></p>
	<p><b>KLUDI-DIVE bath shower set DIVE S</b>  hand shower DIVE S 1S  with one spray mode  flow rate 15 l/min at 3 bar  quick and easy cleaning system  connection G 1/2  dirt cleaner sieve  shower hose G 1/2 x G 1/2 x 1250 mm  plastic-coated  with conical nuts  shower hook  for rigid wall mounting</p>	<p>● Chrome  ● Matt Black</p>  	<p><b>6885005-00</b>  <b>6885039-00</b></p> <p><b>NEW</b></p>



# ACCESSORIES

Bathroom accessories serve not only as functional items but also add to the overall look and feel of the bathroom design. They must be a perfect combination of excellent functionality and modern and flawlessly shaped designs.






# KLUDI-VELA S











A MIX OF SOFT LINES FOR YOUR  
PERSONAL BATHROOM IDEA









# KLUDI-VELA S

Product	Product description	Surface	Item No.
 <p>Technical drawing of the KLUDI-VELA S hand towel holder (L=300mm). It shows a perspective view, a side view with dimensions (total length 348mm, hole diameter <math>\varnothing 15</math>, hole offset 55.4mm, mounting hole diameter <math>\varnothing 14</math>, mounting hole offset 65.5mm, and a 18mm wide end), and a top view showing a total length of 300mm.</p>	<p><b>KLUDI-VELA S</b>  <b>hand towel holder</b>                      hand towel holder                      L= 300mm                      fixed                      wall mounted                      with fixing material                      wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>2596205</b>  <b>2596239</b>  <b>2596253</b>  <b>25962N0</b>  <b>25962N1</b>  <b>25962N2</b>  <b>25962N5</b></p>
 <p>Technical drawing of the KLUDI-VELA S hand towel holder (L=450mm). It shows a perspective view, a side view with dimensions (total length 494mm, hole diameter <math>\varnothing 15</math>, hole offset 55.4mm, mounting hole diameter <math>\varnothing 14</math>, mounting hole offset 66mm, and a 18mm wide end), and a top view showing a total length of 450mm.</p>	<p><b>KLUDI-VELA S</b>  <b>hand towel holder</b>                      hand towel holder                      L= 450mm                      fixed                      wall mounted                      with fixing material                      wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>2598005</b>  <b>2598039</b>  <b>2598053</b>  <b>25980N0</b>  <b>25980N1</b>  <b>25980N2</b>  <b>25980N5</b></p>
 <p>Technical drawing of the KLUDI-VELA S bath towel holder (L=600mm). It shows a perspective view, a side view with dimensions (total length 648mm, hole diameter <math>\varnothing 15</math>, hole offset 55.4mm, mounting hole diameter <math>\varnothing 14</math>, mounting hole offset 65.5mm, and a 18mm wide end), and a top view showing a total length of 600mm.</p>	<p><b>KLUDI-VELA S</b>  <b>bath towel holder</b>                      bath towel holder                      L= 600mm                      fixed                      wall mounted                      with fixing material                      wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>2597905</b>  <b>2597939</b>  <b>2597953</b>  <b>25979N0</b>  <b>25979N1</b>  <b>25979N2</b>  <b>25979N5</b></p>
 <p>Technical drawing of the KLUDI-VELA S bath towel holder (L=800mm). It shows a perspective view, a side view with dimensions (total length 848mm, hole diameter <math>\varnothing 15</math>, hole offset 55.4mm, mounting hole diameter <math>\varnothing 14</math>, mounting hole offset 65.5mm, and a 18mm wide end), and a top view showing a total length of 800mm.</p>	<p><b>KLUDI-VELA S</b>  <b>bath towel holder</b>                      bath towel holder                      L= 800mm                      fixed                      wall mounted                      with fixing material                      wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>2596105</b>  <b>2596139</b>  <b>2596153</b>  <b>25961N0</b>  <b>25961N1</b>  <b>25961N2</b>  <b>25961N5</b></p>
 <p>Technical drawing of the KLUDI-VELA S hand towel holder (L=450mm, 2-armed adjustable). It shows a perspective view of the two-armed holder, a side view with dimensions (total length 441mm, hole diameter <math>\varnothing 15</math>, hole offset 55.4mm, mounting hole diameter <math>\varnothing 14</math>, mounting hole offset 65.5mm, and a 18mm wide end), and a detail view of the mounting hole with a diameter of <math>\varnothing 11</math>.</p>	<p><b>KLUDI-VELA S</b>  <b>hand towel holder</b>                      hand towel holder                      L= 450mm                      2-armed adjustable                      wall mounted                      with fixing material                      wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>2597705S</b>  <b>2597739S</b>  <b>2597753S</b>  <b>25977N0S</b>  <b>25977N1S</b>  <b>25977N2S</b>  <b>25977N5S</b></p>

Product	Product description	Surface	Item No.
		<p><b>KLUDI-VELA S tumbler holder</b> tumbler holder fixed wall mounted with fixing material wall holder metall glas transparent</p>	<ul style="list-style-type: none"> <li>● Chrome <b>2597505</b></li> <li>● Matt Black <b>2597539</b></li> <li>○ Matt White <b>2597553</b></li> <li>● Brushed Gold <b>25975N0</b></li> <li>● Brushed Bronze <b>25975N1</b></li> <li>● Brushed Gunmetal <b>25975N2</b></li> <li>● Stainless Brushed Nickel <b>25975N5</b></li> </ul>
		<p><b>KLUDI-VELA S soap dish</b> soap dish fixed wall mounted with fixing material wall holder metall glas bowl transparent</p>	<ul style="list-style-type: none"> <li>● Chrome <b>2598505</b></li> <li>● Matt Black <b>2598539</b></li> <li>○ Matt White <b>2598553</b></li> <li>● Brushed Gold <b>25985N0</b></li> <li>● Brushed Bronze <b>25985N1</b></li> <li>● Brushed Gunmetal <b>25985N2</b></li> <li>● Stainless Brushed Nickel <b>25985N5</b></li> </ul>
		<p><b>KLUDI-VELA S liquid soap dispenser</b> liquid soap dispenser fixed wall mounted with fixing material wall holder metall glass container 150ml press from below</p>	<ul style="list-style-type: none"> <li>● Chrome <b>2597605</b></li> <li>● Matt Black <b>2597639</b></li> <li>○ Matt White <b>2597653</b></li> <li>● Brushed Gold <b>25976N0</b></li> <li>● Brushed Bronze <b>25976N1</b></li> <li>● Brushed Gunmetal <b>25976N2</b></li> <li>● Stainless Brushed Nickel <b>25976N5</b></li> </ul>
		<p><b>KLUDI-VELA S hand towel holder</b> "hand towel holder L= 300mm fixed wall mounted with fixing materia wall holder metall"</p>	<ul style="list-style-type: none"> <li>● Chrome <b>2597405</b></li> <li>● Matt Black <b>2597439</b></li> <li>○ Matt White <b>2597453</b></li> <li>● Brushed Gold <b>25974N0</b></li> <li>● Brushed Bronze <b>25974N1</b></li> <li>● Brushed Gunmetal <b>25974N2</b></li> <li>● Stainless Brushed Nickel <b>25974N5</b></li> </ul>
		<p><b>KLUDI-VELA S robe hook</b> robe hook fixed wall mounted with fixing material wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome <b>2598405</b></li> <li>● Matt Black <b>2598439</b></li> <li>○ Matt White <b>2598453</b></li> <li>● Brushed Gold <b>25984N0</b></li> <li>● Brushed Bronze <b>25984N1</b></li> <li>● Brushed Gunmetal <b>25984N2</b></li> <li>● Stainless Brushed Nickel <b>25984N5</b></li> </ul>

# KLUDI-VELA S

Product	Product description	Surface	Item No.
	<p><b>KLUDI-VELA S towel ring</b> towel ring wall mounted with fixing material wall holder metal</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>2597805</b> <b>2597839</b> <b>2597853</b> <b>25978N0</b> <b>25978N1</b> <b>25978N2</b> <b>25978N5</b></p>
	<p><b>KLUDI-VELA S paper holder</b> paper holder with shelf fixed wall mounted with fixing material wall holder metal</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>2597105</b> <b>2597139</b> <b>2597153</b> <b>25971N0</b> <b>25971N1</b> <b>25971N2</b> <b>25971N5</b></p>
	<p><b>KLUDI-VELA S glass shelf</b> glass shelf wall mounted with fixing material wall holder metal</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>2597305</b> <b>2597339</b> <b>2597353</b> <b>25973N0</b> <b>25973N1</b> <b>25973N2</b> <b>25973N5</b></p>
	<p><b>KLUDI-VELA S Paper holder</b></p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>2598205</b> <b>2598239</b> <b>2598253</b> <b>25982N0</b> <b>25982N1</b> <b>25982N2</b> <b>25982N5</b></p>


















KLUDI-VELA C  
GEOMETRIC FORMS OF  
EXQUISITE CLARITY















# KLUDI-VELA C

Product	Product description	Surface	Item No.
 	<b>KLUDI-VELA C</b> <b>hand towel holder</b> L= 300mm fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3196205</b> <b>3196239</b> <b>3196253</b> <b>31962N0</b> <b>31962N1</b> <b>31962N2</b> <b>31962N5</b>
 	<b>KLUDI-VELA C</b> <b>hand towel holder</b> L= 450mm fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3198005</b> <b>3198039</b> <b>3198053</b> <b>31980N0</b> <b>31980N1</b> <b>31980N2</b> <b>31980N5</b>
 	<b>KLUDI-VELA C</b> <b>bath towel holder</b> L= 600mm fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3197905</b> <b>3197939</b> <b>3197953</b> <b>31979N0</b> <b>31979N1</b> <b>31979N2</b> <b>31979N5</b>
 	<b>KLUDI-VELA C</b> <b>bath towel holder</b> L= 800mm fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3196105</b> <b>3196139</b> <b>3196153</b> <b>31961N0</b> <b>31961N1</b> <b>31961N2</b> <b>31961N5</b>
 	<b>KLUDI-VELA C</b> <b>bath towel holder</b> L= 600mm 2-armed fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3198805</b> <b>3198839</b> <b>3198853</b> <b>31988N0</b> <b>31988N1</b> <b>31988N2</b> <b>31988N5</b>

Product	Product description	Surface	Item No.
	<p><b>KLUDI-VELA C hand towel holder</b>  L = 450mm  2-armed adjustable  wall mounted  with fixing material  wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>3197705</b>  <b>3197739</b>  <b>3197753</b>  <b>31977N0</b>  <b>31977N1</b>  <b>31977N2</b>  <b>31977N5</b></p>
	<p><b>KLUDI-VELA C tumbler holder</b>  fixed  wall mounted  with fixing material  wall holder metall  glas transparent</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>3197505</b>  <b>3197539</b>  <b>3197553</b>  <b>31975N0</b>  <b>31975N1</b>  <b>31975N2</b>  <b>31975N5</b></p>
	<p><b>KLUDI-VELA C soap dish</b>  fixed  wall mounted  with fixing material  wall holder metall  glas bowl transparent</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>3198505</b>  <b>3198539</b>  <b>3198553</b>  <b>31985N0</b>  <b>31985N1</b>  <b>31985N2</b>  <b>31985N5</b></p>
	<p><b>KLUDI-VELA C liquid soap dispenser</b>  fixed  wall mounted  with fixing material  wall holder metall  glass container  150ml  press from below</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>3197605</b>  <b>3197639</b>  <b>3197653</b>  <b>31976N0</b>  <b>31976N1</b>  <b>31976N2</b>  <b>31976N5</b></p>
	<p><b>KLUDI-VELA C toilet brush holder</b>  with toilet brush  satin glass container  wall mounted  with fixing material  wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>3197405</b>  <b>3197439</b>  <b>3197453</b>  <b>31974N0</b>  <b>31974N1</b>  <b>31974N2</b>  <b>31974N5</b></p>

# KLUDI-VELA C


Product	Product description	Surface	Item No.
 	<b>KLUDI-VELA C robe hook</b> fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3198405</b> <b>3198439</b> <b>3198453</b> <b>31984N0</b> <b>31984N1</b> <b>31984N2</b> <b>31984N5</b>
 	<b>KLUDI-VELA C towel ring</b> wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3197805</b> <b>3197839</b> <b>3197853</b> <b>31978N0</b> <b>31978N1</b> <b>31978N2</b> <b>31978N5</b>
 	<b>KLUDI-VELA C paper holder</b> with shelf fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3197105</b> <b>3197139</b> <b>3197153</b> <b>31971N0</b> <b>31971N1</b> <b>31971N2</b> <b>31971N5</b>
 	<b>KLUDI-VELA C glass shelf</b> wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3197305</b> <b>3197339</b> <b>3197353</b> <b>31973N0</b> <b>31973N1</b> <b>31973N2</b> <b>31973N5</b>
 	<b>KLUDI-VELA C bath grab bar 300mm</b> fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>3198105</b> <b>3198139</b> <b>3198153</b> <b>31981N0</b> <b>31981N1</b> <b>31981N2</b> <b>31981N5</b>

**Product**

**Product description**

**Surface**

**Item No.**



**KLUDI-VELA C**  
**towel shelf with bath towel holder**  
wall mounted  
with fixing material  
wall holder metall

- Chrome **3198905**
- Matt Black **3198939**
- Matt White **3198953**
- Brushed Gold **31989N0**
- Brushed Bronze **31989N1**
- Brushed Gunmetal **31989N2**
- Stainless Brushed Nickel **31989N5**











# KLUDI-VELA R






PERFECT YOUR OASIS OF WELL-BEING  
WITH CIRCULAR AND COZY DESIGN

















# KLUDI-VELA R

Product	Product description	Surface	Item No.
 	<p><b>KLUDI-VELA R</b> hand towel holder L= 300mm fixed wall mounted with fixing materia wall holder metall"</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5896205</b> <b>5896239</b> <b>5896253</b> <b>58962N0</b> <b>58962N1</b> <b>58962N2</b> <b>58962N5</b></p>
 	<p><b>KLUDI-VELA R</b> hand towel holder L= 450mm fixed wall mounted with fixing material</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5898005</b> <b>5898039</b> <b>5898053</b> <b>58980N0</b> <b>58980N1</b> <b>58980N2</b> <b>58980N5</b></p>
 	<p><b>KLUDI-VELA R</b> bath towel holder L= 600mm fixed wall mounted with fixing material wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5897905</b> <b>5897939</b> <b>5897953</b> <b>58979N0</b> <b>58979N1</b> <b>58979N2</b> <b>58979N5</b></p>
 	<p><b>KLUDI-VELA R</b> bath towel holder L= 800mm fixed wall mounted with fixing material wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5896105</b> <b>5896139</b> <b>5896153</b> <b>58961N0</b> <b>58961N1</b> <b>58961N2</b> <b>58961N5</b></p>
 	<p><b>KLUDI-VELA R</b> hand towel holder L= 450mm 1-armed, fixed wall mounted with fixing material wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5897705S</b> <b>5897739S</b> <b>5897753S</b> <b>58977N0S</b> <b>58977N1S</b> <b>58977N2S</b> <b>58977N5S</b></p>

Product	Product description	Surface	Item No.
	<p><b>KLUDI-VELA R tumbler holder</b>  tumbler holder  fixed  wall mounted  with fixing material  wall holder metall  glas transparent</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5897505</b>  <b>5897539</b>  <b>5897553</b>  <b>58975N0</b>  <b>58975N1</b>  <b>58975N2</b>  <b>58975N5</b></p>
	<p><b>KLUDI-VELA R soap dish</b>  soap dish  fixed  wall mounted  with fixing material  wall holder metall  glas bowl transparent</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5898505</b>  <b>5898539</b>  <b>5898553</b>  <b>58985N0</b>  <b>58985N1</b>  <b>58985N2</b>  <b>58985N5</b></p>
	<p><b>KLUDI-VELA R liquid soap dispenser</b>  liquid soap dispenser  fixed  wall mounted  with fixing material  wall holder metall  glass container 150ml  press from below</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5897605</b>  <b>5897639</b>  <b>5897653</b>  <b>58976N0</b>  <b>58976N1</b>  <b>58976N2</b>  <b>58976N5</b></p>
	<p><b>KLUDI-VELA R toilet brush holder</b>  "hand towel holder  L= 300mm  fixed  wall mounted with  fixing materia wall  holder metall"</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5897405</b>  <b>5897439</b>  <b>5897453</b>  <b>58974N0</b>  <b>58974N1</b>  <b>58974N2</b>  <b>58974N5</b></p>
	<p><b>KLUDI-VELA R robe hook</b>  robe hook  fixed  wall mounted  with fixing material  wall holder metall</p>	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<p><b>5898405</b>  <b>5898439</b>  <b>5898453</b>  <b>58984N0</b>  <b>58984N1</b>  <b>58984N2</b>  <b>58984N5</b></p>

# KLUDI-VELA R


Product	Product description	Surface	Item No.
 	<b>KLUDI-VELA R towel ring</b> towel ring wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>5897805</b> <b>5897839</b> <b>5897853</b> <b>58978N0</b> <b>58978N1</b> <b>58978N2</b> <b>58978N5</b>
 	<b>KLUDI-VELA R paper holder</b> paper holder with shelf fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>5897105</b> <b>5897139</b> <b>5897153</b> <b>58971N0</b> <b>58971N1</b> <b>58971N2</b> <b>58971N5</b>
 	<b>KLUDI-VELA R reserve roll holder</b> reserve roll holder for 1 role wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>5897205</b> <b>5897239</b> <b>5897253</b> <b>58972N0</b> <b>58972N1</b> <b>58972N2</b> <b>58972N5</b>
 	<b>KLUDI-VELA R glass shelf</b> glass shelf wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>5897305</b> <b>5897339</b> <b>5897353</b> <b>58973N0</b> <b>58973N1</b> <b>58973N2</b> <b>58973N5</b>
 	<b>KLUDI-VELA R bath grab bar 300mm</b> bath grab bar 280mm fixed wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>5898105</b> <b>5898139</b> <b>5898153</b> <b>58981N0</b> <b>58981N1</b> <b>58981N2</b> <b>58981N5</b>
 	<b>KLUDI-VELA R towel shelf with bath towel holder</b> towel shelf with bath towel holder wall mounted with fixing material wall holder metall	<ul style="list-style-type: none"> <li>● Chrome</li> <li>● Matt Black</li> <li>○ Matt White</li> <li>● Brushed Gold</li> <li>● Brushed Bronze</li> <li>● Brushed Gunmetal</li> <li>● Stainless Brushed Nickel</li> </ul>	<b>5898905</b> <b>5898939</b> <b>5898953</b> <b>58989N0</b> <b>58989N1</b> <b>58989N2</b> <b>58989N5</b>

**Product**

**Product description**


**Surface**

**Item No.**



**KLUDI-VELA R**  
**LED cosmetic mirror**  
 LED cosmetic mirror  
 standing model  
 material: mirror glass  
 material frame: metal  
 mirror one-sided  
 2 changeable color temperature  
 3000K oder 5700K  
 switch on the back  
 3 x magnification  
 lighting LED 4,5W  
 input voltage:200 - 240 V / AC 50-60 Hz  
 output voltage: 12V - DC  
 degree of protection: IP20  
 with cable, black, length 200 cm  
 plug in power supply with transformer, black  
 CE checked  
 protection class 2  
 Energy efficiency class E  
 concealed fastening  
 with fixing material











- Chrome **5899505F**
- Matt Black **5899539F**
- Matt White **5899553F**
- Brushed Gold **58995N0F**
- Brushed Bronze **58995N1F**
- Brushed Gunmetal **58995N2F**
- Stainless Brushed Nickel **58995N5F**








**KLUDI-VELA R**  
**LED cosmetic mirror**  
 LED cosmetic mirror  
 wall mounted  
 material: mirror glass  
 material frame: metal  
 mirror one-sided  
 swiveled on a double-jointed arm  
 2 changeable color temperature  
 3000K oder 5700K  
 switch on the back  
 3 x magnification  
 lighting LED 4,5W  
 input voltage:200 - 240 V / AC 50-60 Hz  
 output voltage: 12V - DC  
 degree of protection: IP44  
 connection: direct  
 CE checked  
 protection class 1  
 Energy efficiency class E  
 concealed fastening  
 with fixing material

- Chrome **5899505W**
- Matt Black **5899539W**
- Matt White **5899553W**
- Brushed Gold **58995N0W**
- Brushed Bronze **58995N1W**
- Brushed Gunmetal **58995N2W**
- Stainless Brushed Nickel **58995N5W**

# KLUDI-AMBA ACCESSORIES

Product		Product description	Surface	Item No.	
Washbasin			<b>KLUDI-AMBA glass holder</b> wall fastening porcelain glass with mounting material	Chrome	5397505
			<b>KLUDI-AMBA liquid soap dispenser</b> wall fastening porcelain container with mounting material	Chrome	5397605
			<b>KLUDI-AMBA hook</b> wall fastening with mounting material	Chrome	5398405
			<b>KLUDI-AMBA towel holder</b> two-armed, fixed wall fastening with mounting material	Chrome	5397705
			<b>KLUDI-AMBA spare toilet paper holder</b> wall fastening with mounting material for one roll	Chrome	5397205

Product	Product description	Surface	Item No.
<p data-bbox="177 360 236 383"><b>Bath</b></p> 	<p data-bbox="730 360 887 405"><b>KLUDI-AMBA bath towel holder</b></p> <p data-bbox="730 405 935 472">L = 850 mm wall fastening with mounting material</p>	Chrome	<b>5397905</b>
	<p data-bbox="730 712 887 757"><b>KLUDI-AMBA bath towel holder</b></p> <p data-bbox="730 757 935 824">L = 650 mm wall fastening with mounting material</p>	Chrome	<b>5398005</b>
	<p data-bbox="730 1070 855 1115"><b>KLUDI-AMBA bath handle</b></p> <p data-bbox="730 1115 935 1182">L = 350 mm wall fastening with mounting material</p>	Chrome	<b>5398105</b>
<p data-bbox="177 1429 225 1451"><b>WC</b></p> 	<p data-bbox="730 1429 895 1473"><b>KLUDI-AMBA toilet brush holder</b></p> <p data-bbox="730 1473 935 1541">wall fastening porcelain container with mounting material</p>	Chrome	<b>5397405</b>
	<p data-bbox="730 1787 855 1832"><b>KLUDI-AMBA paper-holder</b></p> <p data-bbox="730 1832 935 1877">wall fastening with mounting material</p>	Chrome	<b>5397105</b>

# General Terms and Conditions of Sale of Kludi GmbH & Co. KG

## Article 1 General – Scope

- (1) These General Terms and Conditions of Sale shall apply to all deliveries and services of Kludi GmbH & Co. KG (referred to in the following as: Kludi); conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale (and/or supplementary conditions) shall not apply, except where Kludi has explicitly approved their application.

These General Terms and Conditions of Sale shall also apply where Kludi is aware of conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale, and performs the delivery to the ordering party without reservation.

If the ordering party accepts services/deliveries from Kludi without reservation, this shall also constitute acceptance of these General Terms and Conditions of Sale.

- (2) All agreements that are made between Kludi and the ordering party regarding the performance of a contract shall be recorded in writing in the respective contract. The respective contract document shall be presumed to be complete and accurate.  
Where there exist between Kludi and the ordering party other unilateral or multilateral contractual agreements, and where individual clauses of those contracts conflict with clauses of these General Terms and Conditions of Sale, the clauses of those other agreements shall only replace the corresponding clauses of these General Terms and Conditions of Sale where this has been explicitly agreed.
- (3) These General Terms and Conditions of Sale shall only apply vis-à-vis companies in the meaning of Article 310 of the German Civil Code (BGB).
- (4) These General Terms and Conditions of Sale shall also apply to all future transactions with the ordering party, without Kludi being obliged to make specific reference to them in individual cases.

## Article 2 Information, advisory services

Information and advisory services regarding the products of Kludi shall be provided on the basis of the prior experience of Kludi. The values specified in that connection shall be calculated average values. Information and advisory services shall not render unnecessary suitability testing of the goods supplied and compliance with processing instructions, in particular by the ordering party.

Verbal information shall not be binding, unless an explicit agreement has been made to the contrary.

## Article 3 Quotation, quotation documents

- (1) If an order is subject to qualification as a quotation under Article 145 of the German Civil Code (BGB), Kludi shall be entitled to accept it within 3 weeks. A supply contract or other contract shall only then be considered to exist when Kludi has explicitly confirmed the order or other assignment, or when the goods have been delivered.
- (2) Samples and specimens shall be considered non-binding samples for inspection purposes. In the case of purchases based on samples and/or specimens, deviations are reserved where these are customary for the industry or lie within the scope of normal manufacturing and technical improvement. The delivery of samples or specimens shall not constitute a guarantee of quality or shelf life, or a quality agreement, and it shall not be associated with the definition of a standard quality, unless this is explicitly indicated in the order confirmation.
- (3) Samples and specimens shall be returned to Kludi in faultless condition and at the expense of the ordering party within 4 weeks. If they are not returned within this period, Kludi shall be entitled to charge the purchase price in accordance with the price list. Price lists can be requested from Kludi at any time.
- (4) Where not explicitly otherwise agreed, the specifications published by Kludi in catalogues, brochures and other publications in text or image format (e.g. descriptions, photographs or drawings) shall constitute approximate specifications, and shall not constitute quality specifications or possible uses of the goods supplied by Kludi.  
Specifications from Kludi shall not constitute guarantees of shelf life or quality, or quality specifications, and shall correspond to the current state of knowledge at Kludi. Kludi shall not be liable for the success of the intended use.
- (5) Kludi retains all property rights and copyrights, and rights of reproduction, to images, drawings, calculations, cost estimates, and other documents; it shall not be permissible for images, drawings, calculations, cost estimates and other documents to be disclosed to third parties. These documents shall be returned to Kludi if the order is not placed. The aforementioned provisions of this Para. 5 shall in particular apply to written documents marked „confidential“; the ordering party shall require the explicit approval of Kludi before the disclosure of these to third parties.

## Article 4 Prices, payment conditions

- (1) Unless otherwise agreed in the order confirmation, the prices of Kludi on the date of delivery apply „ex works“ and exclusive of packaging and transportation; the latter will be invoiced separately.
- (2) The statutory value-added tax is not included in the prices; it will be separately stated in the invoice at the statutory rate on the date of invoicing.
- (3) Deliveries to destinations in EU countries and in states party to the

Agreement on the European Economic Area shall be subject to an agreed carriage-paid limit of Euro 750.00 per individual order, and a small-quantity surcharge of Euro 6.00 for individual orders with a value under Euro 50.00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.

For deliveries to destinations on the continents of Asia (in particular China and Russia), Australia (including New Zealand), Africa, Antarctica, South America and North America, a carriage-paid limit of EURO 500,00 shall apply per individual order, and a small-quantity surcharge of EURO 500,00 for individual orders with a value under EURO 500,00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.

- (4) Where not otherwise specified in the order confirmation, the purchase price shall be due for payment net (without deduction) within 30 days after the invoice date. The statutory provisions regarding the consequences of default in payment shall apply. If the ordering party pays the purchase price within 10 days after the invoice date, an early payment discount of 3% of the invoice total shall apply, provided that all older purchase price debts have been paid in full. Any further early payment discount shall be subject to special explicit agreement. Payments shall be made in euros, and shall be payable free of postage and charges to paying agents specified by Kludi. Bills of exchange and cheques shall only constitute payment when they have been redeemed, and shall be accepted without obligation for timely presentation and protesting.
- (5) In the event of default, Kludi shall be entitled to claim default interest at the statutory rate (Article 288 Para. 1, Para. 2 of the German Civil Code (BGB)). If Kludi demonstrates that the default in payment has incurred higher loss of interest, this can be claimed. The right to assert further claims is explicitly reserved.  
In the case of bilateral commercial transactions, Kludi shall be entitled to charge maturity interest at a rate of 4%, starting from the date of the payment claim.
- (6) In the event of justified doubt in the solvency of the ordering party, in particular in the event of payment arrears, Kludi shall be entitled to demand advance payments or collateral from the ordering party for further deliveries, without prejudice to any further claims, and shall be entitled to revoke individually agreed payment periods.
- (7) The ordering party shall only be entitled to rights of offsetting and retention where the counterclaims have the force of law and are recognised by Kludi. Furthermore, the ordering party shall only be entitled to a right of retention where the counterclaim derives from the same contractual relationship. Kludi shall be entitled, despite any provisions of the ordering party to the contrary, to first offset payments against any older liabilities of the ordering party. If costs and interests have already been incurred, Kludi shall be entitled first to offset the payment against the cost, then against the interest, and finally against the principal demand.
- (8) All customs duties, taxes, levies etc. incurred outside the Federal Republic of Germany shall be paid by the ordering party.

## Article 5 Delivery time

- (1) Delivery schedules shall only be binding where this has been explicitly agreed. The delivery time specified by Kludi shall only begin after all technical questions have been clarified and Kludi has given an additional explicit delivery time confirmation. Delivery schedules shall be considered to have been complied with where the delivered product has left the facility of Kludi, or notification of dispatch readiness has been sent.
- (2) Compliance with delivery obligations on the part of Kludi shall furthermore be dependent on the timely and proper fulfilment of the obligations of the ordering party; this shall in particular relate to the timely receipt of all documents to be supplied by the ordering party, and required permits and approvals, in particular for plans, and compliance with the agreed payment conditions (e.g. advance payments). The right of objection on grounds of non-fulfilment of contract shall be reserved.
- (3) Where non-compliance with the agreed schedules is attributable to force majeure, e.g. mobilisation, war, rioting or similar events, e.g. strike, lockout etc., the agreed schedules shall be extended appropriately. The same shall apply in the event that Kludi itself has not received deliveries in a timely or proper manner (the agreed delivery schedules shall correspondingly be subject to proper and timely deliveries by suppliers).
- (4) Kludi shall be entitled to make partial deliveries, where these are reasonable for the ordering party. It shall be permitted for partial deliveries to be invoiced separately.
- (5) If the ordering party defaults on acceptance or culpably violates other duties of cooperation, Kludi shall be entitled to request compensation of any losses incurred by Kludi as a result, including remuneration of any excess expenditure. Further claims shall be reserved.
- (6) Where the requirements of Para. (5) apply, the risk of accidental loss or accidental deterioration of the purchased product shall be transferred to the ordering party from the date at which the latter defaults on acceptance or payment.
- (7) Kludi shall be liable in accordance with the statutory provisions where the underlying purchase contract constitutes a fixed date transaction in the

meaning of Article 286 Para. 2 of the German Civil Code (BGB) or Article 376 of the German Commercial Code (HGB). Kludi shall also be liable in accordance with the statutory provisions where a delay in delivery for which Kludi is responsible entitles the ordering party to assert that he has no further interest in the continued performance of the contract. Subject to proper and timely deliveries by subsuppliers.

- (8) Kludi shall furthermore be liable in accordance with the statutory provisions where the delay in delivery arises from intentional or grossly negligent violation of contract for which Kludi is responsible; Kludi shall be liable for violations committed by representatives or vicarious agents of Kludi. Where the delay in delivery does not arise from an intentional violation of contract for which Kludi is responsible, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (9) Kludi shall also be liable in accordance with the statutory provisions where the delay in delivery for which Kludi is responsible arises from a culpable violation of a major contractual obligation; in this case, the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (10) Kludi shall otherwise be liable in the event of delay in delivery to pay lump-sum default compensation in the sum of 3% of the value of the delivery for each full week of delay, limited, however, to a maximum of 9% of the value of the delivery.
- (11) The limitations/exclusions of liability described in Para. 7-10 of this Article shall not apply in the event of death, injury or damage to health.

#### Article 6 Transfer of risk

- (1) Unless otherwise provided for in the order confirmation, the delivery shall be agreed as „ex works“. The risk shall correspondingly be transferred to the ordering party at the latest when the delivered products are dispatched, even where partial deliveries are made, or where Kludi still has to perform other services, e.g. where Kludi has accepted the dispatch costs or the transport and/or installation costs. The provisions of Article 5 Para. 6 shall also apply.
- (2) The return of transport packaging and all other packaging shall not be accepted; this applies with the exception of pallets. The ordering party shall be obliged to dispose of the packaging at its own expense.
- (3) Where the ordering party wishes, Kludi shall arrange for the delivery to be covered by a separate transport insurance policy; the costs incurred shall be paid by the ordering party.
- (4) The statutory obligations regarding inspection and notification of defects (Article 377 of the German Commercial Code (HGB)) shall continue to apply without restriction. If the ordering party fails to perform the immediate inspection of the goods required by Article 377 of the German Commercial Code (HGB), or fails immediately to give notification of defects, the goods shall be considered approved, and the ordering party shall no longer be entitled to assert claims relating to defects or incomplete delivery. Where Kludi negotiates with the ordering party regarding a complaint raised by the latter, this shall not constitute a tacit waiver of the objection of late inspection of the goods or notification of defects without explicit notice thereof. The same shall apply to any statement from Kludi that it may be prepared to remedy the defect (or where such remediation actually takes place). Notification of defects shall require the written form.

#### Article 7 Liability for defects

Kludi shall be liable for any defects in delivery, excluding further claims, as follows:

- (1) Claims for defects shall not exist in cases of only minor deviation from the agreed quality or – in the absence of an agreement – from the customary quality, where the impairment of function is only insignificant, in cases of natural wear or damage that occurred after the transfer of risk as a result of incorrect or negligent treatment and handling (particularly by untrained personnel), improper or inappropriate use, excessive loading, inappropriate equipment, defective construction work, inappropriate building ground, incorrect installation, incorrect use, or which occur as a result of specific external factors that have not been taken into consideration by the contract, or in case of non-reproducible software errors. If the ordering party or third parties perform unprofessional modifications or maintenance work, claims for defects cannot be asserted for these or the resulting consequences. Incorrect use, in relation to which no claims for compensation of defects shall be possible, shall in particular include the installation of the object of purchase or parts thereof in other products, or the installation of third-party components into the object of purchase, or in the event of modification of the object of purchase by the ordering party, unless an alternative has explicitly been agreed.
- (2) All parts supplied that contain defects shall be either repaired or replaced free of charge at the discretion of Kludi, where and inasmuch as the cause was already present at the time of the transfer of risk (supplementary performance).
- (3) In the event of a justified notification of defects, the ordering party shall give Kludi the opportunity of supplementary performance within a reasonable period.
- (4) If the supplementary performance has failed or is unreasonable for the ordering party (Article 440 of the German Civil Code (BGB)), or is dispensable because
  - a) the supplementary performance is conclusively rejected by Kludi,

b) the supplementary performance has not been effected by a contractually determined deadline or within a specified period, and the ordering party has contractually bound the continuation of its interest in performance to the punctuality of the performance, or

- c) special circumstances exist that, under consideration of the interests of both parties, justify immediate withdrawal (Article 323 Para. 2 of the German Civil Code (BGB)), the ordering party shall immediately be entitled to reduce the purchase price or withdraw from the contract at its discretion, and (or also additionally) in accordance with Para. 10 in conjunction with Article 11 to demand compensation of damages in lieu of the performance, or reimbursement of frustrated expenditure.
- (5) The expenditures required for the purpose of supplementary performance, and in particular transportation, travel, personnel and material costs, shall be paid by Kludi. This shall not apply where the expenditures increase because the object of delivery has been removed to another location than the place of fulfilment (Article 12 Para. 3) of the delivery, except where this corresponds to the intended use of the object of delivery.
- (6) If the ordering party accepts a defective delivery despite being aware of the defect, he shall only be entitled to the claims and rights arising from the defect if he reserves these within the framework of the acceptance process.
- (7) The statements made in brochures, advertising materials, descriptions etc. regarding dimensions, weights, performance capabilities etc. shall constitute approximate statements, and not quality specifications. They shall not constitute a guarantee of quality or shelf life. Kludi reserves the right to deviations. This shall also apply to design changes.
- (8) Claims for supplementary performance shall be subject to statutory limitation in one year after the beginning of the statutory limitation period; the same shall apply for withdrawal and reduction. This period shall not apply where the law under Article 438 Para. 1 No. 2 (buildings and products for buildings), Article 479 Para. 1 (right of recourse) and Article 634a Para. 1 No. 2 (construction defects) of the German Civil Code (BGB) prescribes mandatory longer periods, and shall also not apply in cases of intent, malicious non-disclosure of the defect, or non-compliance with a quality guarantee, or violation of major contractual obligations (cardinal obligations). In such cases the statutory limitation periods shall apply.  
The statutory regulations regarding suspension of expiry, suspension, and recommencement of the limitation period, shall remain unaffected; in the event of supplementary performance by means of delivery of a defect-free product, the warranty period shall however end at the time when it would have ended for the defective product.
- (9) Any rights of recourse of the ordering party against Kludi under Article 478 of the German Civil Code (BGB) (recourse of the principal) shall only apply where the ordering party has made no agreement with his customer that exceed the statutory claims for defect. The scope of the right of recourse against Kludi shall be governed by Article 478 Para. 2 of the German Civil Code (BGB), and Article 7 Para. 1-7, 10 and Article 11 shall apply correspondingly.
- (10) Any claims by the ordering party for compensation of damages in relation to a material defect shall be determined on the basis of Article 11.

#### Article 8 Returns

- (1) Returns of the purchased product shall be excluded, except in cases under Article 7.
- (2) Purchased products returned without the approval of Kludi shall be rejected by Kludi, or sent back to the ordering party freight forward.
- (3) If in individual cases and after prior explicit agreement Kludi exceptionally agrees to the return delivery, Kludi shall be entitled to invoice processing costs in the sum of at least 30% of the net value of the goods, depending on the usability of the goods.
- (4) The ordering party shall bear the transportation risk and transport costs.

#### Article 9 Retention of title

- (1) Kludi shall retain the title to all delivered products (referred to in the following as: ROT goods) until the payment of all receivables, for whatever legal reason, including receivables arising in future conditional receivables from concurrent or subsequently concluded contracts. This shall also apply where payments are made on specifically designated receivables. If there are indicators justifying the assumption of insolvency on the part of the ordering party, or the threat of such, Kludi shall be entitled to withdraw from the contract without notice, and to demand the surrender of the ROT goods.
- (2) Processing of the ROT goods shall take place on behalf of Kludi as the manufacturer in the meaning of Article 950 of the German Civil Code (BGB), without obligation for Kludi. The processed goods shall constitute ROT goods in the meaning of Para. 1. Where the ROT goods are processed, aggregated or mixed with other goods by the ordering party, Kludi shall have joint title to the new product in the ratio of the invoice value of the ROT goods to the invoice value of the other goods used. If the title of Kludi lapses upon aggregation or mixing, the ordering party hereby already transfers his ownership rights to the new stock or product in the scope of the invoice value of the ROT goods, and holds it in safekeeping for Kludi free of charge. The joint ownership rights thus arising shall constitute ROT goods in the meaning of Para. 1.
- (3) If the ROT goods are aggregated with real property by the ordering party as an entrepreneur in the meaning of Article 946 of the German Civil Code

(BGB), the ordering party shall also assign to Kludi at the time of aggregation the receivables to which he is entitled as remuneration for this aggregation, together with all auxiliary rights, and without the need for any further separate statement, as security in the sum of the ratio of the ROT goods aggregated to the other goods aggregated, or to the value of his total performance.

- (4) The ordering party shall be entitled to resell, process, aggregate with other goods, or otherwise install the ROT goods only within the framework of ordinary business operations, and provided that he is not in default of payment of the purchase price. Any other utilisation of the ROT goods shall not be permitted. Distraint or other seizure of the ROT goods by third parties shall be reported to Kludi immediately. All intervention costs shall be paid by the ordering party, where they cannot be collected by the third party, and where the third-party action against execution has legitimately been taken. If the ordering party defers payment of the purchase price for his customer, he shall be obliged to retain the title to the ROT goods under the same conditions as Kludi has retained the title to the delivery of the ROT goods. The ordering party shall however not be obliged to also retain the title in relation to the receivables to which he will be entitled from his customer in future. Resale by the ordering party shall otherwise not be authorised.
- (5) The receivables of the ordering party from the resale of the ROT goods are hereby already assigned to Kludi. These shall serve as security in the same manner as the ROT goods. Resale by the ordering party shall only be entitled and authorised where it is ensured that the receivables to which he is entitled as a result are transferred to Kludi.
- (6) If the ROT goods are sold by the ordering party at an overall price together with other goods not supplied by Kludi, the receivables from the sale shall be assigned in the value of the invoice value of the respective ROT goods sold.
- (7) If the receivables are recorded in an ongoing account, the ordering party hereby already assigns to Kludi a proportion of the balance, including the closing balance of the current account, corresponding to these receivables.
- (8) The ordering party shall be authorised to collect the assigned receivables until such authorisation is revoked by Kludi. Kludi shall be entitled to revoke this authorisation if the ordering party fails to fulfil his payment obligations arising from the business relationship in a proper manner, or if circumstances become known that have the potential to significantly reduce the credit rating of the ordering party. Where the conditions are fulfilled for this right of revocation to be exercised, upon request from Kludi the ordering party shall immediately disclose the assigned receivables and the respective debtors, provide all information required for the collection of the receivables, provide Kludi with the associated documents, and notify the debtor of the assignment. Kludi themselves shall also be entitled to notify the debtor of the assignment. The ordering party shall not otherwise be entitled to assign the receivables, and in particular not as a result of the authorisation to collect thus granted.
- (9) If the nominal value (invoice total of the goods or nominal total of the receivables entitlement) exceeds the securities held by Kludi for the secured receivables by a total of more than 10%, upon request from the ordering party Kludi shall be entitled to release securities of its choice.
- (10) If Kludi asserts a retention of title, this shall only constitute withdrawal from the contract where this is explicitly stated by Kludi. The right of the ordering party to own the ROT goods shall lapse if he fails to fulfil his obligations arising from this or another contract.

#### **Article 10 Use of image data, text, videos, and/or other print and digital media**

- (1) The use of images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, shall require the explicit prior approval of Kludi.
- (2) In the event that explicit approval is granted under Para. 1, the following points shall be binding for any use of the images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, and also during the presentation of products from Kludi on internet pages of the user:
  - a) The brand name „Kludi“ must not be used in the domain name (URL) of the user. The same shall apply correspondingly to other brands in the Kludi Group, and variations thereon.
  - b) In internet presentations and other media, only such photographs of Kludi products shall be used as are typical for the brand. Photos and silhouettes of the products used in internet presentations or other media shall be of at least the same standard as the official Kludi homepage or the print media used by Kludi. In this respect, Kludi reserves the right to make further specifications.

c) The Kludi image brand / logo shall only be used in internet presentations and other media with the explicit approval of Kludi. Articles 23 and 24 of the German Trade Marks Act (MarkenG) remain unaffected.

- d) In the event of such approval being granted and the Kludi image brand / logo being used in internet presentations, it shall be linked to the website [www.kludi.com](http://www.kludi.com).
  - e) In the event of such approval being granted and the Kludi image brand / logo being used, only the original logo shall be used. It shall not be permitted for the user to modify the Kludi image brand / logo. The typefaces used on the Kludi homepage or in the print media used by Kludi shall also be used in the internet presentations of the user or in other media of the user, unless Kludi has explicitly approved another design.
  - f) The user must be clearly identifiable as the copyright holder of his internet presentation or other media. It must be beyond doubt that the internet presentation or other media is the responsibility of the user and not of Kludi. The Kludi image brand / logo shall therefore be a maximum of 50% of the height of the logo of the user.
  - g) Any further private or commercial use, or distribution of image data/files to third parties, shall only be permitted with the explicit prior approval of Kludi.
- (3) The use of the data provided by Kludi shall exclusively be permitted with reference to Kludi using the following format:  
© KLUDI GmbH & Co. KG, Menden, Germany
  - (4) Any editing, modification, manipulation or distortion of the images and texts provided, e.g. rephotographing, graphic falsification, photocomposing, or alteration using electronic means, that exceed the scope of true-to-scale enlargement or reduction shall exclusively be permitted with the explicit approval of Kludi.
  - (5) In the event of a violation of the conditions of use described in this Article 10, Kludi retains the right to exclude the user from further use of the image data, and to revoke any approval already granted. All further statutory rights shall be retained.

#### **Article 11 Compensation of damages / exclusion of liability**

- (1) Any claims by the ordering party for compensation of damage – for whatever legal reason – shall be excluded, subject to alternative provisions of these General Terms and Conditions of Supply. This shall not apply in the event of malicious non-disclosure of defects, in the event of non-compliance with a quality guarantee, in the event of death, injury or damage to health, and/or in the event of intentional or grossly negligent violation of obligations by Kludi, or in the event of a violation of obligations whose fulfilment is essential for the proper performance of the contract, and with which the ordering party is entitled to expect compliance (major contractual obligations / cardinal obligations). Claims under the German Product Liability Act shall also be unaffected by this limitation of liability. This limitation of liability shall apply equally to violations of obligations by the bodies and vicarious agents of Kludi.
- (2) Vis-à-vis entrepreneurs, the claim for compensation of damages arising from violation of major contractual obligations shall, however, be limited to the foreseeable damage typical for the type of contract, in the absence of either intent or gross negligence, and in the absence of liability for death, injury or damage to health.
- (3) The aforementioned limitation of liability shall apply equally to claims for the reimbursement of frustrated expenditure (Article 284 of the German Civil Code (BGB)). The above provision shall not constitute a change of the burden of proof to the disadvantage of the ordering party.

#### **Article 12 Applicable law, jurisdiction, place of fulfilment**

- (1) Where the ordering party is a businessperson, the registered office of Kludi shall be the exclusive jurisdiction. Kludi shall however also be entitled to file claims against the ordering party at another statutory jurisdiction.
- (2) The law of the Federal Republic of Germany shall apply, excluding the UN Convention on Contracts for the International Sale of Goods and the standard rules for conflicts of international private law, and in particular the Rome I Regulation.
- (3) Where not otherwise agreed in the order confirmation, the place of fulfilment shall be the registered office of Kludi.
- (4) If individual clauses of these General Terms and Conditions of Sale are or become ineffective, wholly or in part, this shall not affect the effectiveness of the remaining clauses and the remaining parts of such clauses.

Kludi GmbH & Co. KG, As of: January 2015

## **KLUDI INDIVIDUAL**

KLUDI INDIVIDUAL is a sales program that includes different terms and conditions and delivery times, subject to the stock availability for each region. Please consult your customer care for further details.



KLUDI GmbH & Co. KG  
P.O. Box 25 60 · 58685 Menden  
Am Vogelsang 31–33 · 58706 Menden  
Germany

T +49 2373 904-0  
info@kludi.com



Post Box : 6679, Ras Al Khaimah,  
United Arab Emirates,  
Tel : +971 7 204 8111, Fax : +971 7 244 7759  
info.me@kludi.com

© 2024 Kludi GmbH & Co. KG, Menden (Germany)

All rights reserved. Subject to technical changes. Reproduction, copying and translations shall only be permitted with our express written approval.



